

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### Product Identifier

Perihalan Produk:

Product Description:

Cat No. :

Synonyms

TCA Deblock

TCA Deblock

TS/0168/17

-

### Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

### Company

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

### Supplier

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

Tel: +03-5525 7888

CHEMTREC Malaysia **1-800-815-308** (Malay)

CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the substance or mixture

|                                                    |                          |
|----------------------------------------------------|--------------------------|
| Skin Corrosion/Irritation                          | Category 2 (H315)        |
| Serious Eye Damage/Eye Irritation                  | Category 1 (H318)        |
| Carcinogenicity                                    | Category 2 (H351)        |
| Specific target organ toxicity - (single exposure) | Category 3 (H335) (H336) |
| Chronic aquatic toxicity                           | Category 2 (H411)        |

### Label Elements

Contains Dichloromethane & Trichloroacetic acid

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025



**Signal Word**

**Danger**

## **Hazard Statements**

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H411 - Toxic to aquatic life with long lasting effects

## **Precautionary Statements**

### **Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### **Response**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### **Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

## **Other Hazards**

Toxic to terrestrial vertebrates  
Contains a substance on the National Authorities Endocrine Disruptor Lists  
Contains a known or suspected endocrine disruptor

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

| Component            | CAS No  | Weight % |
|----------------------|---------|----------|
| Methylene chloride   | 75-09-2 | 97       |
| Trichloroacetic acid | 76-03-9 | 3        |

## **SECTION 4: FIRST AID MEASURES**

### **Description of first aid measures**

#### **General Advice**

If symptoms persist, call a physician.

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                                                     |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

## **Most important symptoms and effects, both acute and delayed**

Difficulty in breathing. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## **Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

Phosgene, Chlorine, Hydrocarbons, Hydrogen chloride gas.

### **Advice for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

### **Environmental precautions**

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

## Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component            | Malaysia | ACGIH TLV    | OSHA PEL                                                                                                          |
|----------------------|----------|--------------|-------------------------------------------------------------------------------------------------------------------|
| Methylene chloride   |          | TWA: 50 ppm  | (Vacated) TWA: 500 ppm<br>(Vacated) STEL: 2000 ppm<br>(Vacated) Ceiling: 1000 ppm<br>TWA: 25 ppm<br>STEL: 125 ppm |
| Trichloroacetic acid |          | TWA: 0.5 ppm | (Vacated) TWA: 1 ppm<br>(Vacated) TWA: 7 mg/m <sup>3</sup>                                                        |

| Component            | European Union                                                                                                               | The United Kingdom                                                                                                         | Germany                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methylene chloride   | TWA: 353 mg/m <sup>3</sup> (8h)<br>TWA: 100 ppm (8h)<br>STEL: 706 mg/m <sup>3</sup> (15min)<br>STEL: 200 ppm (15min)<br>Skin | STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>Skin | TWA: 50 ppm (8 Stunden). AGW -<br>exposure factor 2<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 2<br>TWA: 50 ppm (8 Stunden). MAK<br>TWA: 180 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 100 ppm<br>Höhepunkt: 360 mg/m <sup>3</sup><br>Haut                                                                                                       |
| Trichloroacetic acid |                                                                                                                              |                                                                                                                            | TWA: 0.2 ppm (8 Stunden). AGW -<br>exposure factor 1<br>TWA: 1.4 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 1<br>TWA: 0.2 ppm (8 Stunden). MAK<br>can occur as vapor and aerosol at<br>the same time<br>TWA: 1.4 mg/m <sup>3</sup> (8 Stunden). MAK<br>can occur as vapor and aerosol at<br>the same time<br>Höhepunkt: 0.2 ppm<br>Höhepunkt: 1.4 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

|                                 |                       |
|---------------------------------|-----------------------|
| <b>Eye Protection</b>           | Goggles               |
| <b>Hand Protection</b>          | Protective gloves     |
| <b>Skin and body protection</b> | Long sleeved clothing |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                    |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Respiratory Protection</b>   | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators                                                                                                                                    |
| <b>Recommended Filter type:</b> | low boiling organic solvent Type AX Brown conforming to EN371<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly<br>When RPE is used a face piece Fit Test should be conducted |

|                                |                                                                       |
|--------------------------------|-----------------------------------------------------------------------|
| <u><b>Hygiene Measures</b></u> | Handle in accordance with good industrial hygiene and safety practice |
|--------------------------------|-----------------------------------------------------------------------|

|                                               |                                                                                               |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------|
| <u><b>Environmental exposure controls</b></u> | Prevent product from entering drains Do not allow material to contaminate ground water system |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------|

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                   |                                              |                                          |
|-----------------------------------|----------------------------------------------|------------------------------------------|
| <b>Appearance</b>                 | Colorless                                    |                                          |
| <b>Physical State</b>             | Liquid                                       |                                          |
| <b>Odor</b>                       | sweet                                        |                                          |
| <b>Odor Threshold</b>             | No data available                            |                                          |
| <b>pH</b>                         | Not applicable                               |                                          |
| <b>Melting Point/Range</b>        | -97 °C / -142.6 °F                           |                                          |
| <b>Softening Point</b>            | No data available                            |                                          |
| <b>Boiling Point/Range</b>        | 40 °C / 104 °F                               |                                          |
| <b>Flash Point</b>                | Not applicable                               | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>           | No data available                            |                                          |
| <b>Flammability (solid,gas)</b>   | Not applicable                               | Liquid                                   |
| <b>Explosion Limits</b>           | <b>Lower</b> 13 vol%<br><b>Upper</b> 22 vol% |                                          |
| <b>Vapor Pressure</b>             | 350 mbar @ 20 °C                             |                                          |
| <b>Vapor Density</b>              | No data available                            | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b> | 1.325                                        |                                          |
| <b>Bulk Density</b>               | Not applicable                               | Liquid                                   |

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

|                                     |                          |
|-------------------------------------|--------------------------|
| <b>Water Solubility</b>             | Immiscible               |
| <b>Solubility in other solvents</b> | No information available |

## Partition Coefficient (n-octanol/water)

| Component            | log Pow |
|----------------------|---------|
| Methylene chloride   | 1.25    |
| Trichloroacetic acid | 1,44    |

|                                  |                          |
|----------------------------------|--------------------------|
| <b>Autoignition Temperature</b>  | 556 °C / 1032.8 °F       |
| <b>Decomposition Temperature</b> | > 120°C                  |
| <b>Viscosity</b>                 | 0.43 cP at 20 °C         |
| <b>Explosive Properties</b>      | No information available |
| <b>Oxidizing Properties</b>      | No information available |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

|                                 |                                          |
|---------------------------------|------------------------------------------|
| <b>Hazardous Polymerization</b> | Hazardous polymerization does not occur. |
| <b>Hazardous Reactions</b>      | None under normal processing.            |

### Conditions to Avoid

Incompatible products. Excess heat.

### Incompatible Materials

Strong oxidizing agents. Strong acids. Bases. Alcohols. Amines. Metals.

### Hazardous Decomposition Products

Phosgene. Chlorine. Hydrocarbons. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

|                            |                                                             |
|----------------------------|-------------------------------------------------------------|
| <b>Product Information</b> | No acute toxicity information is available for this product |
|----------------------------|-------------------------------------------------------------|

#### (a) acute toxicity;

|               |                                                            |
|---------------|------------------------------------------------------------|
| <b>Oral</b>   | Based on ATE data, the classification criteria are not met |
| <b>Dermal</b> | Based on ATE data, the classification criteria are not met |

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

## Inhalation

Based on ATE data, the classification criteria are not met

## Toxicology data for the components

| Component            | LD50 Oral            | LD50 Dermal               | LC50 Inhalation                                            |
|----------------------|----------------------|---------------------------|------------------------------------------------------------|
| Methylene chloride   | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat )      | 53 mg/L ( Rat ) 6 h<br>76000 mg/m <sup>3</sup> ( Rat ) 4 h |
| Trichloroacetic acid | 3320 mg/kg rat       | LD50 > 2000 mg/kg ( Rat ) | -                                                          |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory  
Skin

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component            | EU | UK | Germany | IARC     |
|----------------------|----|----|---------|----------|
| Methylene chloride   |    |    |         | Group 2A |
| Trichloroacetic acid |    |    |         | Group 2B |

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs

Central nervous system (CNS), Respiratory system.

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs

No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component          | Freshwater Fish      | Water Flea         | Freshwater Algae   | Microtox          |
|--------------------|----------------------|--------------------|--------------------|-------------------|
| Methylene chloride | Pimephales promelas: | EC50: 140 mg/L/48h | EC50:>660 mg/L/96h | EC50: 1 mg/L/24 h |

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

|                      |                   |          |           |                        |
|----------------------|-------------------|----------|-----------|------------------------|
|                      | LC50:193 mg/L/96h |          |           | EC50: 2.88 mg/L/15 min |
| Trichloroacetic acid | >277 mg/l         | 110 mg/l | 0.27 mg/l |                        |

## Persistence and degradability

### **Persistence**

Persistence is unlikely, based on information available, Immiscible with water.

### **Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative potential

May have some potential to bioaccumulate

| Component            | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| Methylene chloride   | 1.25    | 6.4 - 40 dimensionless        |
| Trichloroacetic acid | 1.44    | 0.4-1.7 Cyprinus caprio       |

## Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Spillage unlikely to penetrate soil. The product is insoluble and sinks in water. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with federal, state and local regulations Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Do not reuse empty containers Dispose of in accordance with local regulations Dispose of this container to hazardous or special waste collection point.

#### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not let this chemical enter the environment

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                         |                                                                       |
|-------------------------|-----------------------------------------------------------------------|
| UN-No                   | UN2922                                                                |
| Hazard Class            | 8                                                                     |
| Subsidiary Hazard Class | 6.1                                                                   |
| Packing Group           | III                                                                   |
| Proper Shipping Name    | Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane |

### Road and Rail Transport

|                         |                                                                       |
|-------------------------|-----------------------------------------------------------------------|
| UN-No                   | UN2922                                                                |
| Hazard Class            | 8                                                                     |
| Subsidiary Hazard Class | 6.1                                                                   |
| Packing Group           | III                                                                   |
| Proper Shipping Name    | Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane |



# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

## IATA

UN-No UN2922  
Hazard Class 8  
Subsidiary Hazard Class 6.1  
Packing Group III  
Proper Shipping Name Corrosive liquid, toxic, n.o.s. Trichloroacetic acid, Dichloromethane

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component            | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|----------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Methylene chloride   | 200-838-9 | X    | X   | X     | X    | X    | X     | X    | KE-23893 |
| Trichloroacetic acid | 200-927-2 | X    | X   | X     | X    | X    | X     | X    | KE-34058 |

| Component          | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|--------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Methylene chloride |                                                                                           |                                                                                          |                            | Annex I - Y45                      |

### National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

| Component            | Persistent Organic Pollutant | Ozone Depletion Potential | Pesticides Act 1974 |
|----------------------|------------------------------|---------------------------|---------------------|
| Trichloroacetic acid |                              |                           | X                   |

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

# SAFETY DATA SHEET

TCA Deblock

Revision Date 23-Mar-2025

**OECD** - Organisation for Economic Co-operation and Development  
**BCF** - Bioconcentration factor

**ATE** - Acute Toxicity Estimate  
**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 23-Mar-2025  
**Revision Summary** Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health  
(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**