

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

|                      |                          |
|----------------------|--------------------------|
| Product Name         | <u>m-Xylene</u>          |
| CAS No               | 108-38-3                 |
| Synonyms             | 1,3-Dimethylbenzene      |
| Molecular Formula    | C8 H10                   |
| Molecular Weight     | 106.17                   |
| Recommended Use      | Laboratory chemicals.    |
| Uses advised against | No Information available |

|                         |                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------|
| Product Code            | <b>X/0350/08</b>                                                                            |
| Address                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| Emergency Tel.          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| Telephone / Fax Numbers | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| E-mail address          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number     **HSR001236**

### GHS Classification

#### Physical hazards

Flammable liquids

Category 3

#### Health hazards

Aspiration Toxicity  
 Acute Oral Toxicity  
 Acute Dermal Toxicity  
 Acute Inhalation Toxicity - Vapors  
 Skin Corrosion/Irritation  
 Serious Eye Damage/Eye Irritation  
 Reproductive Toxicity

Category 1  
 Category 4  
 Category 4  
 Category 4  
 Category 2  
 Category 2  
 Category 2

#### Environmental hazards

Chronic aquatic toxicity

Category 3

**Label Elements****Signal Word****Danger****Hazard Statements**

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H412 - Harmful to aquatic life with long lasting effects

H361 - Suspected of damaging fertility or the unborn child

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P235 - Store in a well-ventilated place. Keep cool

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component | CAS No   | Weight % |
|-----------|----------|----------|
| m-Xylene  | 108-38-3 | >95      |

## Section 4 - First Aid Measures

### Description of first aid measures

|                                            |                                                                                                                                                                                                     |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                                                                                                              |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                                                                          |
| <b>Inhalation</b>                          | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).                                   |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                                                                     |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                                                                   |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward. |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                    |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                |
| <b>Most important symptoms and effects</b> | None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting                                                                                    |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.                                                                                                                                                     |

## Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### **Extinguishing media which must not be used for safety reasons**

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### **Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Precautions to prevent secondary hazards**

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling****Advice on safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

**Conditions for Safe Storage, Including any Incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat, sparks and flame.

**Incompatible Materials**

Strong oxidizing agents. Strong acids.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

**Control parameters****Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

| Component | New Zealand WEL                           | Australia                                                                                 | ACGIH TLV   | The United Kingdom                                                                                                        |
|-----------|-------------------------------------------|-------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------------|
| m-Xylene  | TWA: 50 ppm<br>TWA: 217 mg/m <sup>3</sup> | STEL: 150 ppm<br>STEL: 655 mg/m <sup>3</sup><br>TWA: 80 ppm<br>TWA: 350 mg/m <sup>3</sup> | TWA: 20 ppm | STEL: 100 ppm 15 min<br>STEL: 441 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 220 mg/m <sup>3</sup> 8 hr<br>Skin |

**Biological limit values**

**UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

| Component | New Zealand | Australia | ACGIH - Biological Exposure Indices                                                            | United Kingdom                                                 |
|-----------|-------------|-----------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| m-Xylene  |             |           | 1.5 g/g creatinine<br>Medium: urine<br>Time: end of shift<br>Determinant: Methylhippuric acids | Methyl hippuric acid: 650 mmol/mol creatinine urine post shift |

### Appropriate engineering controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

**Hand Protection** Protective gloves

| Glove material  | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments                                                                 |
|-----------------|-------------------|-----------------|-----------------|--------------------------------------------------------------------------------|
| Viton (R), PVA. | > 480 minutes     | 0.3 mm          | AS/NZS 2161     | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
|                 | > 360 minutes     | 0.3 mm          |                 |                                                                                |
| Nitrile rubber  | < 40 minutes      | 0.38 mm         |                 |                                                                                |
| Neoprene        | < 37 minutes      | 0.45 mm         |                 |                                                                                |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure

**Respiratory Protection** Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

**Recommended half mask:-** Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                       |                   |
|-----------------------|-------------------|
| <b>Physical State</b> | Liquid            |
| <b>Appearance</b>     | Colorless         |
| <b>Odor</b>           | aromatic          |
| <b>Odor Threshold</b> | No data available |

|                                         |                                                |                                          |
|-----------------------------------------|------------------------------------------------|------------------------------------------|
| pH                                      | No information available                       |                                          |
| Melting Point/Range                     | -48 °C / -54.4 °F                              |                                          |
| Softening Point                         | No data available                              |                                          |
| Boiling Point/Range                     | 138 - 139 °C / 280.4 - 282.2 °F                |                                          |
| Flammability (liquid)                   | Flammable                                      | On basis of test data                    |
| Flammability (solid,gas)                | Not applicable                                 | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 1.7 Vol%<br><b>Upper</b> 7.6 Vol% |                                          |
| Flash Point                             | 25 °C / 77 °F                                  | <b>Method</b> - No information available |
| Autoignition Temperature                | 465 °C / 869 °F                                |                                          |
| Decomposition Temperature               | No data available                              |                                          |
| Viscosity                               | 0.62 mPa.s at 20 °C                            |                                          |
| Water Solubility                        | Insoluble                                      |                                          |
| Solubility in other solvents            | No information available                       |                                          |
| Partition Coefficient (n-octanol/water) |                                                |                                          |
| Component                               | <b>log Pow</b>                                 |                                          |
| m-Xylene                                | 3.2                                            |                                          |
| Vapor Pressure                          | 8 mbar @ 20 °C                                 |                                          |
| Density / Specific Gravity              | 0.864                                          |                                          |
| Bulk Density                            | Not applicable                                 | Liquid                                   |
| Vapor Density                           | 3.66                                           | (Air = 1.0)                              |
| Particle characteristics                | (liquid) Not applicable                        |                                          |
| <b><u>Other information</u></b>         |                                                |                                          |
| Molecular Formula                       | C8 H10                                         |                                          |
| Molecular Weight                        | 106.17                                         |                                          |
| Explosive Properties                    | explosive air/vapour mixtures possible         |                                          |
| Evaporation Rate                        | 0.7 - (Ether = 1.0)                            |                                          |

## Section 10 - Stability and Reactivity

|                                  |                                                                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                       | None known, based on information available                                                            |
| Stability                        | Stable under normal conditions.                                                                       |
| Sensitivity to Mechanical Impact | No information available                                                                              |
| Sensitivity to Static Discharge  | No information available                                                                              |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                              |
| Hazardous Reactions              | None under normal processing.                                                                         |
| Conditions to Avoid              | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials           | Strong oxidizing agents, Strong acids.                                                                |
| Hazardous Decomposition Products | Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).                                              |

## Section 11 - Toxicological Information

### Acute Effects

### Information on likely routes of exposure

#### Product Information

|            |                                              |
|------------|----------------------------------------------|
| Inhalation | Not an expected route of exposure.           |
| Eyes       | Avoid contact with eyes. Irritating to eyes. |

**Skin  
Ingestion**

Avoid contact with skin. May cause irritation. Harmful in contact with skin.  
May be harmful if swallowed. Harmful if swallowed. Potential for aspiration if swallowed.

**Numerical measures of toxicity****(a) acute toxicity;****Oral**

Based on available data, the classification criteria are not met

**Dermal**

Category 4

**Inhalation**

Category 4

| Component | LD50 Oral             | LD50 Dermal                  | LC50 Inhalation                            |
|-----------|-----------------------|------------------------------|--------------------------------------------|
| m-Xylene  | LD50 = 5 g/kg ( Rat ) | LD50 = 12.18 g/kg ( Rabbit ) | LC50 = 27124 mg/m <sup>3</sup> ( Rat ) 4 h |

**(b) skin corrosion/irritation;**

Category 2

**(c) serious eye damage/irritation;**

Category 2

**(d) respiratory or skin sensitization;****Respiratory**

No data available

**Skin**

No data available

**(e) germ cell mutagenicity;**

No data available

**(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

No data available

**(h) STOT-single exposure;**

Category 2

**Results / Target organs**

Respiratory system

**(i) STOT-repeated exposure;**

No data available

**Target Organs**

None known.

**(j) aspiration hazard;**

Category 1

**Symptoms / effects, both acute and delayed**

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Section 12 - Ecological Information****Ecotoxicity****Aquatic ecotoxicity**

The product contains following substances which are hazardous for the environment.  
Contains a substance which is: Toxic to aquatic organisms.

| Component | Freshwater Fish                                                                                        | Water Flea                                              | Freshwater Algae                                                        | Microtox                   |
|-----------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------|----------------------------|
| m-Xylene  | LC50: = 12.9 mg/L, 96h<br>semi-static (Poecilia<br>reticulata)<br>LC50: = 8.4 mg/L, 96h<br>semi-static | EC50: 2.81 - 5.0 mg/L,<br>48h Static (Daphnia<br>magna) | EC50: = 4.9 mg/L, 72h<br>static<br>(Pseudokirchneriella<br>subcapitata) | EC50 = 0.0084 mg/L 24<br>h |

|  |                                                                                             |  |  |  |
|--|---------------------------------------------------------------------------------------------|--|--|--|
|  | (Oncorhynchus mykiss)<br>LC50: 14.3 - 18 mg/L,<br>96h flow-through<br>(Pimephales promelas) |  |  |  |
|--|---------------------------------------------------------------------------------------------|--|--|--|

**Terrestrial ecotoxicity** There is no data for this product

**Persistence and Degradability** Expected to be biodegradable

**Persistence** Persistence is unlikely.

**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------|---------|-------------------------------|
| m-Xylene  | 3.2     | No data available             |

**Mobility** The product is insoluble and floats on water. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Spillage unlikely to penetrate soil. Will likely be mobile in the environment due to its volatility. Is not likely mobile in the environment due its low water solubility.

#### Other adverse effects

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

#### Waste treatment methods

**Waste from Residues/Unused Products** Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information** Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not let this chemical enter the environment. Do not empty into drains.

## Section 14 - Transport Information

#### NZS 5433:2020

**UN-No** UN1307  
**Proper Shipping Name** XYLENES



Hazard Class 3  
Packing Group III

**IATA**

UN-No UN1307  
Proper Shipping Name XYLENES  
Hazard Class 3  
Packing Group III

**IMDG/IMO**

UN-No UN1307  
Proper Shipping Name XYLENES  
Hazard Class 3  
Packing Group III

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable, packaged goods

Special Precautions No special precautions required. Please refer to the applicable dangerous goods regulations for additional information.

Additional information None known

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                      |           |
|----------------------|-----------|
| HSNO Approval Number | HSR001236 |
|----------------------|-----------|

**National Regulations**

Any applicable tolerable exposure limits and environmental exposure limits according to the EPA Controls for Hazardous Substances are listed below

| Component | Tolerable Exposure Limit (TEL) Air | Tolerable Exposure Limit (TEL) Water | Tolerable Exposure Limit (TEL) Surface | Environmental Exposure Limits (EEL) |
|-----------|------------------------------------|--------------------------------------|----------------------------------------|-------------------------------------|
| m-Xylene  |                                    |                                      |                                        | 340 µg/L (Water)                    |

**Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

**International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

**Authorisation/Restrictions**

according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| m-Xylene  | -                                                                   | Use restricted. See item 75.<br>(see link for restriction details)            | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

### International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No   | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|-----------|----------|-------|------|-----------|--------|-----|----------|-------|------|
| m-Xylene  | 108-38-3 | X     | X    | 203-576-3 | -      | -   | KE-35428 | X     | X    |

| Component | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|-----------|----------|------|-----------------------------------------------|-----|------|-------|------|------|
| m-Xylene  | 108-38-3 | X    | ACTIVE                                        | X   | -    | X     | X    | X    |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

**This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations**

### Legend

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

|                         |                |
|-------------------------|----------------|
| <b>Revision Date</b>    | 13-Mar-2023    |
| <b>Revision Summary</b> | Not applicable |

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet