

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Description: Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml
Cat No. : 47183
Molecular Formula Te in 30% HCl

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet
Importer

Fisher Scientific Korea
 D5,D6, Incheon Airport Logistics Complex
 150, Gonghangdong-Ro 296 Beon-Gil
 Jung-Gu, Incheon
 Tel: +82-1661-9555
 Fax: +82-2-2023-0603

Supplier

Thermo Fisher Scientific Chemicals, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099

E-mail address

Chem.KR@thermofisher.com

Emergency Telephone Number

Emergency telephone: Medical: +(82) 070-7686-0086 or + 1-703-741-5970
CHEMTREC: 080 822 1374 (Local), CHEMTREC: 1-800-424-9300 or + 1-703-527-3887
Korea: 00-308-13-2549 (24 hours a day, 7 days a week)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture
Physical hazards

Substances/mixtures corrosive to metal

Category 1

Health hazards

Skin Corrosion/Irritation

Category 1 B

Serious Eye Damage/Eye Irritation

Category 1

Reproductive Toxicity

Category 1

Specific target organ toxicity - (single exposure)

Category 3

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024



Signal Word

Danger

Hazard Statements

H314 - Causes severe skin burns and eye damage

H290 - May be corrosive to metals

H335 - May cause respiratory irritation

H360 - May damage fertility or the unborn child

H318 - Causes serious eye damage

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant liner

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

NFPA

Health
3

Flammability
3

Instability
0

Physical hazards
-

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	Common Name	CAS No	Index No	Weight %
Water	Aqua	7732-18-5	KE-35400	60 - 70
Hydrochloric acid	Muriatic acid	7647-01-0	KE-20189	20 - 30
Tellurium	Telloy	13494-80-9	KE-33095	<0.1

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Inhalation

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Not combustible. CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Hydrogen chloride, Tellurium oxide.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	CAS No	Korea	ACGIH TLV	OSHA PEL
Water	7732-18-5	Not listed	Not listed	Not listed
Hydrochloric acid	7647-01-0	STEL: 2 ppm TWA: 1 ppm	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m ³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m ³
Tellurium	13494-80-9	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	(Vacated) TWA: 0.1 mg/m ³ TWA: 0.1 mg/m ³

Component	CAS No	European Union	The United Kingdom	Germany
Water	7732-18-5	Not listed	Not listed	Not listed
Hydrochloric acid	7647-01-0	TWA: 5 ppm 8 hr TWA: 8 mg/m ³ 8 hr STEL: 10 ppm 15 min STEL: 15 mg/m ³ 15 min	STEL: 5 ppm 15 min STEL: 8 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 2 mg/m ³ 8 hr	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 3 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 2 ppm (8 Stunden). MAK TWA: 3.0 mg/m ³ (8 Stunden). MAK Höhepunkt: 4 ppm Höhepunkt: 6 mg/m ³

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

Tellurium	13494-80-9	Not listed	STEL: 0.3 mg/m³ 15 min TWA: 0.1 mg/m³ 8 hr	Not listed
-----------	------------	------------	---	------------

ACGIH - Biological Exposure Indices

Component	CAS No	ACGIH - Biological Exposure Indices
Water	7732-18-5	Not listed
Hydrochloric acid	7647-01-0	Not listed
Tellurium	13494-80-9	Not listed

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Protective gloves

Skin and body protection

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g.

sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Personal protective equipment

Respiratory Protection

Use only those certified by the Korea Occupational Safety and Health Administration.

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Recommended Filter type:

Acid gases filter

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system Local authorities should be advised if significant spillages cannot be contained

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance (Physical State, Color, Liquid etc.)

Odor

Acidic

Odor Threshold

No data available

pH

No information available

Melting Point/Range

No data available

Softening Point

No data available

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

Boiling Point/Range	No information available	
Flash Point	No information available	Method - No information available
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Vapor Pressure	23 hPa @ 20 °C	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	No data available	
Bulk Density	Not applicable	Liquid
Water Solubility	Miscible	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)

Component	CAS No	log Pow
Water	7732-18-5	No data available
Hydrochloric acid	7647-01-0	No data available
Tellurium	13494-80-9	No data available

Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		Vapors may form explosive mixtures with air
Oxidizing Properties	No information available	
Molecular Formula	Te in 30% HCl	
Molecular Weight	Not applicable for mixtures	

SECTION 10: STABILITY AND REACTIVITY

Reactivity None known, based on information available

Chemical Stability Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials Strong bases.

Hazardous Decomposition Products Hydrogen chloride. Tellurium oxide.

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Information on expected route of exposure

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	May be harmful if swallowed.
Eyes	Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including blindness.
Skin	Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

Information on Health Hazards

(a) acute toxicity;

Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

Toxicology data for the components

Component	CAS No	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	7732-18-5	-	-	-
Hydrochloric acid	7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h
Tellurium	13494-80-9	>5000 mg/kg (Rat)	No data available	>2420 mg/m ³ (Rat) 4 h

(b) skin corrosion/irritation; Category 1

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory	No data available
Skin	No data available

Component	CAS No	Test method	Test species	Study result
Water	7732-18-5	No data available	No data available	No data available
Hydrochloric acid	7647-01-0	No data available	No data available	No data available
Tellurium	13494-80-9	No data available	No data available	No data available

(e) germ cell mutagenicity; No data available

Component	CAS No	Test method	Test species	Study result
Water	7732-18-5	No data available	No data available	No data available
Hydrochloric acid	7647-01-0	No data available	No data available	No data available
Tellurium	13494-80-9	No data available	No data available	No data available

(f) carcinogenicity; No data available

Component	CAS No	Test method	Test species / Duration	Study result
Water	7732-18-5	No data available	No data available	No data available
Hydrochloric acid	7647-01-0	No data available	No data available	No data available
Tellurium	13494-80-9	No data available	No data available	No data available

There are no known carcinogenic chemicals in this product

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

Component	CAS No	IARC	NTP	ACGIH	OSHA	UK
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed
Hydrochloric acid	7647-01-0	Not listed	Not listed	Not listed	Not listed	Not listed
Tellurium	13494-80-9	Not listed	Not listed	Not listed	Not listed	Not listed

(g) reproductive toxicity; Category 1

Component	CAS No	Test method	Test species / Duration	Study result
Water	7732-18-5	No data available	No data available	No data available
Hydrochloric acid	7647-01-0	No data available	No data available	No data available
Tellurium	13494-80-9	No data available	No data available	No data available

(h) STOT-single exposure; Category 3
Results / Target organs Central nervous system (CNS), Respiratory system.

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Other Adverse Effects

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Component	CAS No	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Not applicable	Not applicable	Not applicable
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

The product contains following substances which are hazardous for the environment. Contains a substance which is: Very toxic to aquatic organisms. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	CAS No	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Water	7732-18-5	No data available	No data available	No data available	No data available
Hydrochloric acid	7647-01-0	282 mg/L LC50 96 h Gambusia affinis mg/L LC50 48 h Leuciscus idus	56mg/L EC50 72h Daphnia	-	-
Tellurium	13494-80-9	LC50>37.1 mg/L 96h	EC50 = 5.7 mg/L 48h	No data available	No data available

Persistence and degradability

Persistence
Degradation in sewage treatment plant

Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary
May persist, based on information available.
Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential

May have some potential to bioaccumulate

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

Ozone Depletion Potential

Component	CAS No	Ozone Depletion Potential
Water	7732-18-5	Not listed
Hydrochloric acid	7647-01-0	Not listed
Tellurium	13494-80-9	Not listed

Other adverse effects

No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose in accordance with the Wastes Control Act (폐기물관리법).

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

Road and Rail Transport

UN-No UN1789
Proper Shipping Name HYDROCHLORIC ACID
Hazard Class 8
Packing Group II

IATA

UN-No UN1789
Proper Shipping Name HYDROCHLORIC ACID
Hazard Class 8
Packing Group II

IMDG/IMO

UN-No UN1789
Proper Shipping Name HYDROCHLORIC ACID
Hazard Class 8
Packing Group II
Marine Pollutant No hazards identified

Special Precautions for User

No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Legend: X - Listed '-' - Not Listed

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

International Inventories

Component	CAS No	KECL	TSCA	EINECS	IECSC	DSL	NDSL	PICCS	ENCS	ISHL	AICS
Water	7732-18-5	KE-35400	X	231-791-2	X	X	-	X	X		X
Hydrochloric acid	7647-01-0	KE-20189	X	231-595-7	X	X	-	X	X	X	X
Tellurium	13494-80-9	KE-33095	X	236-813-4	X	X	-	X	X		X

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	25 tonne	250 tonne	Not applicable	Annex I - Y34
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable	Annex I - Y28

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential
Water	7732-18-5	Listed	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	Not applicable
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

Korean National Regulations

Component	CAS No	Act on Registration and Evaluation of Chemical Substances (K-REACH)	Authorised Chemicals	Existing Substances Subject to Registration
Water	7732-18-5	Annex 1 - KE-35400 Exempt (Index No. 25)	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Annex 1 - KE-20189	Not applicable	Listed
Tellurium	13494-80-9	Annex 1 - KE-33095	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Toxic Chemicals	Chemical Control Act - Prohibited Chemicals	Chemical Control Act - Use Restricted Chemicals
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	1997-1-0203 (>10%)	Not applicable	Not applicable
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

Component	CAS No	Chemical Control Act - Accident Precaution Chemicals (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Storage (% in mixtures)	Chemical Control Act - Accident Precaution Chemicals - Quantity limits Manufacture/Use (% in mixtures)
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	>10%	20000 kg/yr	1500000 kg/yr
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

Component	CAS No	Waste Control Law	Ministry of Environment - CMR risk	Ministry of Environment - Critically Controlled Substance
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	> 10% (CCA) > 1% (ISHA)	Not applicable	Not applicable
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

CCA = Chemical Control Act

ISHA = Subject to Process Safety Reports

Component	CAS No	ISHA - Harmful Agents Subject to Work Environment Monitoring	ISHA - Prohibited substances	ISHA - Substances requiring permission
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Not applicable	Not applicable

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable
-----------	------------	----------------	----------------	----------------

Component	CAS No	ISHA - Substances subject to control	ISHA - Harmful Agents Requiring Health Examination	ISHA - Permissible Exposure Limits
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Listed	Listed	Not applicable
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

Component	CAS No	ISHA - Subject to Process Safety Reports (minimum quantity)	ISHA - Threshold Limit Values (TLVs) Chemicals	ISHA - Special management materials
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	10000 kg 20000 kg	STEL: 2 ppm TWA: 1 ppm	Not applicable
Tellurium	13494-80-9	Not applicable	TWA: 0.1 mg/m³	Not applicable

National Fire Association - Dangerous Substances Minimum quantity requiring a permit

Component	CAS No	Class 1 - Oxidising solids	Class 2 - Flammable solid	Class 3 - Spontaneously Combustible Substances and Dangerous Substances When Wet	Class 4 - Flammable liquids	Class 5 - Self-reactive substances	Class 6 - Oxidising liquids
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Tellurium	13494-80-9	Not applicable	5. Metal powder 500 kg Powder	Not applicable	Not applicable	Not applicable	Not applicable

Control Parameters

Component	CAS No	Korea	ACGIH - Biological Exposure Indices
Water	7732-18-5	Not listed	Not listed
Hydrochloric acid	7647-01-0	STEL: 2 ppm TWA: 1 ppm	Not listed
Tellurium	13494-80-9	TWA: 0.1 mg/m³	Not listed

US Management Information

OSHA - Occupational Safety and Health Administration

Not applicable

Component	CAS No	Specifically Regulated Chemicals	Highly Hazardous Chemicals
Water	7732-18-5	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	Not applicable	TQ: 5000 lb
Tellurium	13494-80-9	Not applicable	Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	CAS No	CERCLA Extremely Hazardous Substances RQs	Hazardous Substances RQs	SARA 313 - Threshold Values %
Water	7732-18-5	Not applicable	Not applicable	Not applicable
Hydrochloric acid	7647-01-0	5000 lb	5000 lb	1.0 %
Tellurium	13494-80-9	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Danger.

H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage. H335 - May cause respiratory irritation.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By

Creation Date

Revision Date

Revision Number

Revision Summary

Health, Safety and Environmental Department

15-Apr-2015

17-Jun-2024

6

New emergency telephone response service provider.

MOEL's Public Notice No. 2023-9 (Standards for Classification and Labeling of Chemical Substances and Safety Data Sheets)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

SAFETY DATA SHEET

Tellurium, plasma standard solution, Specpure®, Te 1000 µg/ml

Revision Date 17-Jun-2024

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet