

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**
**Perihalan Produk:**
**Product Description:**
**Cat No. :**
**CAS No**
**Molecular Formula**
**Asid Sulfurik**
**Sulfuric acid S.G. 1.83**

S/9240/17, S/9240/PC17, S/9240/PC15, S/9240/PB17, S/9240/PB15

7664-93-9

H2 O4 S

**Relevant identified uses of the substance or mixture and uses advised against**
**Recommended Use**

Laboratory chemicals.

**Uses advised against**

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**
**E-mail address**

Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888

 CHEMTREC Malaysia **1-800-815-308** (Malay)

 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

|                                   |                     |
|-----------------------------------|---------------------|
| Skin Corrosion/Irritation         | Category 1 A (H314) |
| Serious Eye Damage/Eye Irritation | Category 1 (H318)   |

**Label Elements**

**Signal Word**
**Danger**
**Hazard Statements**

H314 - Causes severe skin burns and eye damage

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

## Precautionary Statements

### Prevention

P271 - Use only outdoors or in a well-ventilated area

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component     | CAS No    | Weight % |
|---------------|-----------|----------|
| Sulfuric acid | 7664-93-9 | >95      |

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

Immediate medical attention is required. Remove and isolate contaminated clothing and shoes.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Ingestion

Rinse mouth. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## Indication of any immediate medical attention and special treatment needed

**Notes to Physician** After inhalation exposure, observe for 24 to 72 hours as pulmonary edema may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

#### **Extinguishing media which must not be used for safety reasons**

Water.

### Special hazards arising from the substance or mixture

Corrosive material. Reacts violently with water. Reaction with water may generate much heat which will increase the concentration of fumes in the air. Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### **Hazardous Combustion Products**

Hydrogen, Sulfur oxides.

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing.

### Environmental precautions

Avoid release to the environment. See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. After cleaning, flush away traces with water.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Handle product only in closed system or provide appropriate exhaust ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

## Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

## Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

| Component     | Malaysia | ACGIH TLV                  | OSHA PEL                                                       |
|---------------|----------|----------------------------|----------------------------------------------------------------|
| Sulfuric acid |          | TWA: 0.2 mg/m <sup>3</sup> | (Vacated) TWA: 1 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> |

| Component     | European Union                   | The United Kingdom                                                      | Germany                                                                                                                                               |
|---------------|----------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sulfuric acid | TWA: 0.05 mg/m <sup>3</sup> (8h) | STEL: 0.15 mg/m <sup>3</sup> 15 min<br>TWA: 0.05 mg/m <sup>3</sup> 8 hr | TWA: 0.1 mg/m <sup>3</sup> (8 Stunden). AGW<br>- exposure factor 1<br>TWA: 0.1 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 0.1 mg/m <sup>3</sup> |

### Exposure Controls

#### Engineering Measures

Handle in a place equipped with local exhaust ventilation. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### **Eye Protection**

Goggles or Face protection shield

#### **Hand Protection**

Protective gloves

#### **Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### **Recommended Filter type:**

Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

### Environmental exposure controls

No information available

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Appearance                              | Colorless                |                                   |
| Physical State                          | Liquid                   |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| pH                                      | 1                        | 1N aq.sol                         |
| Melting Point/Range                     | 10 °C / 50 °F            |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 290 °C / 554 °F          |                                   |
| Flash Point                             | No information available | Method - No information available |
| Evaporation Rate                        | No data available        |                                   |
| Flammability (solid,gas)                | Not applicable           | Liquid                            |
| Explosion Limits                        | No data available        |                                   |
| Vapor Pressure                          | 1 mmHg @ 146 °C          |                                   |
| Vapor Density                           | No data available        | (Air = 1.0)                       |
| Specific Gravity / Density              | 1.840                    |                                   |
| Bulk Density                            | Not applicable           | Liquid                            |
| Water Solubility                        | Miscible                 |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Autoignition Temperature                | No data available        |                                   |
| Decomposition Temperature               | 340 °C                   |                                   |
| Viscosity                               | 21mPa.s @ 25 °C          |                                   |
| Explosive Properties                    | No information available |                                   |
| Oxidizing Properties                    | No information available |                                   |
| Molecular Formula                       | H2 O4 S                  |                                   |
| Molecular Weight                        | 98.07                    |                                   |

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

Yes.

### Chemical Stability

Water reactive. Hygroscopic.

### Possibility of Hazardous Reactions

|                          |                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur.                                            |
| Hazardous Reactions      | Contact with metals may evolve flammable hydrogen gas. Reacts violently with water. |

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

## Conditions to Avoid

Incompatible products. Excess heat. Exposure to moist air or water.

## Incompatible Materials

Strong oxidizing agents. Combustible material. Bases. Organic materials. Reducing Agent. Finely powdered metals. Peroxides.

## Hazardous Decomposition Products

Hydrogen. Sulfur oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

| Component     | LD50 Oral          | LD50 Dermal | LC50 Inhalation               |
|---------------|--------------------|-------------|-------------------------------|
| Sulfuric acid | 2140 mg/kg ( Rat ) | -           | LC50 = 0.375 mg/L ( Rat ) 4 h |

##### (b) skin corrosion/irritation;

Category 1 A

##### (c) serious eye damage/irritation;

Category 1

##### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

##### (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

##### (f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component     | EU | UK | Germany | IARC    |
|---------------|----|----|---------|---------|
| Sulfuric acid |    |    |         | Group 1 |

##### (g) reproductive toxicity;

Based on available data, the classification criteria are not met

##### (h) STOT-single exposure;

Based on available data, the classification criteria are not met

##### (i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

(j) aspiration hazard; Based on available data, the classification criteria are not met

**Symptoms / effects, both acute and delayed** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity effects** Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

| Component     | Freshwater Fish                                  | Water Flea        | Freshwater Algae | Microtox |
|---------------|--------------------------------------------------|-------------------|------------------|----------|
| Sulfuric acid | LC50: > 500 mg/L, 96h static (Brachydanio rerio) | EC50: 29 mg/L/24h | -                | -        |

**Persistence and degradability**  
**Persistence** Miscible with water, Persistence is unlikely, based on information available.

**Bioaccumulative potential** Bioaccumulation is unlikely

**Mobility in soil** The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Other adverse effects** No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

**Waste treatment methods**  
**Waste from Residues/Unused Products** Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**Other Information** Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized before discharge

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO**  
**UN-No** UN1830  
**Hazard Class** 8  
**Packing Group** II

# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

Proper Shipping Name SULFURIC ACID

## Road and Rail Transport

UN-No UN1830  
Hazard Class 8  
Packing Group II  
Proper Shipping Name SULFURIC ACID

## IATA

UN-No UN1830  
Hazard Class 8  
Packing Group II  
Proper Shipping Name SULFURIC ACID

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component     | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL     |
|---------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Sulfuric acid | 231-639-5 | X    | X   | X     | X    | X    | X     | X    | KE-32570 |

| Component     | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Major<br>Accident Notification | Seveso III Directive<br>(2012/18/EC) - Qualifying<br>Quantities for Safety<br>Report Requirements | Rotterdam Convention<br>(PIC) | Basel Convention<br>(Hazardous Waste) |
|---------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|
| Sulfuric acid |                                                                                                    |                                                                                                   |                               | Annex I - Y34                         |

### National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%



# SAFETY DATA SHEET

Sulfuric acid S.G. 1.83

Revision Date 23-Mar-2025

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date

23-Mar-2025

Revision Summary

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**