

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product Description: Deblock TCA in Dichloromethane (97/3 v/w)  
Cat No. : T932780450, T932782500, T932784000  
Synonyms Deblock Base 4

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

**1.3. Details of the supplier of the safety data sheet****Company**

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road, Loughborough,  
Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a  
2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

**1.4. Emergency telephone number**

Tel: 01509 231166  
Chemtrec US: (800) 424-9300  
Chemtrec EU: 001-703-527-3887

**SECTION 2: HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture****CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567****Physical hazards**

Based on available data, the classification criteria are not met

**Health hazards**

Skin Corrosion/Irritation

Category 2 (H315)

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

Serious Eye Damage/Eye Irritation  
Carcinogenicity  
Specific target organ toxicity - (single exposure)

Category 1 (H318)  
Category 2 (H351)  
Category 3 (H335) (H336)

## Environmental hazards

Chronic aquatic toxicity

Category 2 (H411)

Full text of Hazard Statements: see section 16

## 2.2. Label elements

Contains Dichloromethane & Trichloroacetic acid



Signal Word

Danger

## Hazard Statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H411 - Toxic to aquatic life with long lasting effects

## Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor/physician

## 2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates  
Contains a substance on the National Authorities Endocrine Disruptor Lists  
Contains a known or suspected endocrine disruptor

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component          | CAS No  | EC No             | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|--------------------|---------|-------------------|----------|-----------------------------------------------------------------------------------------|
| Methylene chloride | 75-09-2 | EEC No. 200-838-9 | 97       | Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)                                             |

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

|                      |         |                   |   |                                                                                                                     |
|----------------------|---------|-------------------|---|---------------------------------------------------------------------------------------------------------------------|
|                      |         |                   |   | STOT SE 3 (H336)<br>Carc. 2 (H351)                                                                                  |
| Trichloroacetic acid | 76-03-9 | EEC No. 200-927-2 | 3 | Skin Corr. 1A (H314)<br>Eye Dam. 1 (H318)<br>STOT SE 3 (H335)<br>Aquatic Acute 1 (H400)<br>Aquatic Chronic 1 (H410) |

| Component            | Specific concentration limits (SCL's) | M-Factor | Component notes |
|----------------------|---------------------------------------|----------|-----------------|
| Trichloroacetic acid | STOT SE 3 (H335) :: C>=1%             | 1        | -               |

| Components           | Reach Registration Number |  |
|----------------------|---------------------------|--|
| Dichloromethane      | 01-2119480404-41          |  |
| Trichloroacetic acid | 01-2119485186-30          |  |

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                           |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water.                                                                                     |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes severe eye damage. Causes eye burns. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |                                                                                                                                                                                                                                              |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to Physician</b> | A patient adversely affected by exposure to this product should not be given adrenaline (epinephrine) or similar heart stimulant since these would increase the risk of cardiac arrhythmias. Treat symptomatically. Symptoms may be delayed. |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

Thermal decomposition can lead to release of irritating gases and vapors.

## **Hazardous Combustion Products**

Phosgene, Chlorine, Hydrocarbons, Hydrogen chloride gas.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation.

### **6.2. Environmental precautions**

Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

### **6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### **6.4. Reference to other sections**

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### **7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

**Technical Rules for Hazardous Substances (TRGS) 510**      Class 10  
**Storage Class (LGK) (Germany)**

### **7.3. Specific end use(s)**

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **8.1. Control parameters**

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

## Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

| Component            | The United Kingdom                                                                                                         | European Union                                                                                                               | Ireland                                                                                                                      |
|----------------------|----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Methylene chloride   | STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>TWA: 353 mg/m <sup>3</sup> 8 hr<br>TWA: 100 ppm 8 hr<br>Skin | TWA: 353 mg/m <sup>3</sup> (8h)<br>TWA: 100 ppm (8h)<br>STEL: 706 mg/m <sup>3</sup> (15min)<br>STEL: 200 ppm (15min)<br>Skin | TWA: 100 ppm 8 hr.<br>TWA: 353 mg/m <sup>3</sup> 8 hr.<br>STEL: 200 ppm 15 min<br>STEL: 706 mg/m <sup>3</sup> 15 min<br>Skin |
| Trichloroacetic acid |                                                                                                                            |                                                                                                                              | TWA: 0.5 ppm 8 hr.<br>STEL: 1.5 ppm 15 min                                                                                   |

## Biological limit values

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

| Component          | United Kingdom                                      | European Union |
|--------------------|-----------------------------------------------------|----------------|
| Methylene chloride | Carbon monoxide: 30 ppm end-tidal breath post shift |                |

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See values below:

| Component                             | Acute effects local (Oral) | Acute effects systemic (Oral) | Chronic effects local (Oral) | Chronic effects systemic (Oral) |
|---------------------------------------|----------------------------|-------------------------------|------------------------------|---------------------------------|
| Trichloroacetic acid<br>76-03-9 ( 3 ) |                            |                               |                              | 0.7 mg/kg/d                     |

| Component                             | Acute effects local (Dermal)        | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------------|-------------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Methylene chloride<br>75-09-2 ( 97 )  |                                     |                                 |                                | DNEL = 12mg/kg bw/day             |
| Trichloroacetic acid<br>76-03-9 ( 3 ) | DMEL = 5% in mixture (weight basis) | DNEL = 1.41mg/kg bw/day         |                                | DNEL = 1.41mg/kg bw/day           |

| Component                             | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Methylene chloride<br>75-09-2 ( 97 )  |                                  | DMEL = 132.14mg/m <sup>3</sup>      |                                    | DNEL = 176mg/m <sup>3</sup>           |
| Trichloroacetic acid<br>76-03-9 ( 3 ) |                                  | DNEL = 124.3mg/m <sup>3</sup>       |                                    | DNEL = 124.3mg/m <sup>3</sup>         |

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                             | Fresh water                       | Fresh water sediment                                        | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)                                  |
|---------------------------------------|-----------------------------------|-------------------------------------------------------------|--------------------|------------------------------------|-----------------------------------------------------|
| Methylene chloride<br>75-09-2 ( 97 )  | PNEC = 130µg/L<br>PNEC = 0.31mg/L | PNEC = 163µg/kg sediment dw<br>PNEC = 2.57mg/kg sediment dw | PNEC = 0.27mg/L    | PNEC = 26mg/L                      | PNEC = 173µg/kg soil dw<br>PNEC = 0.33mg/kg soil dw |
| Trichloroacetic acid<br>76-03-9 ( 3 ) | PNEC = 0.17µg/L                   | PNEC = 0.143µg/kg sediment dw                               | PNEC = 2.7µg/L     | PNEC = 100mg/L                     | PNEC = 4.6µg/kg soil dw                             |

| Component                            | Marine water                       | Marine water sediment                                       | Marine water intermittent | Food chain | Air |
|--------------------------------------|------------------------------------|-------------------------------------------------------------|---------------------------|------------|-----|
| Methylene chloride<br>75-09-2 ( 97 ) | PNEC = 130µg/L<br>PNEC = 0.031mg/L | PNEC = 163µg/kg sediment dw<br>PNEC = 0.26mg/kg sediment dw | PNEC = 0.027mg/L          |            |     |

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

|                                       |                  |                                      |  |                          |  |
|---------------------------------------|------------------|--------------------------------------|--|--------------------------|--|
| Trichloroacetic acid<br>76-03-9 ( 3 ) | PNEC = 0.017µg/L | PNEC =<br>0.0143µg/kg<br>sediment dw |  | PNEC = 23.5mg/kg<br>food |  |
|---------------------------------------|------------------|--------------------------------------|--|--------------------------|--|

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments                                                                 |
|----------------|-------------------|-----------------|-------------|--------------------------------------------------------------------------------|
| Viton (R)      | < 120 minutes     | 0.7 mm          | EN 374      | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| Nitrile rubber | < 4 minutes       | 0.38 mm         |             |                                                                                |
| PVA            | > 360 minutes     |                 |             |                                                                                |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Liquid

#### Appearance

Colorless

#### Odor

sweet

#### Odor Threshold

No data available

#### Melting Point/Range

-97 °C / -142.6 °F

#### Softening Point

No data available

#### Boiling Point/Range

40 °C / 104 °F

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

|                                         |                                              |                                          |
|-----------------------------------------|----------------------------------------------|------------------------------------------|
| Flammability (liquid)                   | No data available                            |                                          |
| Flammability (solid,gas)                | Not applicable                               | Liquid                                   |
| Explosion Limits                        | <b>Lower</b> 13 vol%<br><b>Upper</b> 22 vol% |                                          |
| Flash Point                             | Not applicable                               | <b>Method</b> - No information available |
| Autoignition Temperature                | 556 °C / 1032.8 °F                           |                                          |
| Decomposition Temperature               | > 120°C                                      |                                          |
| pH                                      | Not applicable                               |                                          |
| Viscosity                               | 0.43 cP at 20 °C                             |                                          |
| Water Solubility                        | Immiscible                                   |                                          |
| Solubility in other solvents            | No information available                     |                                          |
| Partition Coefficient (n-octanol/water) |                                              |                                          |
| Component                               | <b>log Pow</b>                               |                                          |
| Methylene chloride                      | 1.25                                         |                                          |
| Trichloroacetic acid                    | 1.44                                         |                                          |
| Vapor Pressure                          | 350 mbar @ 20 °C                             |                                          |
| Density / Specific Gravity              | 1.325                                        |                                          |
| Bulk Density                            | Not applicable                               | Liquid                                   |
| Vapor Density                           | No data available                            | (Air = 1.0)                              |
| Particle characteristics                | Not applicable (liquid)                      |                                          |

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization**  
**Hazardous Reactions**

Hazardous polymerization does not occur.  
None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Bases. Alcohols. Amines. Metals.

### 10.6. Hazardous decomposition products

Phosgene. Chlorine. Hydrocarbons. Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

No acute toxicity information is available for this product

#### (a) acute toxicity;

Oral

Based on ATE data, the classification criteria are not met

Dermal

Based on ATE data, the classification criteria are not met

Inhalation

Based on ATE data, the classification criteria are not met

#### Toxicology data for the components

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

| Component            | LD50 Oral            | LD50 Dermal               | LC50 Inhalation                                            |
|----------------------|----------------------|---------------------------|------------------------------------------------------------|
| Methylene chloride   | > 2000 mg/kg ( Rat ) | > 2000 mg/kg ( Rat )      | 53 mg/L ( Rat ) 6 h<br>76000 mg/m <sup>3</sup> ( Rat ) 4 h |
| Trichloroacetic acid | 3320 mg/kg rat       | LD50 > 2000 mg/kg ( Rat ) | -                                                          |

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

(f) carcinogenicity;

Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component            | EU | UK | Germany | IARC     |
|----------------------|----|----|---------|----------|
| Methylene chloride   |    |    |         | Group 2A |
| Trichloroacetic acid |    |    |         | Group 2B |

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;

Category 3

Results / Target organs

Central nervous system (CNS), Respiratory system.

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

No information available.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## 11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component            | Freshwater Fish                        | Water Flea         | Freshwater Algae   |
|----------------------|----------------------------------------|--------------------|--------------------|
| Methylene chloride   | Pimephales promelas: LC50:193 mg/L/96h | EC50: 140 mg/L/48h | EC50:>660 mg/L/96h |
| Trichloroacetic acid | >277 mg/l                              | 110 mg/l           | 0.27 mg/l          |



# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

| Component            | Microtox                                    | M-Factor |
|----------------------|---------------------------------------------|----------|
| Methylene chloride   | EC50: 1 mg/L/24 h<br>EC50: 2.88 mg/L/15 min |          |
| Trichloroacetic acid |                                             | 1        |

## 12.2. Persistence and degradability

**Persistence** Persistence is unlikely, based on information available, Immiscible with water.  
**Degradation in sewage treatment plant** Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## 12.3. Bioaccumulative potential

May have some potential to bioaccumulate

| Component            | log Pow | Bioconcentration factor (BCF) |
|----------------------|---------|-------------------------------|
| Methylene chloride   | 1.25    | 6.4 - 40 dimensionless        |
| Trichloroacetic acid | 1.44    | 0.4-1.7 Cyprinus caprio       |

## 12.4. Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Spillage unlikely to penetrate soil. The product is insoluble and sinks in water. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air

## 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

## 12.6. Endocrine disrupting properties

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## 12.7. Other adverse effects **Persistent Organic Pollutant** **Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with local regulations. Dispose of this container to hazardous or special waste collection point.

#### European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

#### 14.1. UN number

UN2922

#### 14.2. UN proper shipping name

Corrosive liquid, toxic, n.o.s.

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| Technical Shipping Name                 | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| Subsidiary Hazard Class                 | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

## ADR

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                  | UN2922                                |
| <b>14.2. UN proper shipping name</b>    | Corrosive liquid, toxic, n.o.s.       |
| Technical Shipping Name                 | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| Subsidiary Hazard Class                 | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

## IATA

|                                         |                                       |
|-----------------------------------------|---------------------------------------|
| <b>14.1. UN number</b>                  | UN2922                                |
| <b>14.2. UN proper shipping name</b>    | Corrosive liquid, toxic, n.o.s.       |
| Technical Shipping Name                 | Trichloroacetic acid, Dichloromethane |
| <b>14.3. Transport hazard class(es)</b> | 8                                     |
| Subsidiary Hazard Class                 | 6.1                                   |
| <b>14.4. Packing group</b>              | III                                   |

|                                    |                                                                                                          |
|------------------------------------|----------------------------------------------------------------------------------------------------------|
| <b>14.5. Environmental hazards</b> | Dangerous for the environment<br>Product is a marine pollutant according to the criteria set by IMDG/IMO |
|------------------------------------|----------------------------------------------------------------------------------------------------------|

|                                           |                                  |
|-------------------------------------------|----------------------------------|
| <b>14.6. Special precautions for user</b> | No special precautions required. |
|-------------------------------------------|----------------------------------|

|                                                                      |                                |
|----------------------------------------------------------------------|--------------------------------|
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods |
|----------------------------------------------------------------------|--------------------------------|

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component            | CAS No  | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|----------------------|---------|-----------|--------|-----|-------|------|----------|------|------|
| Methylene chloride   | 75-09-2 | 200-838-9 | -      | -   | X     | X    | KE-23893 | X    | X    |
| Trichloroacetic acid | 76-03-9 | 200-927-2 | -      | -   | X     | X    | KE-34058 | X    | X    |

| Component            | CAS No  | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|----------------------|---------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Methylene chloride   | 75-09-2 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |
| Trichloroacetic acid | 76-03-9 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

| Component          | CAS No  | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|--------------------|---------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Methylene chloride | 75-09-2 | -                                                                   | Use restricted. See item 59. (see link for restriction details)               | -                                                                                                     |

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

|                      |         |   |                                                                    |   |
|----------------------|---------|---|--------------------------------------------------------------------|---|
|                      |         |   | Use restricted. See item 75.<br>(see link for restriction details) |   |
| Trichloroacetic acid | 76-03-9 | - | Use restricted. See item 75.<br>(see link for restriction details) | - |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component            | CAS No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Methylene chloride   | 75-09-2 | Not applicable                                                                            | Not applicable                                                                           |
| Trichloroacetic acid | 76-03-9 | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 2 (self classification)

| Component            | Germany - Water Classification (AwSV) | Germany - TA-Luft Class                              |
|----------------------|---------------------------------------|------------------------------------------------------|
| Methylene chloride   | WGK2                                  | Class I : 20 mg/m <sup>3</sup> (Massenkonzentration) |
| Trichloroacetic acid | WGK2                                  | Class I : 20 mg/m <sup>3</sup> (Massenkonzentration) |

| Component          | France - INRS (Tables of occupational diseases)      |
|--------------------|------------------------------------------------------|
| Methylene chloride | Tableaux des maladies professionnelles (TMP) - RG 12 |

| Component                            | Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81) | Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC) | Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Methylene chloride<br>75-09-2 ( 97 ) | Persistent Organic Pollutants (POPs)<br>Prohibited and Restricted Substances                                   | Group I                                                                         |                                                                                             |

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# SAFETY DATA SHEET

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### **Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### **Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

**Creation Date** 04-Oct-2010

**Revision Date** 04-Jan-2024

**Revision Summary** Not applicable.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

# **SAFETY DATA SHEET**

Deblock TCA in Dichloromethane (97/3 v/w)

Revision Date 04-Jan-2024

---

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**