

Classified as hazardous in accordance with the criteria of EPA New Zealand

## Section 1 - Identification

### Product Identifier

|                             |                                    |
|-----------------------------|------------------------------------|
| <b>Product Name</b>         | <u>Cyclohexanone</u>               |
| <b>CAS No</b>               | 108-94-1                           |
| <b>Synonyms</b>             | Ketohexamethylene; Pimelic ketone. |
| <b>Molecular Formula</b>    | C6 H10 O                           |
| <b>Molecular Weight</b>     | 98.14                              |
| <b>Recommended Use</b>      | Laboratory chemicals.              |
| <b>Uses advised against</b> | No Information available           |

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>33309</b>                                                                                |
| <b>Address</b>                 | Thermo Fisher Scientific New Zealand Ltd<br>244 Bush Road, Albany,<br>Auckland, New Zealand |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>09 980 6780 or +64 9 980 6780</b>                                    |
| <b>Telephone / Fax Numbers</b> | Tel: 09 980 6700<br>Fax: 09 980 6788                                                        |
| <b>E-mail address</b>          | <a href="mailto:ANZinfo@thermofisher.com">ANZinfo@thermofisher.com</a>                      |

## Section 2 - Hazard(s) Identification

### Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

**HSNO Approval Number**     **HSR001112**

### GHS Classification

#### Physical hazards

Flammable liquids

Category 3

#### Health hazards

Acute Oral Toxicity  
Acute Dermal Toxicity  
Acute Inhalation Toxicity - Vapors  
Skin Corrosion/Irritation  
Serious Eye Damage/Eye Irritation

Category 4  
Category 3  
Category 4  
Category 2  
Category 1

#### Environmental hazards

Based on available data, the classification criteria are not met

**Label Elements****Signal Word****Danger****Hazard Statements**

H226 - Flammable liquid and vapor  
H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H311 - Toxic in contact with skin  
H302 + H332 - Harmful if swallowed or if inhaled

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P233 - Keep container tightly closed  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER or doctor  
P330 - Rinse mouth  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxicity to Soil Dwelling Organisms  
Toxic to terrestrial vertebrates

## Section 3 - Composition and Information on Ingredients

| Component     | CAS No   | Weight % |
|---------------|----------|----------|
| Cyclohexanone | 108-94-1 | >95      |

## Section 4 - First Aid Measures

**Description of first aid measures**

|                                            |                                                                                                                                                          |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                                                                   |
| <b>New Zealand Emergency Tel.</b>          | CHEMTREC®<br>09 980 6780 or +64 9 980 6780                                                                                                               |
| <b>Inhalation</b>                          | Remove to fresh air. Get medical attention. If not breathing, give artificial respiration.                                                               |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                        |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.                                                                |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water.                                                                                             |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.         |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                     |
| <b>Most important symptoms and effects</b> | Difficulty in breathing. Causes eye burns. Causes severe eye damage. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>                  | Treat symptomatically. Symptoms may be delayed.                                                                                                          |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

Water may be ineffective. Do not use a solid water stream as it may scatter and spread fire.

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

#### Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

#### Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling****Advice on safe handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

**Conditions for Safe Storage, Including any Incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

**Incompatible Materials**

Strong oxidizing agents. Strong acids. . Strong bases.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

**Control parameters****Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

| Component     | New Zealand WEL                                   | Australia                                 | ACGIH TLV                           | The United Kingdom                                                                                                     |
|---------------|---------------------------------------------------|-------------------------------------------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Cyclohexanone | TWA: 25 ppm<br>TWA: 100 mg/m <sup>3</sup><br>Skin | TWA: 25 ppm<br>TWA: 100 mg/m <sup>3</sup> | TWA: 20 ppm<br>STEL: 50 ppm<br>Skin | STEL: 20 ppm 15 min<br>STEL: 82 mg/m <sup>3</sup> 15 min<br>TWA: 10 ppm 8 hr<br>TWA: 41 mg/m <sup>3</sup> 8 hr<br>Skin |

**Biological limit values**

**UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

| Component     | New Zealand | Australia | ACGIH - Biological Exposure Indices                                                                                      | United Kingdom                                       |
|---------------|-------------|-----------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| Cyclohexanone |             |           | 80 mg/L<br>Medium: urine<br>Time: end of shift at end of workweek<br>Determinant:<br>1,2-Cyclohexanediol with hydrolysis | Cyclohexanol: 2 mmol/mol creatinine urine post shift |

|  |  |  |                                                                                               |  |
|--|--|--|-----------------------------------------------------------------------------------------------|--|
|  |  |  | 8 mg/L<br>Medium: urine<br>Time: end of shift<br>Determinant: Cyclohexanol<br>with hydrolysis |  |
|--|--|--|-----------------------------------------------------------------------------------------------|--|

**Appropriate engineering controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

**Individual protection measures, such as personal protective equipment**

|                        |                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------|
| <b>Eye Protection</b>  | Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications) |
| <b>Hand Protection</b> | Protective gloves                                                                                  |

| Glove material           | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments                                                                 |
|--------------------------|-------------------|-----------------|-----------------|--------------------------------------------------------------------------------|
| Butyl rubber, Viton (R), | > 480 minutes     | 0.35 mm         | AS/NZS 2161     | As tested under EN374-3 Determination of Resistance to Permeation by Chemicals |
| Nitrile rubber.          | > 480 minutes     | 0.70 mm         |                 |                                                                                |
| Neoprene                 | < 100 minutes     | 0.45 mm         |                 |                                                                                |
| Nitrile rubber           | < 60 minutes      | 0.38 mm         |                 |                                                                                |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b> | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>   | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices |
| <b>Recommended Filter type:</b> | Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)                                                                                                                                                                                                                                  |
| <b>Recommended half mask:-</b>  | Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted                                                                                                                                                                         |

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

**Information on basic physical and chemical properties**

|                            |                            |
|----------------------------|----------------------------|
| <b>Physical State</b>      | Liquid                     |
| <b>Appearance</b>          | Colorless                  |
| <b>Odor</b>                | Mint-like                  |
| <b>Odor Threshold</b>      | 0.12 ppm                   |
| <b>pH</b>                  | No information available   |
| <b>Melting Point/Range</b> | -47 °C / -52.6 °F          |
| <b>Softening Point</b>     | No data available          |
| <b>Boiling Point/Range</b> | 155 °C / 311 °F @ 760 mmHg |

|                                                |                          |                                 |
|------------------------------------------------|--------------------------|---------------------------------|
| <b>Flammability (liquid)</b>                   | Flammable                | On basis of test data           |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                          |
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.1 vol%    |                                 |
|                                                | <b>Upper</b> 8.1 vol%    |                                 |
| <b>Flash Point</b>                             | 46 °C / 114.8 °F         | <b>Method</b> - CC (closed cup) |
| <b>Autoignition Temperature</b>                | 520 - °C / 968 - °F      |                                 |
| <b>Decomposition Temperature</b>               | No data available        |                                 |
| <b>Viscosity</b>                               | 2.2 mPas @ 20°C          |                                 |
| <b>Water Solubility</b>                        | Soluble                  |                                 |
| <b>Solubility in other solvents</b>            | No information available |                                 |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                 |
| <b>Component</b>                               | <b>log Pow</b>           |                                 |
| Cyclohexanone                                  | 0.86                     |                                 |
| <b>Vapor Pressure</b>                          | 4.5 mbar @ 20 °C         |                                 |
| <b>Density / Specific Gravity</b>              | 0.947                    |                                 |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                          |
| <b>Vapor Density</b>                           | 3.4                      | (Air = 1.0)                     |
| <b>Particle characteristics</b>                | Not applicable (liquid)  |                                 |

**Other information**

|                             |                                        |
|-----------------------------|----------------------------------------|
| <b>Molecular Formula</b>    | C6 H10 O                               |
| <b>Molecular Weight</b>     | 98.14                                  |
| <b>Explosive Properties</b> | explosive air/vapour mixtures possible |

**Section 10 - Stability and Reactivity**

|                                         |                                                                                                       |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>                       | None known, based on information available                                                            |
| <b>Stability</b>                        | Stable under normal conditions.                                                                       |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                              |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                              |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                                                              |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                         |
| <b>Conditions to Avoid</b>              | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents, Strong acids, . Strong bases                                                 |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).                                              |

**Section 11 - Toxicological Information****Acute Effects****Information on likely routes of exposure****Product Information**

|                   |                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b> | Harmful by inhalation. May cause irritation of respiratory tract.                                     |
| <b>Eyes</b>       | Risk of serious damage to eyes.                                                                       |
| <b>Skin</b>       | Harmful in contact with skin. Irritating to skin.                                                     |
| <b>Ingestion</b>  | Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

**Numerical measures of toxicity**

## (a) acute toxicity;

Oral

Category 4

Dermal

Category 4

Inhalation

Category 4

| Component     | LD50 Oral                 | LD50 Dermal                 | LC50 Inhalation             |
|---------------|---------------------------|-----------------------------|-----------------------------|
| Cyclohexanone | LD50 = 1544 mg/kg ( Rat ) | LD50 = 947 mg/kg ( Rabbit ) | LC50 > 6.2 mg/L ( Rat ) 4 h |

## (b) skin corrosion/irritation;

Category 2

## (c) serious eye damage/irritation;

Category 1

## (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

## (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

## (f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

## (g) reproductive toxicity;

Based on available data, the classification criteria are not met

## (h) STOT-single exposure;

Based on available data, the classification criteria are not met

## (i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

## (j) aspiration hazard;

Based on available data, the classification criteria are not met

## Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

## Section 12 - Ecological Information

### Ecotoxicity

## Aquatic ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component     | Freshwater Fish                     | Water Flea | Freshwater Algae | Microtox                                                                  |
|---------------|-------------------------------------|------------|------------------|---------------------------------------------------------------------------|
| Cyclohexanone | Leusiscus idus:<br>LC50>500mg/L 48h |            |                  | EC50 = 18.5 mg/L 5 min<br>EC50 = 21.3 mg/L 10 min<br>EC50 = 25 mg/L 5 min |

## Terrestrial ecotoxicity

There is no data for this product

## Persistence and Degradability

Readily biodegradable

**Persistence** based on information available, May persist.

**Degradation in sewage treatment plant** Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Bioaccumulative Potential** May have some potential to bioaccumulate

| Component     | log Pow | Bioconcentration factor (BCF) |
|---------------|---------|-------------------------------|
| Cyclohexanone | 0.86    | No data available             |

**Mobility** The product is insoluble and floats on water. The product is water soluble, and may spread in water systems. The product evaporates slowly. Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility. Disperses rapidly in air: Highly mobile in soils: Spillage unlikely to penetrate soil

**Other adverse effects**

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## **Section 13 - Disposal Considerations**

**Waste treatment methods**

**Waste from Residues/Unused Products** Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**Other Information** Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains.

## **Section 14 - Transport Information**

| Component                         | Hazchem Code |
|-----------------------------------|--------------|
| Cyclohexanone<br>108-94-1 ( >95 ) | 3Y           |

**NZS 5433:2020**

**UN-No** UN1915  
**Proper Shipping Name** CYCLOHEXANONE  
**Hazard Class** 3  
**Packing Group** III

**IATA**



|                      |               |
|----------------------|---------------|
| UN-No                | UN1915        |
| Proper Shipping Name | CYCLOHEXANONE |
| Hazard Class         | 3             |
| Packing Group        | III           |

**IMDG/IMO**

|                      |               |
|----------------------|---------------|
| UN-No                | UN1915        |
| Proper Shipping Name | CYCLOHEXANONE |
| Hazard Class         | 3             |
| Packing Group        | III           |

|                       |                       |
|-----------------------|-----------------------|
| Environmental hazards | No hazards identified |
|-----------------------|-----------------------|

|                                                                          |                                |
|--------------------------------------------------------------------------|--------------------------------|
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable, packaged goods |
|--------------------------------------------------------------------------|--------------------------------|

|                     |                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------|
| Special Precautions | No special precautions required. Please refer to the applicable dangerous goods regulations for additional information. |
|---------------------|-------------------------------------------------------------------------------------------------------------------------|

|                        |            |
|------------------------|------------|
| Additional information | None known |
|------------------------|------------|

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

|                      |           |
|----------------------|-----------|
| HSNO Approval Number | HSR001112 |
|----------------------|-----------|

**National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

**Certified handlers, tracking and controlled substance license requirements**

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

**International Regulations**

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Ozone Depletion Potential | This product does not contain any known or suspected substance |
|---------------------------|----------------------------------------------------------------|

|                              |                                                                |
|------------------------------|----------------------------------------------------------------|
| Persistent Organic Pollutant | This product does not contain any known or suspected substance |
|------------------------------|----------------------------------------------------------------|

|                            |                |
|----------------------------|----------------|
| Rotterdam Convention (PIC) | Not applicable |
|----------------------------|----------------|

|                                                  |                |
|--------------------------------------------------|----------------|
| Authorisation/Restrictions according to EU REACH | Not applicable |
|--------------------------------------------------|----------------|

**International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component     | CAS No   | NZIoC | AICS | EINECS    | ELINCS | NLP | KECL     | IECSC | TCSI |
|---------------|----------|-------|------|-----------|--------|-----|----------|-------|------|
| Cyclohexanone | 108-94-1 | X     | X    | 203-631-1 | -      | -   | KE-09188 | X     | X    |

| Component     | CAS No   | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|---------------|----------|------|-----------------------------------------------|-----|------|-------|------|------|
| Cyclohexanone | 108-94-1 | X    | ACTIVE                                        | X   | -    | X     | X    | X    |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

### Legend

**NZIoC** - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**NZS 5433:2020** - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**AICS** - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

**PNEC** - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**ADG** - Australian Code for the Transport of Dangerous Goods by Road and Rail

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

### Revision Date

14-Mar-2023

### Revision Summary

Not applicable

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

---

materials or in any process, unless specified in the text

**End of Safety Data Sheet**