

## SAFETY DATA SHEET

Creation Date 19-February-2025

Revision Date 19-February-2025

Revision Number 1

### 1. Identification

**Product Name** 3-Methoxybutyl acetate

**Cat No. :** S70001

**CAS-No** 4435-53-4  
**Synonyms** No information available

**Recommended Use** Laboratory chemicals.  
**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

**WHMIS 2015 Classification** Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

**Flammable liquids** Category 4

#### Label Elements

##### **Signal Word**

Warning

##### **Hazard Statements**

Combustible liquid

##### **Precautionary Statements**

##### **Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Wear protective gloves/protective clothing/eye protection/face protection

**Response**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store in a well-ventilated place. Keep cool

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

| Component                        | CAS-No    | Weight % |
|----------------------------------|-----------|----------|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | <=100    |

### 4. First-aid measures

|                                        |                                                                                                                         |
|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.         |
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. |
| <b>Inhalation</b>                      | Remove to fresh air. Get medical attention immediately if symptoms occur.                                               |
| <b>Ingestion</b>                       | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.                   |
| <b>Most important symptoms/effects</b> | None reasonably foreseeable. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting      |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                   |

### 5. Fire-fighting measures

**Suitable Extinguishing Media** Water mist may be used to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 68 °C / 154.4 °F

**Method -** No information available

**Autoignition Temperature** No information available

**Explosion Limits**

**Upper** No data available

**Lower** No data available

**Sensitivity to Mechanical Impact** No information available

**Sensitivity to Static Discharge** No information available

**Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated.

**Hazardous Combustion Products**

Carbon oxides.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA**Health  
0Flammability  
2Instability  
0Physical hazards  
N/A**6. Accidental release measures****Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up** Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition.

**7. Handling and storage****Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

**Storage.**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

**8. Exposure controls / personal protection****Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limit established by the region specific regulatory bodies.

**Engineering Measures**

None under normal use conditions. Ensure adequate ventilation, especially in confined areas.

**Personal protective equipment****Eye Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Hand Protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Nitrile rubber | See manufacturers | -               | Splash protection only |
| Neoprene       | recommendations   |                 |                        |
| Natural rubber |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection**

No protective equipment is needed under normal use conditions.

**Recommended Filter type:** Particle filter

**Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

|                                               |                          |
|-----------------------------------------------|--------------------------|
| <b>Physical State</b>                         | Liquid                   |
| <b>Appearance</b>                             | No information available |
| <b>Odor</b>                                   | No information available |
| <b>Odor Threshold</b>                         | No information available |
| <b>pH</b>                                     | Not applicable           |
| <b>Melting Point/Range</b>                    | No data available        |
| <b>Boiling Point/Range</b>                    | 170 °C / 338 °F          |
| <b>Flash Point</b>                            | 68 °C / 154.4 °F         |
| <b>Evaporation Rate</b>                       | No information available |
| <b>Flammability (solid,gas)</b>               | Not applicable           |
| <b>Flammability or explosive limits</b>       |                          |
| Upper                                         | No data available        |
| Lower                                         | No data available        |
| <b>Vapor Pressure</b>                         | No information available |
| <b>Vapor Density</b>                          | No information available |
| <b>Density</b>                                | 0.95                     |
| <b>Specific Gravity</b>                       | No information available |
| <b>Solubility</b>                             | No information available |
| <b>Partition coefficient; n-octanol/water</b> | No data available        |
| <b>Autoignition Temperature</b>               | No information available |
| <b>Decomposition Temperature</b>              | No information available |
| <b>Viscosity</b>                              | No information available |
| <b>Molecular Formula</b>                      | C7 H14 O3                |
| <b>Molecular Weight</b>                       | 146.19                   |

## 10. Stability and reactivity

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Reactive Hazard</b>                  | None known, based on information available                        |
| <b>Stability</b>                        | Stable under normal conditions.                                   |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | Strong oxidizing agents                                           |
| <b>Hazardous Decomposition Products</b> | Carbon oxides                                                     |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                          |
| <b>Hazardous Reactions</b>              | None under normal processing.                                     |

## 11. Toxicological information

**Acute Toxicity****Product Information****Component Information**

| Component                        | LD50 Oral                 | LD50 Dermal | LC50 Inhalation |
|----------------------------------|---------------------------|-------------|-----------------|
| 1-Butanol, 3-methoxy-, 1-acetate | LD50 = 4210 mg/kg ( Rat ) | Not listed  | Not listed      |

**Toxicologically Synergistic** No information available

**Products**

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

|                        |                                                                                          |
|------------------------|------------------------------------------------------------------------------------------|
| <b>Irritation</b>      | No information available                                                                 |
| <b>Sensitization</b>   | No information available                                                                 |
| <b>Carcinogenicity</b> | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component                        | CAS-No    | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------------------------|-----------|------------|------------|------------|------------|------------|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** None known

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

### Ecotoxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

| Component                        | Freshwater Algae | Freshwater Fish                                       | Microtox              | Water Flea |
|----------------------------------|------------------|-------------------------------------------------------|-----------------------|------------|
| 1-Butanol, 3-methoxy-, 1-acetate | Not listed       | LC50: = 7.1 mg/L, 96h semi-static (Brachydanio rerio) | EC50 > 1000 mg/L 16 h | Not listed |

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available.

**Mobility** No information available.

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

**DOT** COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY  
According to 49 CFR §173.150(f)(1), this material should be reclassified as NA1993, Combustible Liquid, NOS if it is shipped in bulk.

**UN-No** NA1993  
**Proper Shipping Name** Combustible liquid, n.o.s.  
**Packing Group** III  
**TDG** Not regulated

IATA Not regulated  
 IMDG/IMO Not regulated

## 15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Taiwan (TCSI) Japan (ISHL) New Zealand (NZIoC) Japan (ISHL)

### International Inventories

| Component                        | CAS-No    | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|----------------------------------|-----------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | X   | -    | X    | ACTIVE                                        | 224-644-9 | -      | -   |

| Component                        | CAS-No    | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|----------------------------------|-----------|-------|----------|------|------|------|------|-------|-------|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | X     | KE-23237 | X    | X    | X    | X    | X     | X     |

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

Authorisation/Restrictions according to EU REACH Not applicable

### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                        | CAS-No    | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|----------------------------------|-----------|----------|------------------------------|---------------------------|--------------------------------------------|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component                        | CAS-No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|----------------------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| 1-Butanol, 3-methoxy-, 1-acetate | 4435-53-4 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

## 16. Other information

Prepared By Product Safety Department  
 Email: chem.techinfo@thermofisher.com

www.thermofisher.com

|                         |                  |
|-------------------------|------------------|
| <b>Creation Date</b>    | 19-February-2025 |
| <b>Revision Date</b>    | 19-February-2025 |
| <b>Print Date</b>       | 19-February-2025 |
| <b>Revision Summary</b> | Initial Release. |

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**