

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name **4-Hydroxy-4-methyl-2-pentanone**  
 CAS No 123-42-2  
 Synonyms Diacetone alcohol

Product Code **121480000; 121480010; 121480025; 121480100; 121480250; 121482500**  
 Address ThermoFisher Scientific Australia Pty Ltd  
 5 Caribbean Drive, Scoresby  
 VICTORIA 3179, Australia  
 Emergency Tel. **CHEMTREC®**  
**03 9757 4559 or +613 9757 4559**  
 Telephone / Fax Numbers Tel: 1300 735 292  
 Fax: 1800 067 639  
 E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.  
 This product does not contain any substance(s) subject to Prohibition, Authorization or  
 Restriction. This product does not contain any substance(s) listed on the voluntary National  
 Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids

Category 3

#### Health hazards

Serious Eye Damage/Eye Irritation

Category 2

Reproductive Toxicity

Category 2

Specific target organ toxicity - (single exposure)

Category 3

#### Environmental hazards

No hazards identified

### Label Elements



Flame



Exclamation Mark



Health Hazard

**Signal Word****Warning****Hazard Statements**

H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

**Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection/ face protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

No information available

**Section 3 - Composition and Information on Ingredients**

| Component         | CAS No   | Weight % |
|-------------------|----------|----------|
| Diacetone alcohol | 123-42-2 | >95      |

**Section 4 - First Aid Measures****Inhalation**

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

|                                            |                                                                                                                  |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------|
|                                            | call a physician.                                                                                                |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.  |
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                           |
| <b>Self-Protection of the First Aider</b>  | Use personal protective equipment as required.                                                                   |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                             |
| <b>Most important symptoms and effects</b> | None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| <b>Notes to Physician</b>                  | Treat symptomatically.                                                                                           |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### Extinguishing media which must not be used for safety reasons

No information available.

### Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Specific Hazards Arising from the Chemical

Containers may explode when heated. Flammable. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

### Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental Precautions

Should not be released into the environment.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component         | Australia                                 | New Zealand WEL                           | ACGIH TLV   | The United Kingdom                                                                                               | Germany                                                                                                                                                                                                                                                           |
|-------------------|-------------------------------------------|-------------------------------------------|-------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diacetone alcohol | TWA: 50 ppm<br>TWA: 238 mg/m <sup>3</sup> | TWA: 50 ppm<br>TWA: 238 mg/m <sup>3</sup> | TWA: 50 ppm | STEL: 75 ppm 15 min<br>STEL: 362 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 241 mg/m <sup>3</sup> 8 hr | TWA: 20 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 96 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 20 ppm (8 Stunden). MAK<br>TWA: 96 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 40 ppm<br>Höhepunkt: 192 mg/m <sup>3</sup><br>Haut |

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber | See manufacturers | -               |                 | (minimum requirement) |

|                                   |                 |             |
|-----------------------------------|-----------------|-------------|
| Neoprene<br>Natural rubber<br>PVC | recommendations | AS/NZS 2161 |
|-----------------------------------|-----------------|-------------|

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b> | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>   | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices |
| <b>Recommended Filter type:</b> | Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)                                                                                                                                                                                                                                  |
| <b>Recommended half mask:-</b>  | Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted                                                                                                                                                                         |

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                                                |                                                |                                          |
|------------------------------------------------|------------------------------------------------|------------------------------------------|
| <b>Appearance</b>                              | Clear                                          |                                          |
| <b>Physical State</b>                          | Liquid                                         |                                          |
| <b>Odor</b>                                    | Pleasant                                       |                                          |
| <b>Odor Threshold</b>                          | No data available                              |                                          |
| <b>pH</b>                                      | No information available                       |                                          |
| <b>Melting Point/Range</b>                     | -42.8 °C / -45 °F                              |                                          |
| <b>Softening Point</b>                         | No data available                              |                                          |
| <b>Boiling Point/Range</b>                     | 166 °C / 330.8 °F                              |                                          |
| <b>Flash Point</b>                             | 58 °C / 136.4 °F                               | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No information available                       |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable                                 | Liquid                                   |
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.8 Vol%<br><b>Upper</b> 6.9 Vol% |                                          |
| <b>Vapor Pressure</b>                          | 1 mmHg @ 20 °C                                 |                                          |
| <b>Vapor Density</b>                           | 4.0 (Air = 1.0)                                | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | 0.939                                          |                                          |
| <b>Bulk Density</b>                            | Not applicable                                 | Liquid                                   |
| <b>Water Solubility</b>                        | Miscible                                       |                                          |
| <b>Solubility in other solvents</b>            | No information available                       |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                                |                                          |
| <b>Component</b>                               | <b>log Pow</b>                                 |                                          |
| Diacetone alcohol                              | 1.03                                           |                                          |
| <b>Autoignition Temperature</b>                | 643 °C / 1189.4 °F                             |                                          |
| <b>Decomposition Temperature</b>               | No data available                              |                                          |
| <b>Viscosity</b>                               | 3.22 mPa.s @ 20°C                              |                                          |
| <b>Explosive Properties</b>                    |                                                | explosive air/vapour mixtures possible   |
| <b>Oxidizing Properties</b>                    | No information available                       |                                          |
| <b>Other information</b>                       |                                                |                                          |
| <b>Molecular Formula</b>                       | C6 H12 O2                                      |                                          |

Molecular Weight 116.16

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials** Strong oxidizing agents, Alcohols, Amines, Acids, Strong bases.

**Hazardous Decomposition Products** Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

**Hazardous Polymerization** Hazardous polymerization does not occur.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

**(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Based on available data, the classification criteria are not met

| Component         | LD50 Oral             | LD50 Dermal                                                    | LC50 Inhalation                          |
|-------------------|-----------------------|----------------------------------------------------------------|------------------------------------------|
| Diacetone alcohol | LD50 > 4 g/kg ( Rat ) | LD50 = 13500 mg/kg ( Rabbit )<br>LD50 = 13630 mg/kg ( Rabbit ) | LC50 > 7.23 g/m <sup>3</sup> ( Rat ) 8 h |

**(b) skin corrosion/irritation;** Based on available data, the classification criteria are not met

**(c) serious eye damage/irritation;** Category 2

**(d) respiratory or skin sensitization;**

**Respiratory**

Based on available data, the classification criteria are not met

**Skin**

Based on available data, the classification criteria are not met

**(e) germ cell mutagenicity;** Based on available data, the classification criteria are not met

Not mutagenic in AMES Test

**(f) carcinogenicity;** Based on available data, the classification criteria are not met  
There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** Category 2

**(h) STOT-single exposure;** Category 3

**Results / Target organs**

Respiratory system

**(i) STOT-repeated exposure;** Based on available data, the classification criteria are not met

## Target Organs

None known.

## (j) aspiration hazard;

Based on available data, the classification criteria are not met

## Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

## Ecotoxicity effects

| Component         | Freshwater Fish                                                                                         | Water Flea                               | Freshwater Algae | Microtox |
|-------------------|---------------------------------------------------------------------------------------------------------|------------------------------------------|------------------|----------|
| Diacetone alcohol | LC50: = 420 mg/L, 96h<br>(Lepomis macrochirus)<br>LC50: = 420 mg/L, 96h<br>static (Lepomis macrochirus) | EC50 = 8750 mg/L, 24h<br>(Daphnia magna) |                  |          |

## Persistence and Degradability

Readily biodegradable

## Persistence

Persistence is unlikely.

## Bioaccumulative Potential

Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Diacetone alcohol | 1.03    | No data available             |

## Mobility

The product is water soluble, and may spread in water systems. : Will likely be mobile in the environment due to its water solubility Highly mobile in soils

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Persistent Organic Pollutant

This product does not contain any known or suspected substance

## Ozone Depletion Potential

This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

## Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

## Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

## Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

## Section 14 - Transport Information

## IMDG/IMO

|                      |                   |
|----------------------|-------------------|
| UN-No                | UN1148            |
| Proper Shipping Name | DIACETONE ALCOHOL |
| Hazard Class         | 3                 |
| Packing Group        | III               |

## ADG

|                      |                   |
|----------------------|-------------------|
| UN-No                | UN1148            |
| Proper Shipping Name | DIACETONE ALCOHOL |

| Hazard Class      | 3            |
|-------------------|--------------|
| Packing Group     | III          |
| Component         | Hazchem Code |
| Diacetone alcohol | 2YE          |
| 123-42-2 ( >95 )  | 2Y           |

**IATA**

|                      |                   |
|----------------------|-------------------|
| UN-No                | UN1148            |
| Proper Shipping Name | DIACETONE ALCOHOL |
| Hazard Class         | 3                 |
| Packing Group        | III               |

|                        |                                 |
|------------------------|---------------------------------|
| Environmental hazards  | No hazards identified           |
| Special Precautions    | No special precautions required |
| Additional information | None known                      |

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture****National Regulations**      **Australia**

See section 8 for national exposure control parameters.

**Standard for the Uniform Scheduling of Medicines and Poisons**

No poison schedule number allocated.

**Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                    | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|------------------------------|-------------------------------------------------------------|------------------------|
| Diacetone alcohol - 123-42-2 | Present                                                     | -                      |

**Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

**National pollutant inventory**      Not applicable

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

**International Inventories**



| Component         | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|-------------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|------|
| Diacetone alcohol | X    | X     | 204-626-7 | -      | X    | X   | -    | X     | X    | X    | X     | X    |

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### International Regulations

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**  
Not applicable.

| Component         | CAS No   | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|----------|----------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Diacetone alcohol | 123-42-2 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

### Authorisation/Restrictions according to EU REACH

| Component         | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Diacetone alcohol | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**NZS 5433:2012** - Transport of Dangerous Goods on Land

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**WEL** - Workplace Exposure Limit

**NZIoC** - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists  
Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**LC50** - Lethal Concentration 50%

**ATE** - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment

**DNEL** - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

**NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

**PBT** - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

#### Revision Date

17-Nov-2022

#### Revision Summary

SDS sections updated.

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet