

ACR32697

## Tetrahydrofuran

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

|                                                       |                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>产品说明:</b><br><b>Product Description:</b>           | <b>四氢呋喃</b><br><b>Tetrahydrofuran</b>                                                                                                                                                                                                                              |
| <b>Cat No. :</b>                                      | <b>326970000; 326970010; 326970025; 326971000; 326970250</b>                                                                                                                                                                                                       |
| <b>Synonyms</b>                                       | THF                                                                                                                                                                                                                                                                |
| <b>CAS No</b>                                         | 109-99-9                                                                                                                                                                                                                                                           |
| <b>Molecular Formula</b>                              | C <sub>4</sub> H <sub>8</sub> O                                                                                                                                                                                                                                    |
| <b>Supplier</b>                                       | <b>UK entity/business name</b><br>Fisher Scientific UK<br>Bishop Meadow Road,<br>Loughborough, Leicestershire LE11 5RG, United Kingdom<br><br><b>EU entity/business name</b><br>Thermo Fisher Scientific<br>Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium        |
| <b>Emergency Telephone Number</b>                     | For information <b>US</b> call: 001-800-227-6701 / <b>Europe</b> call: +32 14 57 52 11<br>Emergency Number <b>US</b> :001-201-796-7100 / <b>Europe</b> : +32 14 57 52 99<br><b>CHEMTREC</b> Tel. No. <b>US</b> :001-800-424-9300 / <b>Europe</b> :001-703-527-3887 |
| <b>E-mail address</b>                                 | begel.sdsdesk@thermofisher.com                                                                                                                                                                                                                                     |
| <b>Recommended Use</b><br><b>Uses advised against</b> | Laboratory chemicals.<br>Food, drug, pesticide or biocidal product use<br>Not suitable for concentration or distillation                                                                                                                                           |

### SECTION 2. HAZARD IDENTIFICATION

|                                                                                                                                                                                                                                                                       |                                |                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------|
| <b>Physical State</b><br>Liquid                                                                                                                                                                                                                                       | <b>Appearance</b><br>Colorless | <b>Odor</b><br>Petroleum distillates |
| <b>Emergency Overview</b><br>Highly flammable liquid and vapor. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation.<br>Harmful if swallowed. May cause drowsiness and dizziness. May form explosive peroxides. Hygroscopic. |                                |                                      |

#### Classification of the substance or mixture

|                                                    |            |
|----------------------------------------------------|------------|
| Flammable liquids.                                 | Category 2 |
| Acute Oral Toxicity                                | Category 4 |
| Serious Eye Damage/Eye Irritation                  | Category 2 |
| Carcinogenicity                                    | Category 2 |
| Specific target organ toxicity - (single exposure) | Category 3 |

#### Label Elements

**Signal Word****Danger****Hazard Statements**

H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H351 - Suspected of causing cancer  
H335 - May cause respiratory irritation  
H302 - Harmful if swallowed  
H336 - May cause drowsiness or dizziness

**Precautionary Statements****Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P240 - Ground and bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting equipment  
P242 - Use non-sparking tools  
P243 - Take action to prevent static discharges  
P260 - Do not breathe dust/fume/gas/mist/vapors/spray  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear eye protection/ face protection

**Response**

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P308 + P313 - IF exposed or concerned: Get medical advice/attention  
P330 - Rinse mouth  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards**

Vapors may cause flash fire or explosion. Highly flammable. May form explosive peroxides. Hygroscopic.

**Health Hazards**

Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. Harmful if swallowed. May cause drowsiness or dizziness.

**Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its volatility. The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces.

Toxic to terrestrial vertebrates. This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component       | CAS No   | Weight % |
|-----------------|----------|----------|
| Tetrahydrofuran | 109-99-9 | >99.9    |

|                            |          |       |
|----------------------------|----------|-------|
| 2,6-Di-tert-butyl-p-cresol | 128-37-0 | 0.025 |
|----------------------------|----------|-------|

**SECTION 4. FIRST AID MEASURES****General Advice**

If symptoms persist, call a physician.

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

**Inhalation**

Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Most important symptoms and effects**

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression

**Self-Protection of the First Aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

**Notes to Physician**

Treat symptomatically. Symptoms may be delayed.

**SECTION 5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

**Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES****Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin and eyes. Keep people away from and upwind of spill/leak.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. If peroxide formation is suspected, do not open or move container. Handle under an inert atmosphere.

**Storage**

Store under an inert atmosphere. Shelf life 30 months (Unopened) or Shelf life: 6 months after opening. Containers should be dated when opened. May form explosive peroxides on prolonged storage. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters**

| Component       | China                      | Taiwan                                     | Thailand     | Hong Kong                                                                                  |
|-----------------|----------------------------|--------------------------------------------|--------------|--------------------------------------------------------------------------------------------|
| Tetrahydrofuran | TWA: 300 mg/m <sup>3</sup> | TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup> | TWA: 200 ppm | TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 737 mg/m <sup>3</sup> |

| Component                  | ACGIH TLV                            | OSHA PEL                                                                                                                                                                         | NIOSH                                                                                                        | The United Kingdom                                                                                                        | European Union                                                                                                              |
|----------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Tetrahydrofuran            | TWA: 50 ppm<br>STEL: 100 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 590 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 735 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup> | IDLH: 2000 ppm<br>TWA: 200 ppm<br>TWA: 590 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 735 mg/m <sup>3</sup> | STEL: 100 ppm 15 min<br>STEL: 300 mg/m <sup>3</sup> 15 min<br>TWA: 50 ppm 8 hr<br>TWA: 150 mg/m <sup>3</sup> 8 hr<br>Skin | TWA: 50 ppm (8h)<br>TWA: 150 mg/m <sup>3</sup> (8h)<br>STEL: 100 ppm (15min)<br>STEL: 300 mg/m <sup>3</sup> (15min)<br>Skin |
| 2,6-Di-tert-butyl-p-cresol | TWA: 2 mg/m <sup>3</sup>             | (Vacated) TWA: 10 mg/m <sup>3</sup>                                                                                                                                              | TWA: 10 mg/m <sup>3</sup>                                                                                    | STEL: 30 mg/m <sup>3</sup> 15 min<br>TWA: 10 mg/m <sup>3</sup> 8 hr                                                       |                                                                                                                             |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Exposure Controls**

**Engineering Measures**

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

**Personal protective equipment**

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material  | Breakthrough time | Glove thickness | EU standard       | Glove comments                                                                                                                   |
|-----------------|-------------------|-----------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Butyl rubber    | < 25 minutes      | 0.6 mm          | Level 1<br>EN 374 | Permeation rate 106 µg/cm <sup>2</sup> /min<br>As tested under EN374-3 Determination of<br>Resistance to Permeation by Chemicals |
| Neoprene gloves | < 15 minutes      | 0.45 mm         |                   |                                                                                                                                  |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Skin and body protection** Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                                 |                       |                                          |
|---------------------------------|-----------------------|------------------------------------------|
| <b>Appearance</b>               | Colorless             |                                          |
| <b>Physical State</b>           | Liquid                |                                          |
| <b>Odor</b>                     | Petroleum distillates |                                          |
| <b>Odor Threshold</b>           | No data available     |                                          |
| <b>pH</b>                       | 7-8                   | 20% aq. solution                         |
| <b>Melting Point/Range</b>      | -108.4 °C / -163.1 °F |                                          |
| <b>Softening Point</b>          | No data available     |                                          |
| <b>Boiling Point/Range</b>      | 66 °C / 150.8 °F      |                                          |
| <b>Flash Point</b>              | -21 °C / -5.8 °F      | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>         | > 1 (Ether = 1.0)     | (Butyl Acetate = 1.0)                    |
| <b>Flammability (solid,gas)</b> | Not applicable        | Liquid                                   |

|                                                |                           |                                             |
|------------------------------------------------|---------------------------|---------------------------------------------|
| <b>Explosion Limits</b>                        | <b>Lower</b> 1.5 vol%     |                                             |
|                                                | <b>Upper</b> 12 vol%      |                                             |
| <b>Vapor Pressure</b>                          | 170 mbar @ 20 °C          |                                             |
| <b>Vapor Density</b>                           | 2.5 (Ether = 1.0)         | (Air = 1.0)                                 |
| <b>Specific Gravity / Density</b>              | 0.880                     |                                             |
| <b>Bulk Density</b>                            | Not applicable            | Liquid                                      |
| <b>Water Solubility</b>                        | Miscible                  |                                             |
| <b>Solubility in other solvents</b>            | No information available  |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                           |                                             |
| <b>Component</b>                               | <b>log Pow</b>            |                                             |
| Tetrahydrofuran                                | 0.45                      |                                             |
| 2,6-Di-tert-butyl-p-cresol                     | 5.1                       |                                             |
| <b>Autoignition Temperature</b>                | 215 - °C / 419 - °F       |                                             |
| <b>Decomposition Temperature</b>               | No data available         |                                             |
| <b>Viscosity</b>                               | 0.456 mPas @ 20°C Dynamic |                                             |
| <b>Explosive Properties</b>                    |                           | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available  |                                             |
| <b>Molecular Formula</b>                       | C4 H8 O                   |                                             |
| <b>Molecular Weight</b>                        | 72.11                     |                                             |

## SECTION 10. STABILITY AND REACTIVITY

|                                         |                                                                                                                                                 |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Stability</b>                        | Stable under recommended storage conditions. Reacts with air to form peroxides. May form explosive peroxides on prolonged storage. Hygroscopic. |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                                                   |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization may occur.                                                                                                             |
| <b>Conditions to Avoid</b>              | Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Exposure to moist air or water.           |
| <b>Materials to avoid</b>               | Strong oxidizing agents. Acids.                                                                                                                 |
| <b>Hazardous Decomposition Products</b> | Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). peroxides.                                                                             |

## SECTION 11. TOXICOLOGICAL INFORMATION

## Product Information

## (a) acute toxicity;

| Component                  | LD50 Oral          | LD50 Dermal           | LC50 Inhalation                               |
|----------------------------|--------------------|-----------------------|-----------------------------------------------|
| Tetrahydrofuran            | 1650 mg/kg ( Rat ) | > 2000 mg/kg (Rabbit) | 180 mg/L ( Rat ) 1 h<br>53.9 mg/L ( Rat ) 4 h |
| 2,6-Di-tert-butyl-p-cresol | > 6 g/kg ( Rat )   | > 2 g/kg ( Rat )      |                                               |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

## (d) respiratory or skin sensitization;

**Respiratory** Based on available data, the classification criteria are not met  
**Skin** Based on available data, the classification criteria are not met

| Component                            | Test method                                       | Test species | Study result    |
|--------------------------------------|---------------------------------------------------|--------------|-----------------|
| Tetrahydrofuran<br>109-99-9 (>99.9 ) | Local Lymph Node Assay<br>OECD Test Guideline 429 | mouse        | non-sensitising |

**(e) germ cell mutagenicity;** Based on available data, the classification criteria are not met

| Component                           | Test method                                             | Test species          | Study result |
|-------------------------------------|---------------------------------------------------------|-----------------------|--------------|
| Tetrahydrofuran<br>109-99-9 (>99.9) | OECD Test Guideline 476<br>Gene cell mutation           | in vivo<br>Mammalian  | negative     |
|                                     | OECD Test Guideline 473<br>Chromosomal aberration assay | in vitro<br>Mammalian | negative     |

**(f) carcinogenicity;** Category 2  
Limited evidence of a carcinogenic effect

| Component       | EU | UK | Germany | IARC     |
|-----------------|----|----|---------|----------|
| Tetrahydrofuran |    |    |         | Group 2B |

**(g) reproductive toxicity;** Based on available data, the classification criteria are not met

| Component                           | Test method             | Test species / Duration | Study result      |
|-------------------------------------|-------------------------|-------------------------|-------------------|
| Tetrahydrofuran<br>109-99-9 (>99.9) | OECD Test Guideline 416 | Rat 2 Generation        | NOAEL = 3,000 ppm |

**(h) STOT-single exposure;** Category 3  
**Results / Target organs** Respiratory system  
Central nervous system (CNS)**(i) STOT-repeated exposure;** Based on available data, the classification criteria are not met  
**Target Organs** None known.**(j) aspiration hazard;** Based on available data, the classification criteria are not met  
**Other Adverse Effects** Tumorigenic effects have been reported in experimental animals.**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:  
Causes central nervous system depression**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity effects** Do not empty into drains. .

| Component                  | Freshwater Fish                                                                        | Water Flea                                   | Freshwater Algae                            | Microtox                                                                     |
|----------------------------|----------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------|
| Tetrahydrofuran            | 2160 mg/l LC50 = 96 h<br>Pimephales promelas<br>Leuciscus idus: LC50:<br>2820 mg/L/48h | EC50 48 h 3485 mg/l<br>EC50: >10000 mg/L/24h |                                             |                                                                              |
| 2,6-Di-tert-butyl-p-cresol | LC50 = 0.199 mg/L 96h                                                                  | EC50 >0.31 mg/L 48h                          | EC50 = 0.758 mg/L 96h<br>EC50 = 6 mg/L 72 h | EC50 = 7.82 mg/L 5 min<br>EC50 = 8.57 mg/L 15 min<br>EC50 = 8.98 mg/L 30 min |

**Persistence and Degradability**  
**Persistence** Product is biodegradable  
**Degradation in sewage treatment plant** Persistence is unlikely, based on information available.  
Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**SAFETY DATA SHEET****Tetrahydrofuran****Bioaccumulative Potential** Bioaccumulation is unlikely

| Component                  | log Pow | Bioconcentration factor (BCF) |
|----------------------------|---------|-------------------------------|
| Tetrahydrofuran            | 0.45    | No data available             |
| 2,6-Di-tert-butyl-p-cresol | 5.1     | 230 - 2500 dimensionless      |

**Mobility in soil** The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in air.**Endocrine Disruptor Information**

| Component       | EU - Endocrine Disruptors Candidate List | EU - Endocrine Disruptors - Evaluated Substances | Japan - Endocrine Disruptor Information |
|-----------------|------------------------------------------|--------------------------------------------------|-----------------------------------------|
| Tetrahydrofuran | Group III Chemical                       |                                                  |                                         |

**Persistent Organic Pollutant** This product does not contain any known or suspected substance**Ozone Depletion Potential** This product does not contain any known or suspected substance**SECTION 13. DISPOSAL CONSIDERATIONS****Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.**Other Information** Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

UN-No UN2056  
Proper Shipping Name TETRAHYDROFURAN  
Hazard Class 3  
Packing Group II

**IMDG/IIMO**

UN-No UN2056  
Proper Shipping Name TETRAHYDROFURAN  
Hazard Class 3  
Packing Group II

**IATA**

UN-No UN2056  
Proper Shipping Name TETRAHYDROFURAN  
Hazard Class 3  
Packing Group II

**Special Precautions for User** No special precautions required**SECTION 15. REGULATORY INFORMATION****International Inventories**



**SAFETY DATA SHEET****Tetrahydrofuran**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                  | The Inventory of Hazardous Chemicals (2015 Edition) | List of dangerous goods GB 12268 - 2012 | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|----------------------------|-----------------------------------------------------|-----------------------------------------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Tetrahydrofuran            | X                                                   | X                                       | X    | X     | 203-726-8 | X    | X   | X     | X    | X    | X    | KE-33454 |
| 2,6-Di-tert-butyl-p-cresol | -                                                   | X                                       | X    | X     | 204-881-4 | X    | X   | X     | X    | X    | X    | KE-03079 |

**National Regulations****SECTION 16. OTHER INFORMATION**

**Creation Date** 11-Jun-2009  
**Revision Date** 07-Apr-2024  
**Revision Summary** SDS sections updated, 1, 7, 10.

**Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Chemical incident response training.

**Legend**

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**PNEC** - Predicted No Effect Concentration

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**