

Creation Date 27-Jan-2015

Revision Date 15-Feb-2024

Revision Number 5

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Filter aid, Celite Hyflo Super-cel®
Cat No. :	B22658
Synonyms	Infusorial earth
Molecular Formula	SiO ₂
REACH registration number	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

ALFAAB22658

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Specific target organ toxicity - (single exposure)

Category 3 (H335)

Specific target organ toxicity - (repeated exposure)

Category 1 (H372)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure

Lungs

Precautionary Statements

P280 - Wear eye protection/ face protection

P337 + P313 - If eye irritation persists: Get medical advice/attention

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Kieselguhr, soda ash flux-calcined	68855-54-9	EEC No. 272-489-0	56	STOT SE 3 (H335) STOT RE 2 (H373i)

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

				Eye Irrit. 2 (H319)
Silica, cristobalite	14464-46-1	EEC No. 238-455-4	< 40	STOT RE1 (H372)
Quartz	14808-60-7	EEC No. 238-878-4	< 4	STOT RE 2 (H373)

REACH registration number	-
---------------------------	---

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible. None reasonably foreseeable.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 6.1D

Switzerland - Storage of hazardous substances

Storage class - SC 6.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Silica, cristobalite		STEL: 0.3 mg/m ³ 15 min TWA: 0.1 mg/m ³ 8 hr	TWA / VME: 0.05 mg/m ³ (8 heures). restrictive	TWA: 0.05 mg/m ³ 8 uren	TWA / VLA-ED: 0.05 mg/m ³ (8 horas)

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

		Carc. respirable fraction	limit		
Quartz		STEL: 0.3 mg/m ³ 15 min TWA: 0.1 mg/m ³ 8 hr Carc. respirable fraction	TWA / VME: 0.1 mg/m ³ (8 heures). restrictive limit	TWA: 0.1 mg/m ³ 8 uren	TWA / VLA-ED: 0.05 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Kieselguhr, soda ash flux-calcined		TWA: 0.3 mg/m ³ (8 Stunden). AGW - TWA: 0.3 mg/m ³ (8 Stunden). MAK			
Silica, cristobalite			TWA: 0.025 mg/m ³ 8 horas TWA: 0.05 mg/m ³ 8 horas TWA: 0.1 mg/m ³ 8 horas	TWA: 0.075 mg/m ³ 8 uren	TWA: 0.05 mg/m ³ 8 tunteina
Quartz			TWA: 0.025 mg/m ³ 8 horas TWA: 0.05 mg/m ³ 8 horas TWA: 0.1 mg/m ³ 8 horas	TWA: 0.075 mg/m ³ 8 uren	TWA: 0.05 mg/m ³ 8 tunteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Kieselguhr, soda ash flux-calcined	MAK-TMW: 0.3 mg/m ³ 8 Stunden		TWA: 0.3 mg/m ³ 8 Stunden	TWA: 2 mg/m ³ 8 godzinach TWA: 1 mg/m ³ 8 godzinach	
Silica, cristobalite	MAK-TMW: 0.05 mg/m ³ 8 Stunden	TWA: 0.15 mg/m ³ 8 timer TWA: 0.05 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter STEL: 0.1 mg/m ³ 15 minutter	TWA: 0.15 mg/m ³ 8 Stunden	TWA: 0.1 mg/m ³ 8 godzinach	TWA: 0.05 mg/m ³ 8 timer TWA: 0.1 mg/m ³ 8 timer TWA: 0.15 mg/m ³ 8 timer STEL: 0.15 mg/m ³ 15 minutter. value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed respirable dust STEL: 0.45 mg/m ³ 15 minutter. value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed total dust STEL: 0.3 mg/m ³ 15 minutter. value calculated;the Other mining and quarrying (industry code 08) and Civil engineering (industry code 42) valid until February 1, 2022;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed respirable dust
Quartz	MAK-TMW: 0.05 mg/m ³ 8 Stunden	TWA: 0.3 mg/m ³ 8 timer TWA: 0.1 mg/m ³ 8 timer	TWA: 0.15 mg/m ³ 8 Stunden	TWA: 0.1 mg/m ³ 8 godzinach	TWA: 0.05 mg/m ³ 8 timer

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

		STEL: 0.6 mg/m³ 15 minutter STEL: 0.2 mg/m³ 15 minutter			TWA: 0.1 mg/m³ 8 timer TWA: 0.3 mg/m³ 8 timer STEL: 0.9 mg/m³ 15 minutter. value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed total dust STEL: 0.15 mg/m³ 15 minutter. value calculated;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed respirable dust STEL: 0.3 mg/m³ 15 minutter. value calculated;the Other mining and quarrying (industry code 08) and Civil engineering (industry code 42) valid until February 1, 2022;dust containing .alpha.-Quartz, Cristobalite and/or Tridymite is evaluated by summation formula. At the same time, the values for Nuisance dust must be observed respirable dust
--	--	---	--	--	--

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Kieselguhr, soda ash flux-calcined		TWA-GVI: 2.4 mg/m³ 8 satima. respirable dust TWA-GVI: 6 mg/m³ 8 satima. total dust, inhalable particles	TWA: 1.2 mg/m³ 8 hr. respirable dust STEL: 3.6 mg/m³ 15 min		
Silica, cristobalite		TWA-GVI: 0.05 mg/m³ 8 satima.	TWA: 0.1 mg/m³ 8 hr. respirable dust STEL: 0.3 mg/m³ 15 min		TWA: 0.1 mg/m³ 8 hodinách. respirable fraction
Quartz		TWA-GVI: 0.1 mg/m³ 8 satima. regulated under Quartz sand respirable dust; respirable particle	TWA: 0.1 mg/m³ 8 hr. respirable dust STEL: 0.3 mg/m³ 15 min		TWA: 0.1 mg/m³ 8 hodinách. dust

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Kieselguhr, soda ash flux-calcined					TWA: 1.5 mg/m³ 8 klukkustundum. respirable fraction Ceiling: 3 mg/m³ respirable dust
Silica, cristobalite	TWA: 0.05 mg/m³ 8 tundides. respirable dust			TWA: 0.1 mg/m³ 8 órában. AK	TWA: 0.15 mg/m³ 8 klukkustundum. total dust TWA: 0.05 mg/m³ 8 klukkustundum. respirable fraction Ceiling: 0.3 mg/m³ total dust Ceiling: 0.1 mg/m³

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

Quartz	TWA: 0.1 mg/m ³ 8 tundides. respirable dust			TWA: 0.1 mg/m ³ 8 óraban. AK	respirable dust TWA: 0.3 mg/m ³ 8 klukkustundum. total dust TWA: 0.1 mg/m ³ 8 klukkustundum. respirable fraction Ceiling: 0.6 mg/m ³ total dust Ceiling: 0.2 mg/m ³ respirable dust
--------	--	--	--	--	---

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Silica, cristobalite		TWA: 0.05 mg/m ³ respirable fraction IPRD			TWA: 0.05 mg/m ³ 8 ore
Quartz		TWA: 0.1 ppm respirable fraction IPRD Silicon dioxide variation			TWA: 0.1 mg/m ³ 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Kieselguhr, soda ash flux-calcined			TWA: 0.3 mg/m ³ 8 urah respirable fraction		
Silica, cristobalite	TWA: 1 mg/m ³ 1154 containing >70% Silicon dioxide in dust; limit is for total mass of aerosols MAC: 3 mg/m ³			TLV: 0.05 mg/m ³ 8 timmar. NGV	
Quartz	TWA: 1 mg/m ³ 1153 glass; in the form of disintegration aerosol; limit is for total mass of aerosols TWA: 1 mg/m ³ 1154 containing >70% Silicon dioxide in dust; limit is for total mass of aerosols MAC: 3 mg/m ³	TWA: 0.1 mg/m ³ 8 hodínach STEL: 0.5 mg/m ³ 15 minútach		TLV: 0.1 mg/m ³ 8 timmar. NGV	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Kieselguhr, soda ash flux-calcined 68855-54-9 (56)				DNEL = 0.05mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
-----------	-------------	-------------	--------------------	-------------------	--------------------

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

		sediment		sewage treatment	
Kieselguhr, soda ash flux-calcined 68855-54-9 (56)				PNEC = 100mg/L	

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid	
Appearance	Light grey	
Odor	Odorless	
Odor Threshold	No data available	
Melting Point/Range	1710 °C / 3110 °F	
Softening Point	No data available	
Boiling Point/Range	2230 °C / 4046 °F	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

Explosion Limits	No data available	
Flash Point	Not applicable	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	5 - 10	
Viscosity	Not applicable	Solid
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	10 mmHg @ 1732 °C	
Density / Specific Gravity	1.9 - 2.35	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

9.2. Other information

Molecular Formula	SiO ₂
Molecular Weight	60.0843
Evaporation Rate	Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
------------------	--

10.2. Chemical stability	Stable under normal conditions.
--------------------------	---------------------------------

10.3. Possibility of hazardous reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid	Avoid dust formation.
---------------------------	-----------------------

10.5. Incompatible materials	None known.
------------------------------	-------------

10.6. Hazardous decomposition products	None under normal use conditions.
--	-----------------------------------

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information	No acute toxicity information is available for this product
(a) acute toxicity;	
Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Kieselguhr, soda ash flux-calcined	-	-	LC50 > 2.6 mg/L (Rat) 4 h

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Silica, cristobalite			Cat. 1	Group 1
Quartz			Cat. 1	Group 1

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Results / Target organs

Respiratory system.

(i) STOT-repeated exposure; Category 1

Target Organs

Lungs.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

.

12.2. Persistence and degradability No information available

Degradability

Not relevant for inorganic substances.

12.3. Bioaccumulative potential No information available

12.4. Mobility in soil No information available

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

12.5. Results of PBT and vPvB assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Kieselguhr, soda ash flux-calcined	68855-54-9	272-489-0	-	-	X	X	KE-21796	X	X
Silica, cristobalite	14464-46-1	238-455-4	-	-	X	X	KE-09017	X	X
Quartz	14808-60-7	238-878-4	-	-	X	X	KE-29983	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Kieselguhr, soda ash flux-calcined	68855-54-9	X	ACTIVE	X	-	X	X	X
Silica, cristobalite	14464-46-1	X	ACTIVE	X	-	X	X	X
Quartz	14808-60-7	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Kieselguhr, soda ash flux-calcined	68855-54-9	-	-	-
Silica, cristobalite	14464-46-1	-	-	-
Quartz	14808-60-7	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Kieselguhr, soda ash flux-calcined	68855-54-9	Not applicable	Not applicable
Silica, cristobalite	14464-46-1	Not applicable	Not applicable
Quartz	14808-60-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Silica, cristobalite	nwg	
Quartz	nwg	Krebserzeugende Stoffe - respirable dust PM4 : 0.5 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
Silica, cristobalite	Tableaux des maladies professionnelles (TMP) - RG 25
Quartz	Tableaux des maladies professionnelles (TMP) - RG 25

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H372 - Causes damage to organs through prolonged or repeated exposure

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

SAFETY DATA SHEET

Filter aid, Celite Hyflo Super-cel®

Revision Date 15-Feb-2024

hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	27-Jan-2015
Revision Date	15-Feb-2024
Revision Summary	New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet