

Creation Date 29-Apr-2014

Revision Date 23-Aug-2018

Revision Number 1

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE
COMPANY/UNDERTAKING****1.1. Product identification**

Product Description: **Monofax / Ammonia cocktail**
Cat No. : **IRM/38/08**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Fisher Scientific UK
Bishop Meadow Road, Loughborough,
Leicestershire LE11 5RG, United Kingdom
E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166
Chemtrec US: (800) 424-9300
Chemtrec EU: 001 (202) 483-7616

SECTION 2: HAZARDS IDENTIFICATION**2.1. Classification of the substance or mixture****CLP Classification - Regulation (EC) No 1272/2008****Physical hazards**

Based on available data, the classification criteria are not met

Health hazards

Aspiration Toxicity	Category 1 (H304)
Skin Corrosion/irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 2 (H319)

Environmental hazards

Chronic aquatic toxicity	Category 3 (H412)
--------------------------	-------------------

2.2. Label elements

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018



Signal Word

Danger

Hazard Statements

- H304 - May be fatal if swallowed and enters airways
- H315 - Causes skin irritation
- H319 - Causes serious eye irritation
- H413 - May cause long lasting harmful effects to aquatic life

Precautionary Statements

- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician
- P331 - Do NOT induce vomiting
- P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337 + P313 - If eye irritation persists: Get medical advice/ attention
- P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Diethylene glycol monobutyl ether	112-34-5	EEC No. 203-961-6	30 - 40	Eye Irrit. 2 (H319)
Polyethylene glycol phenyl ether phosphate	39464-70-5		30 - 40	-
Diisopropylnaphthalene	38640-62-9	EEC No. 254-052-6	10 - 25	Asp. Tox. 1 (H304) Aquatic Chronic 1 (H410)
Water	7732-18-5	231-791-2	2.5 - 5	-
Ammonium hydroxide	1336-21-6	215-647-6	1 - 3	Skin Corr. 1B (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)

Component	Reach Registration Number
Diethylene glycol monobutyl ether	01-2119475104-44
Ammonium hydroxide	01-2119488876-14

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Call a physician or Poison Control Center immediately. If vomiting occurs naturally, have victim lean forward.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Obtain medical attention. Risk of serious damage to the lungs.
Self-Protection of the First Aider	Use personal protective equipment.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive 2006/15/EC of 7 February 2006 establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Diethylene glycol monobutyl ether	TWA: 10 ppm 8 hr TWA: 67.5 mg/m ³ 8 hr STEL: 15 ppm 15 min STEL: 101.2 mg/m ³ 15 min	STEL: 15 ppm 15 min STEL: 101.2 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 67.5 mg/m ³ 8 hr	TWA / VME: 10 ppm (8 heures), indicative limit TWA / VME: 67.5 mg/m ³ (8 heures), indicative limit STEL / VLCT: 15 ppm, indicative limit STEL / VLCT: 101.2 mg/m ³ , indicative limit	TWA: 10 ppm 8 uren TWA: 67.5 mg/m ³ 8 uren STEL: 15 ppm 15 minuten STEL: 101.2 mg/m ³ 15 minuten	STEL / VLA-EC: 15 ppm (15 minutos). STEL / VLA-EC: 101.2 mg/m ³ (15 minutos). TWA / VLA-ED: 10 ppm (8 horas) TWA / VLA-ED: 67.5 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Diethylene glycol monobutyl ether	TWA: 10 ppm 8 ore. Media Ponderata nel Tempo TWA: 67.5 mg/m ³ 8 ore. Media Ponderata nel Tempo STEL: 15 ppm 15 minuti. Breve termine STEL: 101.2 mg/m ³ 15 minuti. Breve termine	TWA: 10 ppm (8 Stunden). AGW - exposure factor 1.5 TWA: 67 mg/m ³ (8 Stunden). AGW - exposure factor 1.5 TWA: 67 mg/m ³ (8 Stunden). MAK applies for the sum of the concentrations of Butyl	STEL: 15 ppm 15 minutos STEL: 101.2 mg/m ³ 15 minutos TWA: 10 ppm 8 horas TWA: 67.5 mg/m ³ 8 horas	huid STEL: 100 mg/m ³ 15 minuten TWA: 50 mg/m ³ 8 uren	TWA: 10 ppm 8 tunteina TWA: 68 mg/m ³ 8 tunteina

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

		diglycol and its acetate in air; can occur as vapor and aerosol at the same time TWA: 10 ppm (8 Stunden). MAK applies for the sum of the concentrations of Butyl diglycol and its acetate in air; can occur as vapor and aerosol at the same time Höhepunkt: 15 ppm Höhepunkt: 100.5 mg/m ³			
Ammonium hydroxide					TWA: 20 ppm 8 tunteina TWA: 14 mg/m ³ 8 tunteina STEL: 50 ppm 15 minuutteina STEL: 36 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Diethylene glycol monobutyl ether	MAK-KZW: 15 ppm 15 Minuten MAK-KZW: 101.2 mg/m ³ 15 Minuten MAK-TMW: 10 ppm 8 Stunden MAK-TMW: 67.5 mg/m ³ 8 Stunden	TWA: 10 ppm 8 timer TWA: 68 mg/m ³ 8 timer	STEL: 15 ppm 15 Minuten STEL: 101 mg/m ³ 15 Minuten TWA: 10 ppm 8 Stunden TWA: 67 mg/m ³ 8 Stunden	STEL: 100 mg/m ³ 15 minutach TWA: 67 mg/m ³ 8 godzinach	TWA: 10 ppm 8 timer TWA: 68 mg/m ³ 8 timer STEL: 15 ppm 15 minutter. value calculated STEL: 102 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Diethylene glycol monobutyl ether	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm STEL: 101.2 mg/m ³	TWA-GVI: 10 ppm 8 satima. TWA-GVI: 67.5 mg/m ³ 8 satima. STEL-KGVI: 15 ppm 15 minutama. STEL-KGVI: 101.2 mg/m ³ 15 minutama.	TWA: 10 ppm 8 hr. TWA: 67.5 mg/m ³ 8 hr. STEL: 15 ppm 15 min STEL: 101.2 mg/m ³ 15 min	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	TWA: 100 mg/m ³ 8 hodinách. Ceiling: 100 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Diethylene glycol monobutyl ether	TWA: 10 ppm 8 tundides. TWA: 67.5 mg/m ³ 8 tundides.	TWA: 10 ppm 8 hr TWA: 67.5 mg/m ³ 8 hr STEL: 15 ppm 15 min STEL: 101.2 mg/m ³ 15 min	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	STEL: 101.2 mg/m ³ 15 percekben. CK TWA: 67.5 mg/m ³ 8 órában. AK	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm 8 klukkustundum. TWA: 67.5 mg/m ³ 8 klukkustundum. Ceiling: 20 ppm Ceiling: 135 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Diethylene glycol monobutyl ether	STEL: 15 ppm STEL: 101.2 mg/m ³ TWA: 10 ppm TWA: 67.5 mg/m ³	TWA: 15 ppm IPRD TWA: 100 mg/m ³ IPRD STEL: 30 ppm STEL: 200 mg/m ³	Possibility of significant uptake through the skin TWA: 10 ppm 8 Stunden TWA: 67.5 mg/m ³ 8 Stunden STEL: 15 ppm 15 Minuten STEL: 101.2 mg/m ³ 15 Minuten	TWA: 10 ppm TWA: 67.5 mg/m ³ STEL: 15 ppm 15 minuti STEL: 101.2 mg/m ³ 15 minuti	TWA: 67.5 mg/m ³ 8 ore TWA: 10 ppm 8 ore STEL: 15 ppm 15 minute STEL: 101.2 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Diethylene glycol monobutyl ether	MAC: 10 mg/m ³	Ceiling: 101.2 mg/m ³ TWA: 10 ppm	TWA: 10 ppm 8 urah TWA: 67.5 mg/m ³ 8	Binding STEL: 15 ppm 15 minuter	TWA: 10 ppm 8 saat TWA: 67.5 mg/m ³ 8 saat

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

		TWA: 67.5 mg/m ³	urah STEL: 15 ppm 15 minutah STEL: 101.25 mg/m ³ 15 minutah	Binding STEL: 101 mg/m ³ 15 minuter TLV: 10 ppm 8 timmar. NGV TLV: 68 mg/m ³ 8 timmar. NGV	STEL: 15 ppm 15 dakika STEL: 101.2 mg/m ³ 15 dakika
--	--	-----------------------------	--	---	---

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) No information available

<u>Route of exposure</u>	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral Dermal Inhalation				

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	See manufacturers	0.35 mm	EN 374	(minimum requirement)
Viton (R)	recommendations	0.3 mm		

Skin and body protection Long sleeved clothing

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear	
Physical State	Liquid	
Odor	No information available	
Odor Threshold	No data available	
pH	2.7 - 3	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	> 200 °C / 392 °F	Estimated
Flash Point	> 100 °C / 212 °F	Method - Estimated
Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	(Air = 1.0)
Specific Gravity / Density	No data available	
Bulk Density	Not applicable	Liquid
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Diethylene glycol monobutyl ether	0.56	
Diisopropylnaphthalene	4	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity None known, based on information available

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.
None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Metals. Peroxides.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Diethylene glycol monobutyl ether	LD50 = 5660 mg/kg (Rat)	LD50 = 2700 mg/kg (Rabbit)	
Diisopropylnaphthalene	LD50 = 3900 mg/kg (Rat)	LD50 > 4500 mg/kg (Rat)	LC50 > 5.64 mg/L (Rat) 4 h
Water	-		
Ammonium hydroxide	-		

(b) skin corrosion/irritation;

Category 2

(c) serious eye damage/irritation;

Category 2

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

Component	Test method	Test species	Study result
Diisopropylnaphthalene 38640-62-9 (10 - 25)	OECD Test Guideline 406 Magnusson and Kligman	guinea pig	- - non-sensitising

(e) germ cell mutagenicity;

No data available

(f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

No data available

(h) STOT-single exposure;

No data available

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

(i) STOT-repeated exposure; No data available
Target Organs No information available.

(j) aspiration hazard; Category 1

Symptoms / effects, both acute and delayed No information available

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Diethylene glycol monobutyl ether	LC50: = 1300 mg/L, 96h static (Lepomis macrochirus)	EC50: = 2850 mg/L, 24h (Daphnia magna) EC50: > 100 mg/L, 48h (Daphnia magna)	EC50: > 100 mg/L, 96h (Desmodesmus subspicatus)	
Diisopropylnaphthalene	LC50: > 1000 mg/L, 96h static (Cyprinus carpio) LC50: > 1000 mg/L, 96h static (Oryzias latipes)	EC50: = 2.3 mg/L, 24h (Daphnia magna)		
Ammonium hydroxide	0.53 mg/l LC50 96h 0.75 - 3.4 mg/l LC50 96h 8.2 mg/L LC50 96h	EC50: 0.66 mg/L/48h	-	-

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

Component	Degradability
Diethylene glycol monobutyl ether 112-34-5 (30 - 40)	76% (28d) OECD 301D

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Diethylene glycol monobutyl ether	0.56	No data available
Diisopropylnaphthalene	4	203

12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils.

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Other adverse effects

Endocrine Disruptor Information
Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors
This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed.

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Diethylene glycol monobutyl ether	203-961-6	-		X	X	-	X	X	X	X	X
Polyethylene glycol phenyl ether phosphate	-	-		X	X	-	X	X	X	X	X
Diisopropyl naphthalene	254-052-6	-		X	X	-	X	X	X	X	X
Water	231-791-2	-		X	X	-	X	-	X	X	X

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

Ammonium hydroxide	215-647-6	-		X	X	-	X	X	X	X	X
--------------------	-----------	---	--	---	---	---	---	---	---	---	---

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Diethylene glycol monobutyl ether		Use restricted. See item 55. (see http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:32006R1907:EN:NOT for restriction details)	

National Regulations

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Diethylene glycol monobutyl ether	WGK 1	
Polyethylene glycol phenyl ether phosphate	WGK 1	
Diisopropyl naphthalene	WGK 3	
Ammonium hydroxide	WGK 2	

Component	France - INRS (Tables of occupational diseases)
Diethylene glycol monobutyl ether	Tableaux des maladies professionnelles (TMP) - RG 84

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H400 - Very toxic to aquatic life
H413 - May cause long lasting harmful effects to aquatic life

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

SAFETY DATA SHEET

Monofax / Ammonia cocktail

Revision Date 23-Aug-2018

PBT - Persistent, Bioaccumulative, Toxic

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date 29-Apr-2014

Revision Date 23-Aug-2018

Revision Summary Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet