

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name

Gram Decolourizer

Product Code

R40054, R40055, R40075

Address

Thermo Fisher Scientific  
 20 Dalgleish Street  
 Thebarton  
 Adelaide  
 South Australia 5031  
 AUSTRALIA  
 Tel: 61 8 8238 9050 or 1800 33 11 63 (Toll Free)  
 Fax: 61 8 8238 9060 or 1800 00 70 54 (Toll Free)

Emergency Tel.

**1800 331 163 (24 Hour)**

Telephone / Fax Numbers

Tel: 1300 735 292

Fax: 1800 067 639

E-mail address

[auinfo@thermofisher.com](mailto:auinfo@thermofisher.com)

Recommended Use

Laboratory chemicals.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

Flammable liquids

Category 2

#### Health hazards

Serious Eye Damage/Eye Irritation  
 Specific target organ toxicity - (single exposure)

Category 2  
 Category 3 Category 2

#### Environmental hazards

No hazards identified

### Label Elements



Flame



Exclamation Mark



Health Hazard

Signal Word

**Danger**

**Hazard Statements**

H225 - Highly flammable liquid and vapor  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
H371 - May cause damage to organs  
AUH066 - Repeated exposure may cause skin dryness or cracking

**Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P242 - Use non-sparking tools  
P243 - Take precautionary measures against static discharge  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P270 - Do not eat, drink or smoke when using this product  
P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P309 + P311 - IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information****Section 3 - Composition and Information on Ingredients**

| Component      | CAS-No  | Weight % |
|----------------|---------|----------|
| Acetone        | 67-64-1 | 50       |
| Ethyl alcohol  | 64-17-5 | 48       |
| Methyl alcohol | 67-56-1 | <3       |

**Section 4 - First Aid Measures**

|                                            |                                                                                                                                                    |
|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>                          | Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial respiration.                                       |
| <b>Ingestion</b>                           | Clean mouth with water and drink afterwards plenty of water.                                                                                       |
| <b>Skin Contact</b>                        | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                  |
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                    |
| <b>General Advice</b>                      | If symptoms persist, call a physician.                                                                                                             |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.   |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                               |
| <b>Most important symptoms and effects</b> | None reasonably foreseeable. . Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting |

## Notes to Physician

Treat symptomatically.

## Section 5 - Fire Fighting Measures

**Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

**Extinguishing media which must not be used for safety reasons**

Do not use a solid water stream as it may scatter and spread fire.

**Hazardous Decomposition Products**

Carbon oxides.

**Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

**Special protective equipment and precautions for fire fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

**Emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean Up**

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

**Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

**Precautions for Safe Handling**

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

**Conditions for Safe Storage, Including any Incompatibilities**

Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

## Section 8 - Exposure Controls and Personal Protection

**Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in

the workplace. **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component      | Australia                                                                                     | New Zealand WEL                                                                                    | ACGIH TLV                             | The United Kingdom                                                                                               | Germany                                                           |
|----------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Acetone        | STEL: 1000 ppm<br>STEL: 2375 mg/m <sup>3</sup><br>TWA: 500 ppm<br>TWA: 1185 mg/m <sup>3</sup> | TWA: 500 ppm<br>TWA: 1185 mg/m <sup>3</sup><br>STEL: 1000 ppm<br>STEL: 2375 mg/m <sup>3</sup>      | TWA: 250 ppm<br>STEL: 500 ppm         | TWA: 500 ppm<br>TWA: 1210 mg/m <sup>3</sup><br>STEL: 1500 ppm<br>STEL: 3620 mg/m <sup>3</sup>                    | TWA: 500 ppm<br>TWA: 1200 mg/m <sup>3</sup>                       |
| Ethyl alcohol  | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup>                                                  | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup>                                                       | STEL: 1000 ppm                        | TWA: 1000 ppm TWA;<br>1920 mg/m <sup>3</sup> TWA<br>WEL - STEL: 3000 ppm<br>STEL; 5760 mg/m <sup>3</sup><br>STEL | 200 ppm TWA MAK;<br>380 mg/m <sup>3</sup> TWA MAK                 |
| Methyl alcohol | STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup>    | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | WEL - TWA: 200 ppm<br>TWA; 266 mg/m <sup>3</sup> TWA<br>WEL - STEL: 250 ppm<br>STEL; 333 mg/m <sup>3</sup> STEL  | 100 ppm TWA MAK;<br>130 mg/m <sup>3</sup> TWA<br>MAKSkin absorber |

#### Biological limit values

**NZ** - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component      | Australia | New Zealand                                   | European Union | United Kingdom | Germany                                                                                                                                     |
|----------------|-----------|-----------------------------------------------|----------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Acetone        |           | 50 mg/L (urine) end of shift (Acetone)        |                |                | Acetone: 80 mg/L urine (end of shift )                                                                                                      |
| Methyl alcohol |           | 15 mg/L (urine) end of shift (Methyl alcohol) |                |                | Methanol: 15 mg/L urine (end of shift )<br>Methanol: 15 mg/L urine (for long-term exposures: at the end of the shift after several shifts ) |

#### Exposure Controls

##### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

##### Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

##### Hand Protection

Protective gloves

| Glove material    | Breakthrough time                 | Glove thickness | AUS/NZ Standard | Glove comments        |
|-------------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Disposable gloves | See manufacturers recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

##### Skin and body protection

Long sleeved clothing

##### Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water system.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                                                |                          |                                             |
|------------------------------------------------|--------------------------|---------------------------------------------|
| <b>Appearance</b>                              | Clear                    |                                             |
| <b>Physical State</b>                          | Liquid                   |                                             |
| <b>Odor</b>                                    | pungent                  |                                             |
| <b>Odor Threshold</b>                          | No data available        |                                             |
| <b>pH</b>                                      | 6.0                      |                                             |
| <b>Melting Point/Range</b>                     | No data available        |                                             |
| <b>Softening Point</b>                         | No data available        |                                             |
| <b>Boiling Point/Range</b>                     | 56.1 °C / 133 °F         |                                             |
| <b>Flash Point</b>                             | 0 °C / 32 °F             | <b>Method -</b> CC (closed cup)             |
| <b>Evaporation Rate</b>                        | No data available        |                                             |
| <b>Flammability (solid,gas)</b>                | Not applicable           | Liquid                                      |
| <b>Explosion Limits</b>                        | No data available        |                                             |
| <b>Vapor Pressure</b>                          | No data available        |                                             |
| <b>Vapor Density</b>                           | No data available        | (Air = 1.0)                                 |
| <b>Specific Gravity / Density</b>              | No data available        |                                             |
| <b>Bulk Density</b>                            | Not applicable           | Liquid                                      |
| <b>Water Solubility</b>                        | No information available |                                             |
| <b>Solubility in other solvents</b>            | No information available |                                             |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                             |
| <b>Component</b>                               | <b>log Pow</b>           |                                             |
| Acetone                                        | -0.24                    |                                             |
| Ethyl alcohol                                  | -0.32                    |                                             |
| Methyl alcohol                                 | -0.74                    |                                             |
| <b>Autoignition Temperature</b>                | No data available        |                                             |
| <b>Decomposition Temperature</b>               | No data available        |                                             |
| <b>Viscosity</b>                               | No data available        |                                             |
| <b>Explosive Properties</b>                    |                          | Vapors may form explosive mixtures with air |
| <b>Oxidizing Properties</b>                    | No information available |                                             |

### Other information

## Section 10 - Stability and Reactivity

|                                         |                                                                   |
|-----------------------------------------|-------------------------------------------------------------------|
| <b>Reactivity</b>                       | None known, based on information available                        |
| <b>Stability</b>                        | Stable under normal conditions.                                   |
| <b>Conditions to Avoid</b>              | Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Incompatible Materials</b>           | None known.                                                       |
| <b>Hazardous Decomposition Products</b> | Carbon oxides.                                                    |
| <b>Hazardous Polymerization</b>         | Hazardous polymerization does not occur.                          |

## Section 11 - Toxicological Information

## Information on Toxicological Effects

## Product Information

Product does not present an acute toxicity hazard based on known information

## (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

## Toxicology data for the components

| Component      | LD50 Oral                        | LD50 Dermal                                  | LC50 Inhalation               |
|----------------|----------------------------------|----------------------------------------------|-------------------------------|
| Acetone        | 5800 mg/kg ( Rat )               | > 15800 mg/kg (rabbit)<br>> 7400 mg/kg (rat) | 76 mg/l, 4 h, (rat)           |
| Ethyl alcohol  | LD50 = 7060 mg/kg ( Rat )        |                                              | 20000 ppm/10H ( Rat )         |
| Methyl alcohol | LD50 > 1187 – 2769 mg/kg ( Rat ) | LD50 = 17100 mg/kg ( Rabbit )                | LC50 = 128.2 mg/L ( Rat ) 4 h |

## (b) skin corrosion/irritation;

No data available

## (c) serious eye damage/irritation;

Category 2

## (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

| Component                        | Test method                                                    | Test species | Study result    |
|----------------------------------|----------------------------------------------------------------|--------------|-----------------|
| Acetone<br>67-64-1 ( 50 )        | Guinea Pig Maximisation Test (GPMT)                            | guinea pig   | non-sensitising |
| Methyl alcohol<br>67-56-1 ( <3 ) | OECD Test Guideline 406<br>Guinea Pig Maximisation Test (GPMT) | guinea pig   | non-sensitising |

## (e) germ cell mutagenicity;

No data available

| Component                 | Test method                                                | Test species | Study result |
|---------------------------|------------------------------------------------------------|--------------|--------------|
| Acetone<br>67-64-1 ( 50 ) | OECD Test Guideline 471<br>AMES test                       | in vivo      | negative     |
|                           | OECD Test Guideline 476<br>Mammalian<br>Gene cell mutation | in vitro     | negative     |

## (f) carcinogenicity;

No data available

Contains no ingredient listed as a carcinogen The table below indicates whether each agency has listed any ingredient as a carcinogen

| Component     | Australia | New Zealand | New South Wales | Western Australia | IARC    | EU | UK | Germany |
|---------------|-----------|-------------|-----------------|-------------------|---------|----|----|---------|
| Ethyl alcohol |           |             |                 |                   | Group 1 |    |    |         |

## (g) reproductive toxicity;

No data available

| Component                        | Test method             | Test species / Duration       | Study result           |
|----------------------------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol<br>67-56-1 ( <3 ) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

## (h) STOT-single exposure;

Category 3

Results / Target organs

Central nervous system (CNS)  
Optic nerve

## (i) STOT-repeated exposure;

No data available

Target Organs

None known.

## (j) aspiration hazard;

No data available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

## Section 12 - Ecological Information

### Ecotoxicity effects

Contains a substance which is: Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component      | Freshwater Fish                                                                                                                                                         | Water Flea                                                             | Freshwater Algae                           | Microtox                                                                                                    |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Acetone        | Oncorhynchus mykiss: LC50 = 5540 mg/l 96h<br>Alburnus alburnus: LC50 = 11000 mg/l 96h<br>Leuciscus idus: LC50 = 11300 mg/L/48h<br>Salmo gairdneri: LC50 = 6100 mg/L/24h | EC50 = 8800 mg/L/48h<br>EC50 = 12700 mg/L/48h<br>EC50 = 12600 mg/L/48h | NOEC = 430 mg/l (algae; 96 h)              | EC50 = 14500 mg/L/15 min                                                                                    |
| Ethyl alcohol  | Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h                                                                                                              | EC50 = 9268 mg/L/48h<br>EC50 = 10800 mg/L/24h                          | EC50 (72h) = 275 mg/l (Chlorella vulgaris) | Photobacterium phosphoreum: EC50 = 34634 mg/L/30 min<br>Photobacterium phosphoreum: EC50 = 35470 mg/L/5 min |
| Methyl alcohol | Pimephales promelas: LC50 > 10000 mg/L 96h                                                                                                                              | EC50 > 10000 mg/L 24h                                                  |                                            | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min                             |

### Persistence and Degradability Persistence

No information available

Persistence is unlikely, based on information available.

| Component                      | Degradability                  |
|--------------------------------|--------------------------------|
| Acetone<br>67-64-1 (50)        | 91 % (28 d) (OECD 301 B)       |
| Methyl alcohol<br>67-56-1 (<3) | DT50 ~ 17.2d<br>>94% after 20d |

### Degradation in sewage treatment plant Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.  
Bioaccumulation is unlikely

| Component      | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Acetone        | -0.24   | 0.69                          |
| Ethyl alcohol  | -0.32   | No data available             |
| Methyl alcohol | -0.74   | <10                           |

### Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in air

### Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors  
This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

### Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

### Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

### Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

## Section 14 - Transport Information

### IMDG/IMO

UN-No UN1993  
 Proper Shipping Name Flammable liquid, n.o.s. (Acetone, Ethyl Alcohol)  
 Hazard Class 3  
 Packing Group II

### ADG

UN-No UN1993  
 Proper Shipping Name Flammable liquid, n.o.s. (Acetone, Ethyl Alcohol)  
 Hazard Class 3  
 Packing Group II

| Component                        | Hazchem Code |
|----------------------------------|--------------|
| Acetone<br>67-64-1 ( 50 )        | 2YE          |
| Ethyl alcohol<br>64-17-5 ( 48 )  | 2YE<br>2Y    |
| Methyl alcohol<br>67-56-1 ( <3 ) | 2WE          |

### IATA

UN-No UN1993  
 Proper Shipping Name Flammable liquid, n.o.s. (Acetone, Ethyl Alcohol)  
 Hazard Class 3  
 Packing Group II

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

| Component      | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | KECL     |
|----------------|------|-------|-----------|--------|------|-----|------|-------|------|-------|----------|
| Acetone        | X    | X     | 200-662-2 | -      | X    | X   | -    | X     | X    | X     | KE-29367 |
| Ethyl alcohol  | X    | X     | 200-578-6 | -      | X    | X   | -    | X     | X    | X     | KE-13217 |
| Methyl alcohol | X    | X     | 200-659-6 | -      | X    | X   | -    | X     | X    | X     | KE-23193 |

Standard for the Uniform  
 Scheduling of Medicines and  
 Poisons

| Component      | Standard for the Uniform Scheduling of Medicines and Poisons                                                                                     | Health Surveillance |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| Acetone        | Schedule 5 listed - except in preparations containing <=25% of designated solvents                                                               |                     |
| Methyl alcohol | Schedule 5 listed - except its derivatives; in preparations except in preparations containing <=2% of Methanol<br>Schedule 6 listed - except its |                     |



|                  |                                                                                                  |                                                                                                 |  |
|------------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--|
|                  |                                                                                                  | derivatives;except when included in Schedule 5, or in preparations containing <=2% of Methanol  |  |
| <b>Component</b> | <b>Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification</b> | <b>Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements</b> |  |
| Methyl alcohol   | 500 tonne                                                                                        | 5000 tonne                                                                                      |  |
| <b>Component</b> |                                                                                                  | <b>Australian - Illicit Drug Precursors/Reagents Substance List</b>                             |  |
| Acetone          |                                                                                                  | Category 3                                                                                      |  |

**Prohibition or notification/licensing requirements** Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

## Section 16 - Other Information

### Legend

**AICS** - Australian Inventory of Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - Chinese Inventory of Existing Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TWA** - Time Weighted Average  
**IARC** - International Agency for Research on Cancer  
**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association  
**MARPOL** - International Convention for the Prevention of Pollution from Ships  
**NZS 5433:2012** - Transport of Dangerous Goods on Land  
**LD50** - Lethal Dose 50%  
**EC50** - Effective Concentration 50%  
**WEL** - Workplace Exposure Limit  
**DNEL** - Derived No Effect Level  
**POW** - Partition coefficient Octanol:Water  
**vPvB** - very Persistent, very Bioaccumulative  
**VOC** (volatile organic compound)

**NZIoC** - New Zealand Inventory of Chemicals  
**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances  
**ENCS** - Japanese Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**CAS** - Chemical Abstracts Service  
**ACGIH** - American Conference of Governmental Industrial Hygienists  
**Predicted No Effect Concentration (PNEC)**  
**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code  
**ADG** Australian Code for the Transport of Dangerous Goods by Road and Rail  
**OECD** - Organisation for Economic Co-operation and Development  
**LC50** - Lethal Concentration 50%  
**ATE** - Acute Toxicity Estimate  
**RPE** - Respiratory Protective Equipment  
**NOEC** - No Observed Effect Concentration  
**BCF** - Bioconcentration factor  
**PBT** - Persistent, Bioaccumulative, Toxic

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
 Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data  
**Health Hazards** Calculation method  
**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Revision Date** 20-Nov-2020  
**Revision Summary** Update to CLP Format

**This safety data sheet complies with the requirements of Safe Work Australia WHS Regulation**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet