

Creation Date 03-Nov-2010

Revision Date 25-Sep-2023

Revision Number 13

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	Triethanolamine
Cat No. :	139560000; 139560010; 139560025; 139560251; 139561000
Synonyms	2,2',2''-Nitrilotriethanol; TEA
CAS No	102-71-6
EC No	203-049-8
Molecular Formula	C ₆ H ₁₅ N O ₃
REACH registration number	01-2119486482-31

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name
Thermo Fisher Scientific
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

UK entity/business name
Fisher Scientific UK
Bishop Meadow Road,
Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxicity to Soil Dwelling Organisms

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Triethanolamine	102-71-6	EEC No. 203-049-8	<=100	-
Diethanolamine	111-42-2	EEC No. 203-868-0	<=0.5	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Repr. 2 (H361fd) STOT RE 2 (H373)

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

REACH registration number

01-2119486482-31

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Self-Protection of the First Aider	No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen cyanide (hydrocyanic acid), Formaldehyde.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Use personal protective equipment as required. Ensure adequate ventilation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep under nitrogen. Store under an inert atmosphere. Protect from moisture.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 10

Switzerland - Storage of hazardous substances

Storage class - SC 10/12
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Triethanolamine				TWA: 5 mg/m ³ 8 uren	TWA / VLA-ED: 5 mg/m ³ (8 horas)
Diethanolamine			TWA / VME: 3 ppm (8 heures).	TWA: 0.2 ppm 8 uren TWA: 1 mg/m ³ 8 uren	TWA / VLA-ED: 0.2 ppm (8 horas)

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

			TWA / VME: 15 mg/m ³ (8 heures).	Huid	TWA / VLA-ED: 1 mg/m ³ (8 horas) Piel
--	--	--	--	------	--

Component	Italy	Germany	Portugal	The Netherlands	Finland
Triethanolamine		TWA: 1 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 1 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 1 mg/m ³	TWA: 5 mg/m ³ 8 horas		TWA: 5 mg/m ³ 8 tunteina
Diethanolamine		TWA: 0.11 ppm (8 Stunden). AGW - exposure factor 1 TWA: 0.5 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 1 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 1 mg/m ³ Haut	TWA: 1 mg/m ³ 8 horas Pele		TWA: 0.46 ppm 8 tunteina TWA: 2 mg/m ³ 8 tunteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
Triethanolamine	MAK-KZGW: 1.6 ppm 15 Minuten MAK-KZGW: 10 mg/m ³ 15 Minuten MAK-TMW: 0.8 ppm 8 Stunden MAK-TMW: 5 mg/m ³ 8 Stunden	TWA: 0.5 ppm 8 timer TWA: 3.1 mg/m ³ 8 timer STEL: 1 ppm 15 minutter STEL: 6.2 mg/m ³ 15 minutter	STEL: 5 mg/m ³ 15 Minuten TWA: 5 mg/m ³ 8 Stunden		TWA: 5 mg/m ³ 8 timer STEL: 10 mg/m ³ 15 minutter. value calculated
Diethanolamine	Haut MAK-KZGW: 0.92 ppm 15 Minuten MAK-KZGW: 4 mg/m ³ 15 Minuten MAK-TMW: 0.46 ppm 8 Stunden MAK-TMW: 2 mg/m ³ 8 Stunden	TWA: 0.46 ppm 8 timer TWA: 2 mg/m ³ 8 timer STEL: 0.92 ppm 15 minutter STEL: 4 mg/m ³ 15 minutter Hud	Haut/Peau STEL: 1 mg/m ³ 15 Minuten TWA: 1 mg/m ³ 8 Stunden	TWA: 9 mg/m ³ 8 godzinach	TWA: 3 ppm 8 timer TWA: 15 mg/m ³ 8 timer STEL: 6 ppm 15 minutter. value calculated STEL: 22.5 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Triethanolamine			TWA: 5 mg/m ³ 8 hr. STEL: 15 mg/m ³ 15 min		TWA: 5 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 10 mg/m ³
Diethanolamine	TWA: 10 mg/m ³	kože TWA-GVI: 3 ppm 8 satima. TWA-GVI: 15 mg/m ³ 8 satima.	TWA: 0.2 ppm 8 hr. TWA: 1 mg/m ³ 8 hr. inhalable fraction and vapour STEL: 0.6 ppm 15 min STEL: 3 mg/m ³ 15 min Skin		TWA: 5 mg/m ³ 8 hodinách. Ceiling: 10 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Triethanolamine	TWA: 5 mg/m ³ 8 tundides. STEL: 10 mg/m ³ 15 minutites.				TWA: 5 mg/m ³ 8 klukkustundum. Ceiling: 10 mg/m ³
Diethanolamine	Nahk TWA: 3 ppm 8 tundides.		TWA: 3 ppm TWA: 15 mg/m ³		TWA: 0.46 ppm 8 klukkustundum.

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

	TWA: 5 mg/m ³ 8 tundides. STEL: 6 ppm 15 minutites. STEL: 30 mg/m ³ 15 minutites.				TWA: 2 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 0.92 ppm Ceiling: 4 mg/m ³
--	---	--	--	--	---

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Triethanolamine		TWA: 5 mg/m ³ IPRD STEL: 10 mg/m ³			
Diethanolamine		TWA: 3 ppm IPRD TWA: 15 mg/m ³ IPRD Oda STEL: 6 ppm STEL: 30 mg/m ³			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Triethanolamine				Indicative STEL: 10 mg/m ³ 15 minuter Indicative STEL: 1.6 ppm 15 minuter TLV: 5 mg/m ³ 8 timmar. NGV TLV: 0.8 ppm 8 timmar. NGV Hud	
Diethanolamine	Skin notation MAC: 5 mg/m ³		TWA: 0.5 mg/m ³ 8 urah TWA: 0.11 ppm 8 urah Koža STEL: 0.11 ppm 15 minutah STEL: 0.5 mg/m ³ 15 minutah	Indicative STEL: 6 ppm 15 minuter Indicative STEL: 30 mg/m ³ 15 minuter TLV: 3 ppm 8 timmar. NGV TLV: 15 mg/m ³ 8 timmar. NGV Hud	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Triethanolamine 102-71-6 (≤100)			DNEL = 140µg/cm ²	DNEL = 7.5mg/kg bw/day
Diethanolamine 111-42-2 (≤0.5)				DNEL = 0.13mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Triethanolamine 102-71-6 (≤100)			DNEL = 1mg/m ³	

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Diethanolamine 111-42-2 (≤0.5)			DNEL = 0.5mg/m ³	DNEL = 0.75mg/m ³
-------------------------------------	--	--	-----------------------------	------------------------------

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Triethanolamine 102-71-6 (≤100)	PNEC = 0.32mg/L	PNEC = 1.7mg/kg sediment dw	PNEC = 5.12mg/L	PNEC = 10mg/L	PNEC = 0.151mg/kg soil dw
Diethanolamine 111-42-2 (≤0.5)	PNEC = 0.021mg/L	PNEC = 0.092mg/kg sediment dw	PNEC = 0.095mg/L	PNEC = 100mg/L	PNEC = 1.63mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Triethanolamine 102-71-6 (≤100)	PNEC = 0.032mg/L	PNEC = 0.17mg/kg sediment dw			
Diethanolamine 111-42-2 (≤0.5)	PNEC = 0.002mg/L	PNEC = 0.0092mg/kg sediment dw		PNEC = 1.04mg/kg food	

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments (minimum requirement)
Natural rubber	> 360 minutes	-	EN 374	
Nitrile rubber				
PVC				
Butyl rubber	> 240 minutes	0.35 mm		

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use

Maintain adequate ventilation

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid Viscous liquid	
Appearance	Light yellow	
Odor	Ammonia-like	
Odor Threshold	No data available	
Melting Point/Range	21 °C / 69.8 °F	
Softening Point	No data available	
Boiling Point/Range	360 °C / 680 °F	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	Lower 3.6 Vol% Upper 7.2 Vol%	
Flash Point	190 °C / 374 °F	Method - No information available
Autoignition Temperature	325 - °C / 617 - °F	
Decomposition Temperature	No data available	
pH	10.5	15 g/L water
Viscosity	600 mPa.s at 25 °C	
Water Solubility	freely soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Triethanolamine	-2.53	
Diethanolamine	-2.46	
Vapor Pressure	<0.01 mmHg @ 20 °C	
Density / Specific Gravity	1.1245	
Bulk Density	Not applicable	Liquid
Vapor Density	5.14	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular Formula	C6 H15 N O3
Molecular Weight	149.19

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Hygroscopic. Air sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to air. Exposure to light. Exposure to moist air or water.

10.5. Incompatible materials

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Strong oxidizing agents. Acids. Metals.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂). Hydrogen cyanide (hydrocyanic acid). Formaldehyde.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Triethanolamine	LD50 = 4190 mg/kg (Rat)	>16 mL/kg (Rat) >2000 mg/kg (Rabbit)	-
Diethanolamine	LD50 = 780 mg/kg (Rat)	LD50 = 11.9 mL/kg (Rabbit)	-

(b) skin corrosion/irritation;

Based on available data, the classification criteria are not met

(c) serious eye damage/irritation;

Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

No information available

(e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

(f) carcinogenicity;

Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Diethanolamine				Group 2B

(g) reproductive toxicity;

Based on available data, the classification criteria are not met

(h) STOT-single exposure;

Based on available data, the classification criteria are not met

(i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard;

Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed No information available.

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae
Triethanolamine	LC50: 10600 - 13000 mg/L, 96h flow-through (Pimephales promelas) LC50: > 1000 mg/L, 96h static (Pimephales promelas) LC50: 450 - 1000 mg/L, 96h static (Lepomis macrochirus)		EC50: = 169 mg/L, 96h (Desmodesmus subspicatus) EC50: = 216 mg/L, 72h (Desmodesmus subspicatus)
Diethanolamine	Pimephals prome: LC50: 140 mg/L/96h	EC50: = 55 mg/L, 48h (Daphnia magna)	EC50: 2.1 - 2.3 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: = 7.8 mg/L, 72h (Desmodesmus subspicatus)

Component	Microtox	M-Factor
Triethanolamine	EC50 > 10000 mg/L 30 min	
Diethanolamine	EC50 = 73 mg/L 5 min EC50 > 16 mg/L 16 h	

12.2. Persistence and degradability Readily biodegradable
Persistence Persistence is unlikely.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Triethanolamine	-2.53	<3.9 dimensionless
Diethanolamine	-2.46	No data available

12.4. Mobility in soil The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects
Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

13.1. Waste treatment methods

Waste from Residues/Unused Products	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.
Contaminated Packaging	Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.
Switzerland - Waste Ordinance	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

ADR Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

IATA Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Triethanolamine	102-71-6	203-049-8	-	-	X	X	KE-25940	X	X
Diethanolamine	111-42-2	203-868-0	-	-	X	X	KE-20959	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Triethanolamine	102-71-6	X	ACTIVE	X	-	X	X	X
Diethanolamine	111-42-2	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Triethanolamine	102-71-6	-	-	-
Diethanolamine	111-42-2	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Triethanolamine	102-71-6	Not applicable	Not applicable
Diethanolamine	111-42-2	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Triethanolamine	WGK1	
Diethanolamine	WGK2	

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

Component	France - INRS (Tables of occupational diseases)
Triethanolamine	Tableaux des maladies professionnelles (TMP) - RG 49
Diethanolamine	Tableaux des maladies professionnelles (TMP) - RG 49,RG 49bis

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date 03-Nov-2010

Revision Date 25-Sep-2023

Revision Summary SDS sections updated.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No**

SAFETY DATA SHEET

Triethanolamine

Revision Date 25-Sep-2023

1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet