

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** Hydrofluoric Acid 40-62%

|                                |                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Product Code</b>            | <b>AJA1097, AJA258, BAK9564, MKT2640</b>                                                             |
| <b>Address</b>                 | ThermoFisher Scientific Australia Pty Ltd<br>5 Caribbean Drive, Scoresby<br>VICTORIA 3179, Australia |
| <b>Emergency Tel.</b>          | <b>CHEMTREC®</b><br><b>03 9757 4559 or +613 9757 4559</b>                                            |
| <b>Telephone / Fax Numbers</b> | Tel: 1300 735 292<br>Fax: 1800 067 639                                                               |
| <b>E-mail address</b>          | ANZinfo@thermofisher.com                                                                             |

**Recommended Use** Laboratory chemicals.

**Uses advised against** This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

## Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

No hazards identified

#### Health hazards

|                                    |              |
|------------------------------------|--------------|
| Acute Oral Toxicity                | Category 2   |
| Acute Dermal Toxicity              | Category 1   |
| Acute Inhalation Toxicity - Vapors | Category 2   |
| Skin Corrosion/Irritation          | Category 1 A |
| Serious Eye Damage/Eye Irritation  | Category 1   |

#### Environmental hazards

No hazards identified

### Label Elements



Skull and Crossbones



Corrosion

**Signal Word****Danger****Hazard Statements**

H314 - Causes severe skin burns and eye damage

H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled

**Precautionary Statements**

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

**Other information**

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## Section 3 - Composition and Information on Ingredients

| Component         | CAS No    | Weight % |
|-------------------|-----------|----------|
| Hydrogen fluoride | 7664-39-3 | 40-62    |
| Water             | 7732-18-5 | 38-60    |

## Section 4 - First Aid Measures

**Inhalation**

If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately.

**Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

|                                            |                                                                                                                                                                                                                                                                                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                         | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                        |
| <b>General Advice</b>                      | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                 |
| <b>Self-Protection of the First Aider</b>  | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                  |
| <b>First Aid Facilities</b>                | Eyewash, safety shower and washroom.                                                                                                                                                                                                                                                              |
| <b>Most important symptoms and effects</b> | Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>                  | Treat symptomatically.                                                                                                                                                                                                                                                                            |

## Section 5 - Fire Fighting Measures

### Suitable Extinguishing Media

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

### Extinguishing media which must not be used for safety reasons

No information available.

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

### Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### Environmental Precautions

Should not be released into the environment.

### Methods for Containment and Clean Up

#### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

### Exposure limits

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

**UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component         | Australia                  | New Zealand WEL                                  | ACGIH TLV                                                         | The United Kingdom                                                                                               | Germany                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|----------------------------|--------------------------------------------------|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrogen fluoride | TWA: 2.5 mg/m <sup>3</sup> | Ceiling: 3 ppm<br>Ceiling: 2.6 mg/m <sup>3</sup> | TWA: 0.5 ppm TWA: 2.5 mg/m <sup>3</sup><br>Ceiling: 2 ppm<br>Skin | STEL: 3 ppm 15 min<br>STEL: 2.5 mg/m <sup>3</sup> 15 min<br>TWA: 1.8 ppm 8 hr<br>TWA: 1.5 mg/m <sup>3</sup> 8 hr | TWA: 1 ppm (8 Stunden). AGW - exposure factor 2<br>TWA: 0.83 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 2<br>TWA: 1 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 4<br>TWA: 1 ppm (8 Stunden). MAK<br>TWA: 0.83 mg/m <sup>3</sup> (8 Stunden). MAK<br>TWA: 1 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 2 ppm<br>Höhepunkt: 1.66 mg/m <sup>3</sup><br>Haut |

### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

| Component         | Australia | New Zealand | European Union | United Kingdom | Germany                                               |
|-------------------|-----------|-------------|----------------|----------------|-------------------------------------------------------|
| Hydrogen fluoride |           |             |                |                | Fluoride: 4.0 mg/g<br>Creatinine urine (end of shift) |

### Exposure Controls

#### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

|                        |                                                                                                    |
|------------------------|----------------------------------------------------------------------------------------------------|
| <b>Eye Protection</b>  | Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications) |
| <b>Hand Protection</b> | Protective gloves                                                                                  |

| Glove material | Breakthrough time                 | Glove thickness | AUS/NZ Standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Butyl rubber   | See manufacturers recommendations | -               | AS/NZS 2161     | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                 |                                                                                                                                                                                                                                                                                                                             |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b> | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>   | Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices |
| <b>Recommended Filter type:</b> | Particulates filter conforming to EN 143 Acid gases filter Type E Yellow conforming to EN14387 (or AUS/NZ equivalent)                                                                                                                                                                                                       |
| <b>Recommended half mask:-</b>  | Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)<br>When RPE is used a face piece Fit Test should be conducted                                                                                                                                                                         |

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

## Section 9 - Physical and Chemical Properties

### Information on basic physical and chemical properties

|                                                |                                |                                          |
|------------------------------------------------|--------------------------------|------------------------------------------|
| <b>Appearance</b>                              | Colorless                      |                                          |
| <b>Physical State</b>                          | Liquid                         |                                          |
| <b>Odor</b>                                    | No information available       |                                          |
| <b>Odor Threshold</b>                          | No data available              |                                          |
| <b>pH</b>                                      | 1                              |                                          |
| <b>Melting Point/Range</b>                     | -35 °C / -31 °F                |                                          |
| <b>Softening Point</b>                         | No data available              |                                          |
| <b>Boiling Point/Range</b>                     | Not applicable 105 °C / 221 °F |                                          |
| <b>Flash Point</b>                             | Not applicable                 | <b>Method -</b> No information available |
| <b>Evaporation Rate</b>                        | No data available              |                                          |
| <b>Flammability (solid,gas)</b>                | Not applicable                 | Liquid                                   |
| <b>Explosion Limits</b>                        | No data available              |                                          |
| <b>Vapor Pressure</b>                          | No data available              |                                          |
| <b>Vapor Density</b>                           | No data available              | (Air = 1.0)                              |
| <b>Specific Gravity / Density</b>              | No data available              |                                          |
| <b>Bulk Density</b>                            | Not applicable                 | Liquid                                   |
| <b>Water Solubility</b>                        | Soluble in water               |                                          |
| <b>Solubility in other solvents</b>            | No information available       |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                                |                                          |
| <b>Component</b>                               | <b>log Pow</b>                 |                                          |
| Hydrogen fluoride                              | -1.4                           |                                          |
| <b>Autoignition Temperature</b>                | No data available              |                                          |
| <b>Decomposition Temperature</b>               | No data available              |                                          |
| <b>Viscosity</b>                               | No data available              |                                          |
| <b>Explosive Properties</b>                    | No information available       |                                          |

**Oxidizing Properties** No information available

**Other information**

**Molecular Formula** HF  
**Molecular Weight** 20

## Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Incompatible products, Excess heat.

**Incompatible Materials** None known.

**Hazardous Decomposition Products** None under normal use conditions.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## Section 11 - Toxicological Information

### Information on Toxicological Effects

#### Product Information

**(a) acute toxicity;**

|                   |            |
|-------------------|------------|
| <b>Oral</b>       | Category 2 |
| <b>Dermal</b>     | Category 2 |
| <b>Inhalation</b> | Category 2 |

#### Toxicology data for the components

| Component         | LD50 Oral | LD50 Dermal | LC50 Inhalation              |
|-------------------|-----------|-------------|------------------------------|
| Hydrogen fluoride |           |             | LC50 = 0.79 mg/L ( Rat ) 1 h |
| Water             | -         | -           | -                            |

**(b) skin corrosion/irritation;** Category 1 A

**(c) serious eye damage/irritation;** Category 1

**(d) respiratory or skin sensitization;**

|                    |                   |
|--------------------|-------------------|
| <b>Respiratory</b> | No data available |
| <b>Skin</b>        | No data available |

**(e) germ cell mutagenicity;** No data available

**(f) carcinogenicity;** No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;** No data available

**(h) STOT-single exposure;** No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Symptoms / effects, both acute and delayed** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

## Section 12 - Ecological Information

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

| Component         | Freshwater Fish                          | Water Flea                                | Freshwater Algae | Microtox |
|-------------------|------------------------------------------|-------------------------------------------|------------------|----------|
| Hydrogen fluoride | LC50 = 660 mg/L, 48h<br>(Leuciscus idus) | EC50 = 270 mg/L, 48h<br>(Daphnia species) |                  |          |

### Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

| Component         | log Pow | Bioconcentration factor (BCF) |
|-------------------|---------|-------------------------------|
| Hydrogen fluoride | -1.4    | No data available             |

**Mobility** The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**Waste from Residues/Unused Products** Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**Other Information** Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized before discharge.

## Section 14 - Transport Information

### IMDG/IMO

UN-No UN1790  
 Proper Shipping Name HYDROFLUORIC ACID  
 Hazard Class 8  
 Subsidiary Hazard Class 6.1  
 Packing Group I

### ADG

UN-No UN1790

**Proper Shipping Name** HYDROFLUORIC ACID  
**Hazard Class** 8  
**Subsidiary Hazard Class** 8, 6.1  
**Packing Group** I

| Component                                | Hazchem Code    |
|------------------------------------------|-----------------|
| Hydrogen fluoride<br>7664-39-3 ( 40-62 ) | 2XE<br>2W<br>2X |

**IATA**

**UN-No** UN1790  
**Proper Shipping Name** HYDROFLUORIC ACID  
**Hazard Class** 8  
**Subsidiary Hazard Class** 6.1  
**Packing Group** I

**Environmental hazards** No hazards identified  
**Special Precautions** No special precautions required  
**Additional information** None known

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National Regulations Australia

See section 8 for national exposure control parameters.

#### **Standard for the Uniform Scheduling of Medicines and Poisons**

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component                     | Standard for the Uniform Scheduling of Medicines and Poisons                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrogen fluoride - 7664-39-3 | Schedule 2 listed<br>Schedule 3 listed<br>Schedule 4 listed - in preparations for human use except when included in or expressly excluded from Schedule 2 or 3<br>Schedule 5 listed - except its salts and derivatives; in preparations; including admixtures that generate Hydrofluoric acid<br>Schedule 5 listed - in preparations except: in preparations for human use, or in preparations containing $\leq 15$ mg/kg of Fluoride ion; as Fluoride ion<br>Schedule 6 listed - except its salts and derivatives; in preparations; including admixtures that generate Hydrofluoric acid; except when included in Schedule 5<br>Schedule 6 listed - except: when included in Schedule 5, in preparations for human use, or in preparations containing $\leq 15$ mg/kg of Fluoride ion<br>Schedule 7 listed |

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

| Component                     | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information                                                                                                                                                                                                       |
|-------------------------------|-------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hydrogen fluoride - 7664-39-3 | Present                                                     | Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment. |
| Water - 7732-18-5             | Present                                                     | -                                                                                                                                                                                                                            |

#### **Australian - Illicit Drug Precursors/Reagents Substance List**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.



**Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

**National pollutant inventory** Not applicable

**Prohibition or notification/licensing requirements**

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

**International Inventories**

| Component         | AICS | NZIoC | EINECS    | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL     |
|-------------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Hydrogen fluoride | X    | X     | 231-634-8 | -      | X    | X   | -    | X     | X    | X    | X     | KE-20198 |
| Water             | X    | X     | 231-791-2 | -      | X    | X   | -    | X     | X    |      | X     | KE-35400 |

**Legend:** X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**International Regulations**

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

**Basel convention on the control of transboundary movements of hazardous wastes and their disposal**

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component                     | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|-------------------------------|------------------------------------|------------------------------------------------------------------------|
| Hydrogen fluoride - 7664-39-3 | Annex I - Y34                      | Y34 solid or solution                                                  |

| Component         | CAS No    | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|-----------|----------|--------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Hydrogen fluoride | 7664-39-3 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |
| Water             | 7732-18-5 | Listed   | Not applicable                             | Not applicable                                                                            | Not applicable                                                                           |

**Authorisation/Restrictions according to EU REACH**

| Component         | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Hydrogen fluoride | -                                                                   | Use restricted. See entry 75. (see link for restriction details)              | -                                                                                                     |

<https://echa.europa.eu/substances-restricted-under-reach>

## Section 16 - Other Information

### Legend

|                                                                                                      |                                                                                                                              |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>AICS</b> - Australian Inventory of Chemical Substances                                            | <b>NZIoC</b> - New Zealand Inventory of Chemicals                                                                            |
| <b>TSCA</b> - United States Toxic Substances Control Act Section 8(b) Inventory                      | <b>EINECS/ELINCS</b> - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances |
| <b>DSL/NDL</b> - Canadian Domestic Substances List/Non-Domestic Substances List                      | <b>ENCS</b> - Japanese Existing and New Chemical Substances                                                                  |
| <b>IECSC</b> - Chinese Inventory of Existing Chemical Substances                                     | <b>KECL</b> - Korean Existing and Evaluated Chemical Substances                                                              |
| <b>PICCS</b> - Philippines Inventory of Chemicals and Chemical Substances                            | <b>CAS</b> - Chemical Abstracts Service                                                                                      |
| <b>TWA</b> - Time Weighted Average                                                                   | <b>ACGIH</b> - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)            |
| <b>IARC</b> - International Agency for Research on Cancer                                            | <b>IMO/IMDG</b> - International Maritime Organization/International Maritime Dangerous Goods Code                            |
| <b>ICAO/IATA</b> - International Civil Aviation Organization/International Air Transport Association | <b>ADG</b> - Australian Code for the Transport of Dangerous Goods by Road and Rail                                           |
| <b>MARPOL</b> - International Convention for the Prevention of Pollution from Ships                  | <b>OECD</b> - Organisation for Economic Co-operation and Development                                                         |
| <b>NZS 5433:2020</b> - Transport of Dangerous Goods on Land                                          | <b>LC50</b> - Lethal Concentration 50%                                                                                       |
| <b>LD50</b> - Lethal Dose 50%                                                                        | <b>ATE</b> - Acute Toxicity Estimate                                                                                         |
| <b>EC50</b> - Effective Concentration 50%                                                            | <b>RPE</b> - Respiratory Protective Equipment                                                                                |
| <b>WEL</b> - Workplace Exposure Limit                                                                | <b>NOEC</b> - No Observed Effect Concentration                                                                               |
| <b>DNEL</b> - Derived No Effect Level                                                                | <b>BCF</b> - Bioconcentration factor                                                                                         |
| <b>POW</b> - Partition coefficient Octanol:Water                                                     | <b>PBT</b> - Persistent, Bioaccumulative, Toxic                                                                              |
| <b>vPvB</b> - very Persistent, very Bioaccumulative                                                  |                                                                                                                              |
| <b>VOC</b> - (Volatile Organic Compound)                                                             |                                                                                                                              |

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>  
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|                              |                       |
|------------------------------|-----------------------|
| <b>Physical hazards</b>      | On basis of test data |
| <b>Health Hazards</b>        | Calculation method    |
| <b>Environmental hazards</b> | Calculation method    |

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.  
Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.  
First aid for chemical exposure, including the use of eye wash and safety showers.  
Chemical incident response training.

|                         |                       |
|-------------------------|-----------------------|
| <b>Revision Date</b>    | 12-Mar-2025           |
| <b>Revision Summary</b> | Update to GHS format. |

**This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## End of Safety Data Sheet