

MAYS10467

## Cyclopropylmethyl isothiocyanate

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**产品说明:**  
**Product Description:** 环丙基甲基异硫氰酸酯,97%  
 Cyclopropylmethyl isothiocyanate

**Cat No. :** S10467DA; S10467DE; S10467ZZ  
**CAS No** 6068-90-2  
**Molecular Formula** C5 H7 N S

**Supplier**
  
**UK entity/business name**  
 Thermo Fisher Scientific (Heysham),  
 Shore Road,  
 Port of Heysham Industrial Park,  
 Heysham, Lancashire, LA3 2XY  
 United Kingdom

**EU entity/business name**  
 Thermo Fisher Scientific  
 Janssen Pharmaceuticaaan 3a  
 2440 Geel, Belgium

**Emergency Telephone Number** For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available

### SECTION 2. HAZARD IDENTIFICATION

**Physical State**  
Liquid

**Appearance**  
Colourless - Light yellow

**Odor**  
No information available

#### Emergency Overview

Flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Moisture sensitive. Lachrymator (substance which increases the flow of tears).

#### Classification of the substance or mixture

|                                    |              |
|------------------------------------|--------------|
| Flammable liquids.                 | Category 3   |
| Acute Oral Toxicity                | Category 3   |
| Acute Dermal Toxicity              | Category 3   |
| Acute Inhalation Toxicity - Vapors | Category 3   |
| Skin Corrosion/Irritation          | Category 1 B |
| Serious Eye Damage/Eye Irritation  | Category 1   |
| Respiratory Sensitization          | Category 1   |
| Skin Sensitization                 | Category 1   |

#### Label Elements

**Signal Word****Danger****Hazard Statements**

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

**Precautionary Statements****Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - In case of inadequate ventilation wear respiratory protection

**Response**

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

**Storage**

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

**Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Physical and Chemical Hazards**

Vapors may cause flash fire or explosion.

**Health Hazards**

Toxic if swallowed. Toxic in contact with skin. Corrosive. Causes skin and eye burns. May cause an allergic skin reaction. Toxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Lachrymator (substance which increases the flow of tears).

**Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

**Other Hazards**

Lachrymator (substance which increases the flow of tears)

This product does not contain any known or suspected endocrine disruptors.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component | CAS No | Weight % |
|-----------|--------|----------|
|-----------|--------|----------|

# SAFETY DATA SHEET

## Cyclopropylmethyl isothiocyanate

|                                  |           |     |
|----------------------------------|-----------|-----|
| Cyclopropylmethyl isothiocyanate | 6068-90-2 | >95 |
|----------------------------------|-----------|-----|

### SECTION 4. FIRST AID MEASURES

#### General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

#### Notes to Physician

Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Combustible material.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions**

Should not be released into the environment.

**Methods for Containment and Clean Up**

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Refer to protective measures listed in Sections 8 and 13.

**SECTION 7. HANDLING AND STORAGE****Handling**

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

**Storage**

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. To maintain product quality. Keep under nitrogen. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

**Specific Use(s)**

Use in laboratories

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control Parameters****Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS70 General methods for sampling airborne gases and vapours MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

**Exposure Controls****Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

**Personal protective equipment**

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Neoprene       | recommendations   |                 |             |                       |
| Natural rubber |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

# SAFETY DATA SHEET

## Cyclopropylmethyl isothiocyanate

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

|                                        |                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Skin and body protection</b>        | Long sleeved clothing                                                                                                                                                                                                                                                                                                       |
| <b>Respiratory Protection</b>          | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.<br>To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly                                                                                     |
| <b>Large scale/emergency use</b>       | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced<br><b>Recommended Filter type:</b> Organic gases and vapours filter Type A Brown conforming to EN14387                                                                  |
| <b>Small scale/Laboratory use</b>      | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.<br><b>Recommended half mask:-</b> Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141<br>When RPE is used a face piece Fit Test should be conducted |
| <b>Hygiene Measures</b>                | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                                                                                                                                      |
| <b>Environmental exposure controls</b> | No information available.                                                                                                                                                                                                                                                                                                   |

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                |                              |                                        |
|------------------------------------------------|------------------------------|----------------------------------------|
| <b>Appearance</b>                              | Colourless - Light yellow    |                                        |
| <b>Physical State</b>                          | Liquid                       |                                        |
| <b>Odor</b>                                    | No information available     |                                        |
| <b>Odor Threshold</b>                          | No data available            |                                        |
| <b>pH</b>                                      | No information available     |                                        |
| <b>Melting Point/Range</b>                     | No data available            |                                        |
| <b>Softening Point</b>                         | No data available            |                                        |
| <b>Boiling Point/Range</b>                     | 98 - 100 °C / 208.4 - 212 °F | @ 40 mmHg                              |
| <b>Flash Point</b>                             | 59 °C / 138.2 °F             | <b>Method -</b> Estimated              |
| <b>Evaporation Rate</b>                        | No data available            |                                        |
| <b>Flammability (solid,gas)</b>                | Not applicable               | Liquid                                 |
| <b>Explosion Limits</b>                        | No data available            |                                        |
| <b>Vapor Pressure</b>                          | No data available            |                                        |
| <b>Vapor Density</b>                           | No data available            | (Air = 1.0)                            |
| <b>Specific Gravity / Density</b>              | No data available            |                                        |
| <b>Bulk Density</b>                            | Not applicable               | Liquid                                 |
| <b>Water Solubility</b>                        | No information available     |                                        |
| <b>Solubility in other solvents</b>            | No information available     |                                        |
| <b>Partition Coefficient (n-octanol/water)</b> |                              |                                        |
| <b>Autoignition Temperature</b>                | No data available            |                                        |
| <b>Decomposition Temperature</b>               | No data available            |                                        |
| <b>Viscosity</b>                               | No data available            |                                        |
| <b>Explosive Properties</b>                    |                              | explosive air/vapour mixtures possible |
| <b>Oxidizing Properties</b>                    | No information available     |                                        |
| <b>Molecular Formula</b>                       | C5 H7 N S                    |                                        |
| <b>Molecular Weight</b>                        | 113.18                       |                                        |

# SAFETY DATA SHEET

## Cyclopropylmethyl isothiocyanate

### SECTION 10. STABILITY AND REACTIVITY

|                                         |                                                                                                                          |
|-----------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Stability</b>                        | Moisture sensitive.                                                                                                      |
| <b>Hazardous Reactions</b>              | None under normal processing.                                                                                            |
| <b>Hazardous Polymerization</b>         | No information available.                                                                                                |
| <b>Conditions to Avoid</b>              | Incompatible products. Exposure to moist air or water. Keep away from open flames, hot surfaces and sources of ignition. |
| <b>Materials to avoid</b>               | Strong oxidizing agents. Amines.                                                                                         |
| <b>Hazardous Decomposition Products</b> | Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ). Sulfur oxides.                           |

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Product Information

(a) acute toxicity;

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1  
Skin Category 1

May cause sensitization by skin contact

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available  
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms

of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**SECTION 12. ECOLOGICAL INFORMATION**

|                                        |                                                                                                                             |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Ecotoxicity effects</b>             | Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. |
| <b>Persistence and Degradability</b>   | No information available                                                                                                    |
| <b>Bioaccumulative Potential</b>       | No information available                                                                                                    |
| <b>Mobility in soil</b>                | No information available                                                                                                    |
| <b>Endocrine Disruptor Information</b> | This product does not contain any known or suspected endocrine disruptors                                                   |
| <b>Persistent Organic Pollutant</b>    | This product does not contain any known or suspected substance                                                              |
| <b>Ozone Depletion Potential</b>       | This product does not contain any known or suspected substance                                                              |

**SECTION 13. DISPOSAL CONSIDERATIONS**

|                                            |                                                                                                                                                                                                                                                                                            |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from Residues/Unused Products</b> | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.                                                                                                                     |
| <b>Contaminated Packaging</b>              | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                   |
| <b>Other Information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. |

**SECTION 14. TRANSPORT INFORMATION****Road and Rail Transport**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>UN-No</b>                   | UN3286                                     |
| <b>Proper Shipping Name</b>    | Flammable liquid, toxic, corrosive, n.o.s. |
| <b>Technical Shipping Name</b> | Cyclopropylmethyl isothiocyanate           |
| <b>Hazard Class</b>            | 3                                          |
| <b>Subsidiary Hazard Class</b> | 6.1, 8                                     |
| <b>Packing Group</b>           | II                                         |

**IMDG/IMO**

|                                |                                            |
|--------------------------------|--------------------------------------------|
| <b>UN-No</b>                   | UN3286                                     |
| <b>Proper Shipping Name</b>    | Flammable liquid, toxic, corrosive, n.o.s. |
| <b>Technical Shipping Name</b> | Cyclopropylmethyl isothiocyanate           |
| <b>Hazard Class</b>            | 3                                          |
| <b>Subsidiary Hazard Class</b> | 6.1, 8                                     |
| <b>Packing Group</b>           | II                                         |

**IATA**

## Cyclopropylmethyl isothiocyanate

|                         |                                            |
|-------------------------|--------------------------------------------|
| UN-No                   | UN3286                                     |
| Proper Shipping Name    | Flammable liquid, toxic, corrosive, n.o.s. |
| Technical Shipping Name | Cyclopropylmethyl isothiocyanate           |
| Hazard Class            | 3                                          |
| Subsidiary Hazard Class | 6.1, 8                                     |
| Packing Group           | II                                         |

Special Precautions for User No special precautions required

## SECTION 15. REGULATORY INFORMATION

## International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

## National Regulations

## SECTION 16. OTHER INFORMATION

Revision Date 01-Sep-2023  
Revision Summary SDS sections updated, 1, 2, 9, 11, 12, 15, 16.

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>



---

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**