

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: **Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I**  
Cat No. : **44893**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address [begel.sdsdesk@thermofisher.com](mailto:begel.sdsdesk@thermofisher.com)

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

Substances/mixtures which, in contact with water, emit flammable gases

Category 2 (H261)

## Health hazards

Skin Corrosion/Irritation

Category 1 B (H314)

Serious Eye Damage/Eye Irritation

Category 1 (H318)

## Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## 2.2. Label elements



Signal Word

Danger

## Hazard Statements

H261 - In contact with water releases flammable gases

H314 - Causes severe skin burns and eye damage

EUH014 - Reacts violently with water

## Precautionary Statements

P231 + P232 - Handle and store contents under inert gas. Protect from moisture

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P335 + P334 - Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

| Component                               | CAS No      | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008                            |
|-----------------------------------------|-------------|-------------------|----------|------------------------------------------------------------------------------|
| Silica, amorphous, precipitated and gel | 112926-00-8 |                   | 65.0     | -                                                                            |
| Sodium                                  | 7440-23-5   | EEC No. 231-132-9 | 35.0     | Water-react. 1 (H260)<br>Skin Corr. 1B (H314)<br>Eye Dam. 1 (H318)<br>EUH014 |

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                            |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.                                                                                                                                                                          |
| <b>Skin Contact</b>                       | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately.                                                                                                                                                                                                          |
| <b>Ingestion</b>                          | Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.                                                                                                                                                                                               |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
| <b>Self-Protection of the First Aider</b> | No special precautions required.                                                                                                                                                                                                                                                                                                             |

### 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

### 4.3. Indication of any immediate medical attention and special treatment needed

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Dry sand. Carbon dioxide (CO<sub>2</sub>). Powder. Do not use water or foam. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

Water.

### 5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

#### Hazardous Combustion Products

Silicon dioxide, Sodium oxides, Hydrogen.

### 5.3. Advice for firefighters

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Do not expose spill to water.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Storage Class/LGK 4.3

Switzerland - Storage of hazardous substances

Storage class - SC 4.3  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|-----------|----------------|--------------------|--------|---------|-------|
|-----------|----------------|--------------------|--------|---------|-------|

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

| Silica, amorphous, precipitated and gel |                                        |                                                                                   |             | TWA: 10 mg/m <sup>3</sup> 8 uren                                              |                                     |
|-----------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------|-------------|-------------------------------------------------------------------------------|-------------------------------------|
| Component                               | Italy                                  | Germany                                                                           | Portugal    | The Netherlands                                                               | Finland                             |
| Silica, amorphous, precipitated and gel |                                        | TWA: 0.02 mg/m <sup>3</sup> (8 Stunden). MAK<br>Höhepunkt: 0.16 mg/m <sup>3</sup> |             |                                                                               | TWA: 5 mg/m <sup>3</sup> 8 tunteina |
| Component                               | Austria                                | Denmark                                                                           | Switzerland | Poland                                                                        | Norway                              |
| Silica, amorphous, precipitated and gel | MAK-TMW: 4 mg/m <sup>3</sup> 8 Stunden |                                                                                   |             | TWA: 10 mg/m <sup>3</sup> 8 godzinach<br>TWA: 2 mg/m <sup>3</sup> 8 godzinach |                                     |
| Component                               | Bulgaria                               | Croatia                                                                           | Ireland     | Cyprus                                                                        | Czech Republic                      |
| Silica, amorphous, precipitated and gel | TWA: 10.0 mg/m <sup>3</sup>            |                                                                                   |             |                                                                               |                                     |

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

## Predicted No Effect Concentration (PNEC)

No information available.

## 8.2. Exposure controls

### Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers | -               |             | (minimum requirement) |

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

|                 |        |
|-----------------|--------|
| recommendations | EN 374 |
|-----------------|--------|

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

**Large scale/emergency use** In case of insufficient ventilation, wear suitable respiratory equipment  
**Recommended Filter type:** Particulates filter conforming to EN 143

**Small scale/Laboratory use** Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                                |                          |                                          |
|------------------------------------------------|--------------------------|------------------------------------------|
| <b>Physical State</b>                          | Solid                    |                                          |
| <b>Appearance</b>                              |                          |                                          |
| <b>Odor</b>                                    | No information available |                                          |
| <b>Odor Threshold</b>                          | No data available        |                                          |
| <b>Melting Point/Range</b>                     | No data available        |                                          |
| <b>Softening Point</b>                         | No data available        |                                          |
| <b>Boiling Point/Range</b>                     | No information available |                                          |
| <b>Flammability (liquid)</b>                   | Not applicable           | Solid                                    |
| <b>Flammability (solid,gas)</b>                | No information available |                                          |
| <b>Explosion Limits</b>                        | No data available        |                                          |
| <b>Flash Point</b>                             | No information available | <b>Method -</b> No information available |
| <b>Autoignition Temperature</b>                | No data available        |                                          |
| <b>Decomposition Temperature</b>               | No data available        |                                          |
| <b>pH</b>                                      | No information available |                                          |
| <b>Viscosity</b>                               | Not applicable           | Solid                                    |
| <b>Water Solubility</b>                        | Insoluble in water       |                                          |
| <b>Solubility in other solvents</b>            | No information available |                                          |
| <b>Partition Coefficient (n-octanol/water)</b> |                          |                                          |
| <b>Vapor Pressure</b>                          | <=1100 hPa @ 50 °C       |                                          |
| <b>Density / Specific Gravity</b>              | 0.7 g/cm3                | @ 20 °C                                  |
| <b>Bulk Density</b>                            | No data available        |                                          |
| <b>Vapor Density</b>                           | Not applicable           | Solid                                    |
| <b>Particle characteristics</b>                | No data available        |                                          |

### 9.2. Other information

**Substances/mixtures which, in contact with water, emit flammable gases** Emitted gas ignites spontaneously Gas(es) = Hydrogen

**Evaporation Rate** Not applicable - Solid

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Yes

### 10.2. Chemical stability

Moisture sensitive.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization**  
**Hazardous Reactions**

No information available.  
None under normal processing. Reacts violently with water.

### 10.4. Conditions to avoid

Exposure to moist air or water. Exposure to moisture.

### 10.5. Incompatible materials

Water. Oxidizing agent.

### 10.6. Hazardous decomposition products

Silicon dioxide. Sodium oxides. Hydrogen.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

No acute toxicity information is available for this product

#### **(a) acute toxicity;**

**Oral**

No data available

**Dermal**

No data available

**Inhalation**

No data available

#### **Toxicology data for the components**

#### **(b) skin corrosion/irritation;**

Category 1 B

#### **(c) serious eye damage/irritation;**

Category 1

#### **(d) respiratory or skin sensitization;**

**Respiratory**

No data available

**Skin**

No data available

#### **(e) germ cell mutagenicity;**

No data available

#### **(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

#### **(g) reproductive toxicity;**

No data available

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable  
Solid

**Symptoms / effects, both acute and delayed** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**  
**Ecotoxicity effects**

**12.2. Persistence and degradability**  
**Persistence**

Insoluble in water.

**12.3. Bioaccumulative potential** May have some potential to bioaccumulate

**12.4. Mobility in soil** Spillage unlikely to penetrate soil The product is insoluble and floats on water Is not likely mobile in the environment due its low water solubility.

**12.5. Results of PBT and vPvB assessment** No data available for assessment.

**12.6. Endocrine disrupting properties**  
**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**  
**Persistent Organic Pollutant** This product does not contain any known or suspected substance  
**Ozone Depletion Potential** This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**



# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

|                                            |                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Waste from Residues/Unused Products</b> | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.                                                                                                                                     |
| <b>Contaminated Packaging</b>              | Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.                                                                   |
| <b>European Waste Catalogue (EWC)</b>      | According to the European Waste Catalog, Waste Codes are not product specific, but application specific.                                                                                                                                                                                                   |
| <b>Other Information</b>                   | Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.                 |
| <b>Switzerland - Waste Ordinance</b>       | Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600<br><a href="https://www.fedlex.admin.ch/eli/cc/2015/891/en">https://www.fedlex.admin.ch/eli/cc/2015/891/en</a> |

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                                                                 |                                          |
|-----------------------------------------------------------------|------------------------------------------|
| <b>14.1. UN number</b>                                          | UN2813                                   |
| <b>14.2. UN proper shipping name</b><br>Technical Shipping Name | WATER-REACTIVE SOLID, N.O.S.<br>(SODIUM) |
| <b>14.3. Transport hazard class(es)</b>                         | 4.3                                      |
| <b>14.4. Packing group</b>                                      | II                                       |

### ADR

|                                                                 |                                          |
|-----------------------------------------------------------------|------------------------------------------|
| <b>14.1. UN number</b>                                          | UN2813                                   |
| <b>14.2. UN proper shipping name</b><br>Technical Shipping Name | WATER-REACTIVE SOLID, N.O.S.<br>(SODIUM) |
| <b>14.3. Transport hazard class(es)</b>                         | 4.3                                      |
| <b>14.4. Packing group</b>                                      | II                                       |

### IATA

|                                                                 |                                          |
|-----------------------------------------------------------------|------------------------------------------|
| <b>14.1. UN number</b>                                          | UN2813                                   |
| <b>14.2. UN proper shipping name</b><br>Technical Shipping Name | WATER-REACTIVE SOLID, N.O.S.<br>(SODIUM) |
| <b>14.3. Transport hazard class(es)</b>                         | 4.3                                      |
| <b>14.4. Packing group</b>                                      | II                                       |

|                                                                      |                                  |
|----------------------------------------------------------------------|----------------------------------|
| <b>14.5. Environmental hazards</b>                                   | No hazards identified            |
| <b>14.6. Special precautions for user</b>                            | No special precautions required. |
| <b>14.7. Maritime transport in bulk according to IMO instruments</b> | Not applicable, packaged goods   |

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

## International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                               | CAS No      | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------------------------------|-------------|-----------|--------|-----|-------|------|----------|------|------|
| Silica, amorphous, precipitated and gel | 112926-00-8 | -         | -      | -   | X     | X    | KE-32733 | X    | X    |
| Sodium                                  | 7440-23-5   | 231-132-9 | -      | -   | X     | X    | KE-31338 | X    | X    |

| Component                               | CAS No      | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------------------------------|-------------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Silica, amorphous, precipitated and gel | 112926-00-8 | -    | -                                             | X   | -    | X    | X     | X     |
| Sodium                                  | 7440-23-5   | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

| Component                               | CAS No      | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------------------------------|-------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Silica, amorphous, precipitated and gel | 112926-00-8 | -                                                                   | -                                                                             | -                                                                                                     |
| Sodium                                  | 7440-23-5   | -                                                                   | Use restricted. See item 75. (see link for restriction details)               | -                                                                                                     |

## REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

## Seveso III Directive (2012/18/EC)

| Component                               | CAS No      | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------------------------------|-------------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Silica, amorphous, precipitated and gel | 112926-00-8 | Not applicable                                                                            | Not applicable                                                                           |
| Sodium                                  | 7440-23-5   | Not applicable                                                                            | Not applicable                                                                           |

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

| Component                               | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------------------------------|---------------------------------------|-------------------------|
| Silica, amorphous, precipitated and gel | nwg                                   |                         |
| Sodium                                  | WGK1                                  |                         |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H260 - In contact with water releases flammable gases which may ignite spontaneously

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH014 - Reacts violently with water

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

# SAFETY DATA SHEET

Sodium-silica gel, 35-40% alkali metal in silica gel, Stage I

Revision Date 20-Mar-2024

---

|                  |                                                    |
|------------------|----------------------------------------------------|
| Prepared By      | Health, Safety and Environmental Department        |
| Revision Date    | 20-Mar-2024                                        |
| Revision Summary | New emergency telephone response service provider. |

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**