

Creation Date 19-Dec-2024

Revision Date 05-Feb-2024

Revision Number 6

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:	<u>N,N-Dimethylformamide dimethyl acetal</u>
Cat No. :	A15350
CAS No	4637-24-5
EC No	225-063-3
Molecular Formula	(C H ₃) ₂ N C H (O C H ₃) ₂
REACH registration number	-

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Flammable liquids

Category 2 (H225)

Health hazards

Acute Inhalation Toxicity - Vapors
Serious Eye Damage/Eye Irritation
Skin Sensitization

Category 4 (H332)
Category 1 (H318)
Category 1 (H317)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor
H332 - Harmful if inhaled
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 - Immediately call a POISON CENTER or doctor/physician
P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Section 3: Composition/information on ingredients

3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Methanamine, 1,1-dimethoxy-N,N-dimethyl-	4637-24-5	EEC No. 225-063-3	99.8	Flam. Liq. 2 (H225) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Acute Tox. 4 (H332)
N,N-Dimethylformamide	68-12-2	200-679-5	0.2	Flam. Liq. 3 (H226) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Eye Irrit. 2 (H319) Repr. 1B (H360D)

REACH registration number

-

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes severe eye damage. May cause allergic skin reaction. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

Section 5: Firefighting measures

5.1. Extinguishing media

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep under nitrogen. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
N,N-Dimethylformamide	TWA: 15 mg/m ³ (8h) TWA: 5 ppm (8h) Skin STEL: 10 ppm (15min) STEL: 30 mg/m ³ (15min) STEL: 30 mg/m ³ (8h) STEL: 10 ppm (8h)	STEL: 10 ppm 15 min STEL: 30 mg/m ³ 15 min TWA: 5 ppm 8 hr TWA: 15 mg/m ³ 8 hr Skin	TWA / VME: 5 ppm (8 heures). restrictive limit TWA / VME: 15 mg/m ³ (8 heures). restrictive limit STEL / VLCT: 30 mg/m ³ . restrictive limit STEL / VLCT: 10 ppm. restrictive limit Peau	TWA: 5 ppm 8 uren TWA: 15 mg/m ³ 8 uren STEL: 10 ppm 15 minuten STEL: 30 mg/m ³ 15 minuten Huid	STEL / VLA-EC: 10 ppm (15 minutos). STEL / VLA-EC: 30 mg/m ³ (15 minutos). TWA / VLA-ED: 5 ppm (8 horas) TWA / VLA-ED: 15 mg/m ³ (8 horas) Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
N,N-Dimethylformamide	TWA: 5 ppm 8 ore. Time Weighted Average TWA: 15 mg/m ³ 8 ore. Time Weighted Average STEL: 10 ppm 15 minuti. Short-term STEL: 30 mg/m ³ 15 minuti. Short-term Pelle	TWA: 5 ppm (8 Stunden). AGW - exposure factor 2 TWA: 15 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 5 ppm (8 Stunden). MAK TWA: 15 mg/m ³ (8 Stunden). MAK Höhepunkt: 10 ppm Höhepunkt: 30 mg/m ³ Haut	STEL: 10 ppm 15 minutos STEL: 30 mg/m ³ 15 minutos TWA: 10 ppm 8 horas TWA: 30 mg/m ³ 8 horas Pele	huid STEL: 10 ppm 15 minuten STEL: 30 mg/m ³ 15 minuten TWA: 5 ppm 8 uren TWA: 15 mg/m ³ 8 uren	TWA: 5 ppm 8 tunteina TWA: 15 mg/m ³ 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 30 mg/m ³ 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
N,N-Dimethylformamide	Haut MAK-KZGW: 10 ppm 15 Minuten MAK-KZGW: 30 mg/m ³ 15 Minuten MAK-TMW: 5 ppm 8 Stunden MAK-TMW: 15 mg/m ³ 8 Stunden	TWA: 5 ppm 8 timer TWA: 15 mg/m ³ 8 timer STEL: 30 mg/m ³ 15 minutter STEL: 10 ppm 15 minutter Hud	Haut/Peau STEL: 10 ppm 15 Minuten STEL: 30 mg/m ³ 15 Minuten TWA: 5 ppm 8 Stunden TWA: 15 mg/m ³ 8 Stunden	STEL: 30 mg/m ³ 15 minutach TWA: 15 mg/m ³ 8 godzinach	TWA: 2 ppm 8 timer TWA: 6 mg/m ³ 8 timer STEL: 10 ppm 15 minutter. value from the regulation STEL: 30 mg/m ³ 15 minutter. value from the regulation Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
N,N-Dimethylformamide	TWA: 5 ppm	kože	TWA: 5 ppm 8 hr.	Skin-potential for	TWA: 15 mg/m ³ 8

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

de	TWA: 15 mg/m ³ STEL : 10 ppm STEL : 30 mg/m ³ Skin notation	TWA-GVI: 5 ppm 8 satima. TWA-GVI: 15 mg/m ³ 8 satima. STEL-KGVI: 10 ppm 15 minutama. STEL-KGVI: 30 mg/m ³ 15 minutama.	TWA: 15 mg/m ³ 8 hr. STEL: 10 ppm 15 min STEL: 30 mg/m ³ 15 min Skin	cutaneous absorption STEL: 30 mg/m ³ STEL: 10 ppm TWA: 15 mg/m ³ TWA: 5 ppm	hodinách. Potential for cutaneous absorption Ceiling: 30 mg/m ³ toxic for reproduction
----	--	---	---	---	---

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
N,N-Dimethylformamide	Nahk TWA: 5 ppm 8 tundides. TWA: 15 mg/m ³ 8 tundides. STEL: 10 ppm 15 minutites. STEL: 30 mg/m ³ 15 minutites.	Skin notation TWA: 15 mg/m ³ 8 hr TWA: 5 ppm 8 hr STEL: 30 mg/m ³ 15 min STEL: 10 ppm 15 min	skin - potential for cutaneous absorption STEL: 10 ppm STEL: 30 mg/m ³ TWA: 5 ppm TWA: 15 mg/m ³	STEL: 10 ppm 15 percekben. CK STEL: 30 mg/m ³ 15 percekben. CK TWA: 5 ppm 8 órában. AK TWA: 15 mg/m ³ 8 órában. AK lehetséges bőrön keresztüli felszívódás	STEL: 30 mg/m ³ absorption into the body through the skin may cause life-threatening harm STEL: 10 ppm absorption into the body through the skin may cause life-threatening harm TWA: 5 ppm 8 klukkustundum. absorption into the body through the skin may cause life-threatening damage TWA: 15 mg/m ³ 8 klukkustundum. absorption into the body through the skin may cause life-threatening damage Skin notation

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
N,N-Dimethylformamide	skin - potential for cutaneous exposure STEL: 10 ppm STEL: 30 mg/m ³ TWA: 5 ppm TWA: 15 mg/m ³	TWA: 5 ppm IPRD TWA: 15 mg/m ³ IPRD Oda STEL: 10 ppm STEL: 30 mg/m ³	Possibility of significant uptake through the skin TWA: 15 mg/m ³ 8 Stunden TWA: 5 ppm 8 Stunden STEL: 30 mg/m ³ 15 Minuten STEL: 10 ppm 15 Minuten	possibility of significant uptake through the skin TWA: 15 mg/m ³ TWA: 5 ppm STEL: 30 mg/m ³ 15 minuti STEL: 10 ppm 15 minuti	Skin notation TWA: 5 ppm 8 ore TWA: 15 mg/m ³ 8 ore STEL: 10 ppm 15 minute STEL: 30 mg/m ³ 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
N,N-Dimethylformamide	Skin notation MAC: 10 mg/m ³	Ceiling: 30 mg/m ³ Potential for cutaneous absorption TWA: 5 ppm TWA: 15 mg/m ³	TWA: 5 ppm 8 urah TWA: 15 mg/m ³ 8 urah Koža STEL: 10 ppm 15 minutah STEL: 30 mg/m ³ 15 minutah	Binding STEL: 10 ppm 15 minuter Binding STEL: 30 mg/m ³ 15 minuter TLV: 5 ppm 8 timmar. NGV TLV: 15 mg/m ³ 8 timmar. NGV Hud	Deri TWA: 5 ppm 8 saat TWA: 15 mg/m ³ 8 saat STEL: 10 ppm 15 dakika STEL: 30 mg/m ³ 15 dakika

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
N,N-Dimethylformamide			Total N-Methylformamide: 40 mg/g creatinine urine end of shift	N-Acetyl-S-(N-methylcarbamoyl) cysteine: 40 mg/L urine start of last shift of workweek N-Methylformamide: 15 mg/L urine end of shift	N,N-Methylformamide plus N-Hydroxymethyl-N-methylformamide: 20 mg/L urine (end of shift) N-Acetyl-S-(methylcarbamoyl)-L-cystein: 25 mg/g Creatinine urine

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

					(end of shift) N-Acetyl-S-(methylcarbamoyl)-L-cystein: 25 mg/g Creatinine urine (for long-term exposures: at the end of the shift after several shifts)
--	--	--	--	--	--

Component	Italy	Finland	Denmark	Bulgaria	Romania
N,N-Dimethylformamide					Methyl-formamide: 15 mg/L urine end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
N,N-Dimethylformamide			N-Methylformamide: 35 mg/L urine end of exposure or work shift		

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
N,N-Dimethylformamide 68-12-2 (0.2)	DNEL = 5900µg/cm2	DNEL = 26.3mg/kg/day	DNEL = 446µg/cm2	DNEL = 1.1mg/kg/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
N,N-Dimethylformamide 68-12-2 (0.2)	DNEL = 30mg/m ³	DNEL = 30mg/m ³	DNEL = 15mg/m ³	DNEL = 6mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
N,N-Dimethylformamide 68-12-2 (0.2)	PNEC = 30mg/L	PNEC = 115.18mg/kg sediment dw	PNEC = 30mg/L	PNEC = 123mg/L	PNEC = 56.97mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
N,N-Dimethylformamide 68-12-2 (0.2)	PNEC = 3mg/L	PNEC = 11.52mg/kg sediment dw			

8.2. Exposure controls

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance		
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	-85 °C / -121 °F	
Softening Point	No data available	
Boiling Point/Range	102 - 104 °C / 215.6 - 219.2 °F	
Flammability (liquid)	Highly flammable	On basis of test data
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	7 °C / 44.6 °F	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

pH	Not applicable	
Viscosity	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
N,N-Dimethylformamide	-1.028	
Vapor Pressure	No data available	
Density / Specific Gravity	0.897	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular Formula	(C H ₃) ₂ N C H (O C H ₃) ₂
Molecular Weight	119.16
Explosive Properties	Vapors may form explosive mixtures with air

Section 10: Stability and reactivity

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NO_x).

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral	Based on available data, the classification criteria are not met
Dermal	Based on available data, the classification criteria are not met
Inhalation	Category 4
	Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methanamine, 1,1-dimethoxy-N,N-dimethyl-	-	-	LC50 = 12.16 mg/L (Rat) 4 h
N,N-Dimethylformamide	3040 mg/kg (Rat)	1500 mg/kg (Rabbit)	>5.58 mg/L/4h (Rat)

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

		3.2 g/kg (Rat)	
--	--	------------------	--

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 1 Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

Respiratory
Skin

Based on available data, the classification criteria are not met

Category 1

Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
N,N-Dimethylformamide 68-12-2 (0.2)	Guinea Pig Maximisation Test (GPMT)	guinea pig	- non-sensitising

May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
N,N-Dimethylformamide				Group 2A

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs

None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
N,N-Dimethylformamide	Pimephales promelas: LC50 = 10.6 g/L/96h	EC50 = 7500 mg/L/48h	EC50 = 7500 mg/L/96h

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

	Onchorhynchus mykiss: LC50 = 9.8 g/L/96h Lepomis macrochirus: LC50 = 6.3 g/L/96h		
--	---	--	--

Component	Microtox	M-Factor
N,N-Dimethylformamide	EC50 = 2000 mg/L 5 min EC50 = 570 mg/L 240 h	

12.2. Persistence and degradability No information available

Component	Degradability
N,N-Dimethylformamide 68-12-2 (0.2)	100 % (OECD 301E (21d))

12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Methanamine, 1,1-dimethoxy-N,N-dimethyl-		0.3 - 1.2 L/kg
N,N-Dimethylformamide	-1.028	0.3 - 1.2 L/kg

12.4. Mobility in soil No information available

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

Component	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances
N,N-Dimethylformamide	Group III Chemical	

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

Section 14: Transport information

IMDG/IMO

14.1. UN number UN1993
14.2. UN proper shipping name FLAMMABLE LIQUID, N.O.S.
Technical Shipping Name N,N-Dimethylformamide dimethyl acetal
14.3. Transport hazard class(es) 3
14.4. Packing group II

ADR

14.1. UN number UN1993
14.2. UN proper shipping name FLAMMABLE LIQUID, N.O.S.
Technical Shipping Name N,N-Dimethylformamide dimethyl acetal
14.3. Transport hazard class(es) 3
14.4. Packing group II

IATA

14.1. UN number UN1993
14.2. UN proper shipping name FLAMMABLE LIQUID, N.O.S.
Technical Shipping Name N,N-Dimethylformamide dimethyl acetal
14.3. Transport hazard class(es) 3
14.4. Packing group II

14.5. Environmental hazards No hazards identified
14.6. Special precautions for user No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methanamine, 1,1-dimethoxy-N,N-dimethyl- N,N-Dimethylformamide	4637-24-5	225-063-3	-	-	X	X	KE-11054	X	X
	68-12-2	200-679-5	-	-	X	X	KE-11411	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methanamine, 1,1-dimethoxy-N,N-dimethyl- N,N-Dimethylformamide	4637-24-5	X	ACTIVE	X	-	X	X	X
	68-12-2	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

ALFAAA15350

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methanamine, 1,1-dimethoxy-N,N-dimethyl-N,N-Dimethylformamide	4637-24-5	-	-	-
	68-12-2	-	Use restricted. See entry 72. (see link for restriction details) Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 76. (see link for restriction details)	SVHC Candidate list - (Toxic to Reproduction, Article 57c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methanamine, 1,1-dimethoxy-N,N-dimethyl-N,N-Dimethylformamide	4637-24-5	Not applicable	Not applicable
	68-12-2	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methanamine, 1,1-dimethoxy-N,N-dimethyl-	WGK1	
N,N-Dimethylformamide	WGK 2	

Component	France - INRS (Tables of occupational diseases)
N,N-Dimethylformamide	Tableaux des maladies professionnelles (TMP) - RG 84

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H332 - Harmful if inhaled
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H225 - Highly flammable liquid and vapor
H226 - Flammable liquid and vapor
H312 - Harmful in contact with skin
H319 - Causes serious eye irritation
H360D - May damage the unborn child

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

SAFETY DATA SHEET

N,N-Dimethylformamide dimethyl acetal

Revision Date 05-Feb-2024

hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	19-Dec-2024
Revision Date	05-Feb-2024
Revision Summary	Initial Release.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet