

Creation Date 09-Dec-2022

Revision Date 24-Mar-2024

Revision Number 2

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **Acetonitrile with 0.1% Formic Acid (v/v), LC-MS**
Cat No. : **T85174**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Physical hazards

Flammable liquids

Category 2 (H225)

Health hazards

Acute oral toxicity

Category 4 (H302)

Acute dermal toxicity

Category 4 (H312)

Acute Inhalation Toxicity - Vapors

Category 4 (H332)

Serious Eye Damage/Eye Irritation

Category 2 (H319)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P312 - Call a POISON CENTER or doctor if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Acetonitrile	75-05-8	200-835-2	99.85	Flam. Liq. 2 (H225) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Eye Irrit. 2 (H319) Acute Tox. 4 (H332)
Formic acid	64-18-6	200-579-1	0.15	Flam. Liq. 3 (H226) Skin Corr. 1A (H314) Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Formic acid	Skin Corr. 1A :: C>=90% Skin Corr. 1B :: 10%<=C<90% Eye Irrit. 2 :: 2%<=C<10% Skin Irrit. 2 :: 2%<=C<10%	-	-

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Acetonitrile	ATE = 617 mg/kg	-	-

ECHA (RAC) - Committee for Risk Assessment - European Chemicals Agency
ATE - Acute Toxicity Estimate; mg/kg bw - milligrams per kilogram of body weight

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. . Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

5.1. Extinguishing media

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon oxides, Nitrogen oxides (NO_x).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Acetonitrile	TWA: 40 ppm (8hr) TWA: 70 mg/m ³ (8hr) Skin	STEL: 60 ppm 15 min STEL: 102 mg/m ³ 15 min TWA: 40 ppm 8 hr TWA: 68 mg/m ³ 8 hr	TWA / VME: 40 ppm (8 heures). restrictive limit TWA / VME: 70 mg/m ³ (8 heures). restrictive limit TWA / VME: 5 mg/m ³ (8 heures). Peau	TWA: 20 ppm 8 uren TWA: 34 mg/m ³ 8 uren Huid	TWA / VLA-ED: 40 ppm (8 horas) TWA / VLA-ED: 68 mg/m ³ (8 horas) Piel
Formic acid	TWA: 5 ppm (8hr) TWA: 9 mg/m ³ (8hr)	STEL: 15 ppm 15 min STEL: 28.8 mg/m ³ 15 min TWA: 5 ppm 8 hr TWA: 9.6 mg/m ³ 8 hr	TWA / VME: 5 ppm (8 heures). indicative limit TWA / VME: 9 mg/m ³ (8 heures). indicative limit	TWA: 5 ppm 8 uren TWA: 9.5 mg/m ³ 8 uren STEL: 10 ppm 15 minuten STEL: 19 mg/m ³ 15 minuten	TWA / VLA-ED: 5 ppm (8 horas) TWA / VLA-ED: 9 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Acetonitrile	TWA: 20 ppm 8 ore. Time Weighted Average TWA: 35 mg/m ³ 8 ore. Time Weighted Average Pelle	TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 17 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 17 mg/m ³ (8 Stunden). MAK TWA: 2 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 34 mg/m ³ Höhepunkt: 2 mg/m ³ Haut	TWA: 40 ppm 8 horas TWA: 70 mg/m ³ 8 horas Pele	TWA: 34 mg/m ³ 8 uren	TWA: 20 ppm 8 tunteina TWA: 34 mg/m ³ 8 tunteina STEL: 40 ppm 15 minuutteina STEL: 68 mg/m ³ 15 minuutteina Iho
Formic acid	TWA: 5 ppm 8 ore. Time Weighted Average TWA: 9 mg/m ³ 8 ore. Time Weighted Average	TWA: 5 ppm (8 Stunden). AGW - exposure factor 2 TWA: 9.5 mg/m ³ (8 Stunden). AGW - exposure factor 2	STEL: 10 ppm 15 minutos TWA: 5 ppm 8 horas TWA: 9 mg/m ³ 8 horas	STEL: 5 mg/m ³ 15 minuten	TWA: 3 ppm 8 tunteina TWA: 5 mg/m ³ 8 tunteina STEL: 10 ppm 15 minuutteina STEL: 19 mg/m ³ 15

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

		TWA: 5 ppm (8 Stunden). MAK TWA: 9.5 mg/m ³ (8 Stunden). MAK Höhepunkt: 10 ppm Höhepunkt: 19 mg/m ³			minuutteina
--	--	--	--	--	-------------

Component	Austria	Denmark	Switzerland	Poland	Norway
Acetonitrile	Haut MAK-KZGW: 160 ppm 15 Minuten MAK-KZGW: 280 mg/m ³ 15 Minuten MAK-TMW: 40 ppm 8 Stunden MAK-TMW: 70 mg/m ³ 8 Stunden	TWA: 40 ppm 8 timer TWA: 70 mg/m ³ 8 timer STEL: 80 ppm 15 minutter STEL: 140 mg/m ³ 15 minutter Hud	Haut/Peau STEL: 40 ppm 15 Minuten STEL: 68 mg/m ³ 15 Minuten TWA: 20 ppm 8 Stunden TWA: 34 mg/m ³ 8 Stunden	STEL: 140 mg/m ³ 15 minutach TWA: 70 mg/m ³ 8 godzinach	TWA: 30 ppm 8 timer TWA: 50 mg/m ³ 8 timer TWA: 5 mg/m ³ 8 timer STEL: 45 ppm 15 minutter. value calculated STEL: 75 mg/m ³ 15 minutter. value calculated Hud
Formic acid	MAK-KZGW: 5 ppm 15 Minuten MAK-KZGW: 9 mg/m ³ 15 Minuten MAK-TMW: 5 ppm 8 Stunden MAK-TMW: 9 mg/m ³ 8 Stunden Ceiling: 5 ppm Ceiling: 9 mg/m ³	TWA: 5 ppm 8 timer TWA: 9 mg/m ³ 8 timer STEL: 10 ppm 15 minutter STEL: 18 mg/m ³ 15 minutter	STEL: 10 ppm 15 Minuten STEL: 19 mg/m ³ 15 Minuten TWA: 5 ppm 8 Stunden TWA: 9.5 mg/m ³ 8 Stunden	STEL: 15 mg/m ³ 15 minutach TWA: 5 mg/m ³ 8 godzinach	TWA: 5 ppm 8 timer TWA: 9 mg/m ³ 8 timer STEL: 10 ppm 15 minutter. value calculated STEL: 18 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Acetonitrile	TWA: 40 ppm TWA: 70 mg/m ³ Skin notation	kože TWA-GVI: 40 ppm 8 satima. TWA-GVI: 70 mg/m ³ 8 satima.	TWA: 40 ppm 8 hr. TWA: 70 mg/m ³ 8 hr. STEL: 120 ppm 15 min STEL: 310 mg/m ³ 15 min Skin	TWA: 40 ppm TWA: 70 mg/m ³	TWA: 70 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 100 mg/m ³
Formic acid	TWA: 5 ppm TWA: 9.0 mg/m ³	TWA-GVI: 5 ppm 8 satima. TWA-GVI: 9 mg/m ³ 8 satima.	TWA: 5 ppm 8 hr. TWA: 9 mg/m ³ 8 hr. STEL: 15 ppm 15 min STEL: 27 mg/m ³ 15 min	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 9 mg/m ³ 8 hodinách. Ceiling: 18 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Acetonitrile	Nahk TWA: 40 ppm 8 tundides. TWA: 70 mg/m ³ 8 tundides.	Skin notation TWA: 40 ppm 8 hr TWA: 70 mg/m ³ 8 hr	STEL: 60 ppm STEL: 105 mg/m ³ TWA: 40 ppm TWA: 70 mg/m ³	TWA: 70 mg/m ³ 8 óraban. AK lehetséges borón keresztüli felszívódás	TWA: 40 ppm 8 klukkustundum. TWA: 70 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 80 ppm Ceiling: 140 mg/m ³
Formic acid	TWA: 5 ppm 8 tundides. TWA: 9 mg/m ³ 8 tundides.	TWA: 5 ppm 8 hr TWA: 9 mg/m ³ 8 hr	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 9 mg/m ³ 8 óraban. AK	TWA: 5 ppm 8 klukkustundum. TWA: 9 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 10 ppm Ceiling: 18 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Acetonitrile	skin - potential for cutaneous exposure TWA: 40 ppm TWA: 70 mg/m ³	TWA: 40 ppm IPRD TWA: 70 mg/m ³ IPRD Oda	Possibility of significant uptake through the skin TWA: 40 ppm 8 Stunden TWA: 70 mg/m ³ 8 Stunden	possibility of significant uptake through the skin TWA: 40 ppm TWA: 70 mg/m ³	Skin notation TWA: 40 ppm 8 ore TWA: 70 mg/m ³ 8 ore
Formic acid	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm IPRD TWA: 9 mg/m ³ IPRD	TWA: 5 ppm 8 Stunden TWA: 9 mg/m ³ 8 Stunden	TWA: 5 ppm TWA: 9 mg/m ³	TWA: 5 ppm 8 ore TWA: 9 mg/m ³ 8 ore

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Acetonitrile	MAC: 10 mg/m ³	Potential for cutaneous absorption TWA: 40 ppm TWA: 70 mg/m ³	TWA: 40 ppm 8 urah TWA: 70 mg/m ³ 8 urah Koža STEL: 140 mg/m ³ 15 minutah STEL: 80 ppm 15 minutah	Indicative STEL: 60 ppm 15 minuter Indicative STEL: 100 mg/m ³ 15 minuter TLV: 30 ppm 8 timmar. NGV TLV: 50 mg/m ³ 8 timmar. NGV Hud	Deri TWA: 40 ppm 8 saat TWA: 70 mg/m ³ 8 saat
Formic acid	Skin notation MAC: 1 mg/m ³	TWA: 5 ppm TWA: 9.0 mg/m ³	TWA: 5 ppm 8 urah TWA: 9 mg/m ³ 8 urah STEL: 10 ppm 15 minutah STEL: 18 mg/m ³ 15 minutah	Indicative STEL: 5 ppm 15 minuter Indicative STEL: 9 mg/m ³ 15 minuter TLV: 3 ppm 8 timmar. NGV TLV: 5 mg/m ³ 8 timmar. NGV	TWA: 5 ppm 8 saat TWA: 9 mg/m ³ 8 saat

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Acetonitrile 75-05-8 (99.85)				DNEL = 32.2mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Acetonitrile 75-05-8 (99.85)	DNEL = 40.6 ppm (68 mg/m ³)	DNEL = 40.6 ppm (68 mg/m ³)	DNEL = 40.6 ppm (68 mg/m ³)	DNEL = 40.6 ppm (68 mg/m ³)
Formic acid 64-18-6 (0.15)			DNEL = 9.5mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Acetonitrile 75-05-8 (99.85)	PNEC = 10mg/L	PNEC = 7.53mg/kg sediment dw	PNEC = 10mg/L	PNEC = 32mg/L	PNEC = 2.41mg/kg soil dw
Formic acid 64-18-6 (0.15)	PNEC = 2mg/L	PNEC = 13.4mg/kg sediment dw	PNEC = 1mg/L	PNEC = 7.2mg/L	PNEC = 1.5mg/kg soil dw

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Acetonitrile 75-05-8 (99.85)	PNEC = 1mg/L				
Formic acid 64-18-6 (0.15)	PNEC = 0.2mg/L	PNEC = 1.34mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Nitrile rubber	See manufacturers	-	EN 374	(minimum requirement)
Neoprene	recommendations			
Natural rubber				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State

Liquid

Appearance

ALFAAT85174

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	Highly flammable	Estimated
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	Not applicable	
Viscosity	No data available	
Water Solubility	No information available	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Acetonitrile	-0.34	
Formic acid	-1.9	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Explosive Properties Vapors may form explosive mixtures with air

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Product Information

(a) acute toxicity;	
Oral	Category 4 Based on available data, the classification criteria are not met
Dermal	Category 4 Based on available data, the classification criteria are not met
Inhalation	Category 4 Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetonitrile	450-787 mg/kg (Rat) 2460 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	LC50 = 3587 ppm (6.022 mg/l) (Mouse) 4h LC50 = 16,000 ppm (26.8 mg/l) (Rat) 4h
Formic acid	LD50 = 1100 mg/kg (Rat)	-	LC50 = 7.85 mg/L (Rat) 4 h

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Acetonitrile	ATE = 617 mg/kg	-	-

ECHA (RAC) - Committee for Risk Assessment - European CHemicals Agency
ATE - Acute Toxicity Estimate; mg/kg bw - milligrams per kilogram of body weight

(b) skin corrosion/irritation;	Based on available data, the classification criteria are not met
(c) serious eye damage/irritation;	Category 2 Based on available data, the classification criteria are not met
(d) respiratory or skin sensitization;	
Respiratory	Based on available data, the classification criteria are not met
Skin	Based on available data, the classification criteria are not met
(e) germ cell mutagenicity;	Based on available data, the classification criteria are not met
(f) carcinogenicity;	Based on available data, the classification criteria are not met There are no known carcinogenic chemicals in this product
(g) reproductive toxicity;	Based on available data, the classification criteria are not met
(h) STOT-single exposure;	Based on available data, the classification criteria are not met
(i) STOT-repeated exposure;	Based on available data, the classification criteria are not met
Target Organs	None known.
(j) aspiration hazard;	Based on available data, the classification criteria are not met
Symptoms / effects, both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Acetonitrile	LC50: = 1850 mg/L, 96h static (Lepomis macrochirus) LC50: = 1000 mg/L, 96h static (Pimephales promelas) LC50: 1600 - 1690 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1650 mg/L, 96h static (Poecilia reticulata)		
Formic acid	Leuciscus idus: LC50 = 46-100 mg/L/96h	EC50 = 34 mg/L/48h	EC50 = 25 mg/L/96h

Component	Microtox	M-Factor
Acetonitrile	EC50 = 28000 mg/L 48 h EC50 = 73 mg/L 24 h EC50 = 7500 mg/L 15 h	
Formic acid	EC50 = 46.7 mg/L/17h	

12.2. Persistence and degradability

Persistence

No information available
Persistence is unlikely.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Acetonitrile	-0.34	No data available
Formic acid	-1.9	0.22 dimensionless

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.
Switzerland - Waste Ordinance	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN1648
14.2. UN proper shipping name	ACETONITRILE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

ADR

14.1. UN number	UN1648
14.2. UN proper shipping name	ACETONITRILE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

IATA

14.1. UN number	UN1648
14.2. UN proper shipping name	ACETONITRILE
14.3. Transport hazard class(es)	3
14.4. Packing group	II

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
-----------	--------	--------	--------	-----	-------	------	------	------	------

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Acetonitrile	75-05-8	200-835-2	-	-	X	X	KE-00067	X	X
Formic acid	64-18-6	200-579-1	-	-	X	X	KE-17233	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Acetonitrile	75-05-8	X	ACTIVE	X	-	X	X	X
Formic acid	64-18-6	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Acetonitrile	75-05-8	-	Use restricted. See item 75. (see link for restriction details)	-
Formic acid	64-18-6	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Acetonitrile	75-05-8	Not applicable	Not applicable
Formic acid	64-18-6	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Acetonitrile	WGK2	
Formic acid	WGK1	Class I : 20 mg/m ³ (Massenkonzentration)

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Component	France - INRS (Tables of occupational diseases)
Acetonitrile	Tableaux des maladies professionnelles (TMP) - RG 84

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Formic acid 64-18-6 (0.15)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H312 - Harmful in contact with skin
H332 - Harmful if inhaled
H319 - Causes serious eye irritation
H225 - Highly flammable liquid and vapor
H226 - Flammable liquid and vapor
H314 - Causes severe skin burns and eye damage
H318 - Causes serious eye damage

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

SAFETY DATA SHEET

Acetonitrile with 0.1% Formic Acid (v/v), LC-MS

Revision Date 24-Mar-2024

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	09-Dec-2022
Revision Date	24-Mar-2024
Revision Summary	New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet