

SAFETY DATA SHEET

Creation Date 02-February-2010

Revision Date 29-October-2024

Revision Number 7

1. Identification

Product Name Cumyl hydroperoxide

Cat No. : AC349960000; AC349960010; AC349960025; AC349960050;
AC349962500

CAS-No 80-15-9
Synonyms Cumene hydroperoxide

Recommended Use Laboratory chemicals.
Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific
112 Colonnade Road,
Ottawa, ON K2E 7L6,
Canada
Tel: 1-800-234-7437

Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410

Manufacturer

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids	Category 4
Organic peroxides	Type E
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity	Category 3
Skin Corrosion/Irritation	Category 1 B
Serious Eye Damage/Eye Irritation	Category 1
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	
Specific target organ toxicity - (repeated exposure)	Category 2

Target Organs - Kidney.
Aspiration Toxicity

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Combustible liquid
Heating may cause a fire
Toxic if inhaled
Harmful if swallowed or in contact with skin
May be fatal if swallowed and enters airways
Causes severe skin burns and eye damage
May cause respiratory irritation
May cause cancer
May damage the unborn child
May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Do not handle until all safety precautions have been read and understood
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
Keep only in original container
Do not breathe dust/fumes/gas/mist/vapours/spray
Obtain special instructions before use
Keep/Store away from clothing/combustible materials
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Use only outdoors or in a well-ventilated area
Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER/doctor
Rinse mouth
Do NOT induce vomiting
Wash contaminated clothing before reuse
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store at temperatures not exceeding 40 °C/ 104 °F. Keep cool
Protect from sunlight
Store away from other materials

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Cumene hydroperoxide	80-15-9	80-85
Isopropylbenzene	98-82-8	7-13
Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	5-8
Acetophenone	98-86-2	0.5-1.5
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	0.46-0.65

4. First-aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Inhalation	If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Risk of serious damage to the lungs (by aspiration). Remove to fresh air. Immediate medical attention is required.
Ingestion	Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
Most important symptoms/effects	Causes burns by all exposure routes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated
Notes to Physician	Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media	Water mist may be used to cool closed containers. CO ₂ , dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	No information available
Flash Point	62 °C / 143 °F
Method -	No information available
Autoignition Temperature	380 °C / 716 °F
Explosion Limits	
Upper	No data available
Lower	No data available
Oxidizing Properties	Oxidizer
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.). Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health
3

Flammability
2

Instability
3

Physical hazards
N/A

6. Accidental release measures**Personal Precautions**

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Remove all sources of ignition.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition.

7. Handling and storage**Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from clothing and other combustible materials. Keep away from open flames, hot surfaces and sources of ignition.

Storage.

Keep refrigerated. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep away from heat, sparks and flame. Do not store near combustible materials. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Reducing Agent. Acids. Bases. Heavy metals. Strong reducing agents. Combustible material.

8. Exposure controls / personal protection**Exposure Guidelines**

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
Isopropylbenzene	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 25 ppm STEL: 75 ppm	TWA: 50 ppm	TWA: 50 ppm TWA: 246 mg/m ³	TWA: 5 ppm	(Vacated) TWA: 50 ppm (Vacated) TWA: 245 mg/m ³ Skin TWA: 50 ppm TWA: 245 mg/m ³	IDLH: 900 ppm REL = 50 ppm (TWA) REL = 245 mg/m ³ (TWA)
Acetophenone	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm TWA: 49 mg/m ³	TWA: 10 ppm		

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles

Hand Protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system.

Hygiene Measures

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties

Physical State	Liquid
Appearance	No information available
Odor	pungent
Odor Threshold	No information available
pH	4-7.5
Melting Point/Range	-30 °C / -22 °F
Boiling Point/Range	No information available
Flash Point	62 °C / 143 °F
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	No information available
Specific Gravity	1.060
Solubility	Miscible with water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	380 °C / 716 °F

Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	C ₉ H ₁₂ O ₂
Molecular Weight	152.19
Self-Accelerating Decomposition Temperature (SADT)	75°C

10. Stability and reactivity

Reactive Hazard	Yes
Stability	Organic peroxide. Hazardous decomposition may occur. Oxidizer: Contact with combustible/organic material may cause fire.
Conditions to Avoid	Temperatures above 40 °C / 104 °F. Excess heat. Do not freeze. Combustible material. Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
Incompatible Materials	Strong oxidizing agents, Reducing Agent, Acids, Bases, Heavy metals, Strong reducing agents, Combustible material
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO ₂)
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50

Category 4. ATE = 300 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Category 4. ATE = 1000 - 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Category 3. ATE = 200 - 1000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cumene hydroperoxide	LD50 = 382 mg/kg (Rat)	LD50 = 0.126 mL/kg (Rabbit)	LC50 = 220 ppm (Rat) 4 h
Isopropylbenzene	1400 mg/kg (Rat) 2700 mg/kg (Rat)	LD50 = 12300 µL/kg (Rabbit)	LC50 > 3577 ppm (Rat) 6 h
Benzenemethanol, .alpha.,.alpha.-dimethyl- Acetophenone	LD50 = 1300 mg/kg (Rat)	LD50 = 1 mL/kg (Rabbit)	Not listed
Peroxide, bis(1-methyl-1-phenylethyl)	900 mg/kg (Rat) 815 mg/kg (Rat)	3300 mg/kg (Rat)	LC50 > 2.130 mg/L (Rat) 8 h
	LD50 = 4100 mg/kg (Rat)	LD50 > 2000 mg/kg (Rat)	Not listed

Toxicologically Synergistic Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Cumene hydroperoxide	80-15-9	Not listed	Not listed	Not listed	Not listed	Not listed
Isopropylbenzene	98-82-8	Group 2B	Reasonably Anticipated	A3	X	Not listed

Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	Not listed	Not listed	Not listed	Not listed	Not listed
Acetophenone	98-86-2	Not listed	Not listed	Not listed	Not listed	Not listed
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	Not listed	Not listed	Not listed	Not listed	Not listed

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

NTP: (National Toxicity Program)

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system

STOT - repeated exposure Kidney

Aspiration hazard No information available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Endocrine Disruptor Information No information available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cumene hydroperoxide	Not listed	LC50: = 3.9 mg/L, 96h static (Oncorhynchus mykiss)	Not listed	Not listed
Isopropylbenzene	EC50: = 2.6 mg/L, 72h (Pseudokirchneriella subcapitata)	LC50: = 5.1 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 2.7 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 6.04 - 6.61 mg/L, 96h flow-through (Pimephales promelas) LC50: = 4.8 mg/L, 96h flow-through (Oncorhynchus mykiss)	EC50 = 0.89 mg/L 5 min EC50 = 1.10 mg/L 15 min EC50 = 1.48 mg/L 30 min EC50 = 172 mg/L 24 h	EC50: = 0.6 mg/L, 48h (Daphnia magna) EC50: 7.9 - 14.1 mg/L, 48h Static (Daphnia magna)
Acetophenone	Not listed	Brachydanio rerio: LC50 =	EC50 = 15.5 mg/L 15 min	EC50 = 162 mg/L 48h

Peroxide, bis(1-methyl-1-phenylethyl)	Not listed	155 mg/L 96h LC50: = 15.6 mg/L, 96h (Pimephales promelas) LC50: 80.51 - 146.07 mg/L, 96h semi-static (Poecilia reticulata)	Not listed	Not listed
---------------------------------------	------------	--	------------	------------

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Cumene hydroperoxide	1.6
Isopropylbenzene	3.55
Acetophenone	1.63 - 1.65
Peroxide, bis(1-methyl-1-phenylethyl)	5.6

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Cumene hydroperoxide - 80-15-9	U096	-
Isopropylbenzene - 98-82-8	U055	-
Acetophenone - 98-86-2	U004	-

14. Transport information

DOT

UN-No UN3109
 Proper Shipping Name ORGANIC PEROXIDE TYPE F, LIQUID
 Technical Name Cumene hydroperoxide, Isopropylbenzene
 Hazard Class 5.2

TDG

UN-No UN3109
 Proper Shipping Name ORGANIC PEROXIDE TYPE F, LIQUID
 Hazard Class 5.2
 Packing Group II

IATA

UN-No UN3109
 Proper Shipping Name ORGANIC PEROXIDE TYPE F, LIQUID
 Hazard Class 5.2

IMDG/IMO

UN-No UN3109
 Proper Shipping Name ORGANIC PEROXIDE TYPE F, LIQUID
 Hazard Class 5.2

15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS) Taiwan (TCSI) Japan (ISHL) New Zealand (NZIoC) Japan (ISHL)

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Cumene hydroperoxide	80-15-9	X	-	X	ACTIVE	201-254-7	-	-

Isopropylbenzene	98-82-8	X	-	X	ACTIVE	202-704-5	-	-
Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	X	-	X	ACTIVE	210-539-5	-	-
Acetophenone	98-86-2	X	-	X	ACTIVE	202-708-7	-	-
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	X	-	X	ACTIVE	201-279-3	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Cumene hydroperoxide	80-15-9	X	KE-24814	X	X	X	X	X	X
Isopropylbenzene	98-82-8	X	KE-23957	X	X	X	X	X	X
Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	X	KE-11212	X	X	X	X	X	X
Acetophenone	98-86-2	X	KE-28355	X	X	X	X	X	X
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	X	KE-03299	X	X	X	X	X	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Cumene hydroperoxide	Part 1, Group A Substance Part 4 Substance		
Isopropylbenzene	Part 1, Group A Substance Part 4 Substance		
Acetophenone	Part 1, Group A Substance Part 4 Substance		

Legend

NPRI - National Pollutant Release Inventory

Other International Regulations**Authorisation/Restrictions according to EU REACH**

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cumene hydroperoxide	-	Use restricted. See entry 75. (see link for restriction details)	-
Isopropylbenzene	-	Use restricted. See entry 28. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Acetophenone	-	Use restricted. See entry 75. (see link for restriction details)	-
Peroxide, bis(1-methyl-1-phenylethyl)	-	Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 30. (see link for restriction details)	SVHC candidate list - 201-279-3 - Toxic for reproduction, Article 57c

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/candidate-list-table>

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cumene hydroperoxide	80-15-9	Listed	Not applicable	Not applicable	Not applicable
Isopropylbenzene	98-82-8	Listed	Not applicable	Not applicable	Not applicable
Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	Not applicable	Not applicable	Not applicable	Not applicable
Acetophenone	98-86-2	Listed	Not applicable	Not applicable	Not applicable
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Cumene hydroperoxide	80-15-9	Not applicable	Not applicable	Not applicable	Not applicable
Isopropylbenzene	98-82-8	Not applicable	Not applicable	Not applicable	Not applicable
Benzenemethanol, .alpha.,.alpha.-dimethyl-	617-94-7	Not applicable	Not applicable	Not applicable	Not applicable
Acetophenone	98-86-2	Not applicable	Not applicable	Not applicable	Not applicable
Peroxide, bis(1-methyl-1-phenylethyl)	80-43-3	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By

Regulatory Affairs
Thermo Fisher Scientific
Email: EMSDS.RA@thermofisher.com

Creation Date

02-February-2010

Revision Date

29-October-2024

Print Date

29-October-2024

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align with the Globally Harmonised System (GHS) for the Classification and Labelling of Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS