



SAFETY DATA SHEET

Revision Date 26-Nov-2023

WAI1 - AGHS - OSHA

Revision Number 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name Ammonia pH - Adjusting ISA

Product No 951210

Pure substance/mixture Mixture

Contains Sodium Hydroxide , Methanol

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier Thermo Fisher Scientific©
Water and Lab Products
22 Alpha Road
Chelmsford, MA 01824, USA
1-978-232-6000

Emergency Telephone 24 Hour Emergency Phone Number
CHEMTREC®
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: 1-703-527-3887
(collect calls accepted)

E-mail address wlp.techsupport@thermofisher.com

Made in USA

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 1

Label Elements

Contains Sodium Hydroxide , Methanol

Emergency Overview

Danger

Hazard Statements

Harmful if swallowed
Causes severe skin burns and eye damage
Causes damage to organs



Appearance Dark blue

Physical State Liquid

Odor weak odor from raw material of alcohol

Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Do not breathe dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection

Response

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
Rinse mouth
Do NOT induce vomiting

Storage

None

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	60 - 70%
Sodium Hydroxide	1310-73-2	10 - 20%
Methanol	67-56-1	1 - 10%
Thymolphthalein	125-20-2	0.1 - 1.0%

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

Inhalation

If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.

Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

Self-Protection of the First Aider

Use personal protective equipment as required. See section 8 for more information. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms and effects Causes burns by all exposure routes

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological Information. Vapors may accumulate to form explosive concentrations.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Wear personal protective equipment/face protection
Do not get in eyes, on skin, or on clothing
Use only under a chemical fume hood
Do not breathe mist/vapors/spray
Do not ingest. If swallowed then seek immediate medical assistance

Conditions for Safe Storage, Including any Incompatibilities

Storage Corrosives area
Keep containers tightly closed in a dry, cool and well-ventilated place

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Sodium Hydroxide 1310-73-2	Ceiling: 2 mg/m ³	(Vacated) Ceiling: 2 mg/m ³ TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Methanol 67-56-1	TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m ³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m ³ Skin TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Legend

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value

OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits

NIOSH - National Institute for Occupational Safety and Health IDLH - Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location

Individual protection measures, such as personal protective equipment

Eye/face Protection Wear chemical splash goggles and face shield. If splashes are likely to occur: Face protection shield.

Skin and Body Protection Wear protective gloves/protective clothing.

Respiratory Protection None under normal use conditions. In case of inadequate ventilation wear respiratory protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid
Appearance	Dark blue
Odor	weak odor from raw material of alcohol
Odor Threshold	No information available
pH	12.75
PH Range	11.5 - 14.0

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point/freezing point	No information available	
Boiling Point/Range	~ 100 °C / 212 °F	
Flash Point (High in °C)	N/A	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor Density	1.1 (Methanol)	

Specific Gravity	No information available
Water Solubility	Soluble
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition Temperature	-
Decomposition Temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content(%)	No information available
Density	No Information available
Bulk Density	No information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	No information available
Eye Contact	Causes serious eye damage
Skin Contact	Causes burns
Ingestion	No information available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water 7732-18-5	LD50 > 90 mL/kg (Rat)	-	-
Sodium Hydroxide 1310-73-2	LD50 = 325 mg/kg (Rat)	LD50 = 1350 mg/kg (Rabbit)	-
Methanol 67-56-1	LD50 = 6200 mg/kg (Rat)	LD50 = 15840 mg/kg (Rabbit)	LC50 = 22500 ppm (Rat) 8 h

Information on Toxicological Effects

Symptoms Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Delayed and immediate effects as well as chronic effects from short and long-term exposure

(b) skin corrosion/irritation; Category 1.
Serious eye damage/eye irritation Risk of serious damage to eyes.
Sensitization No information available

Mutagenic Effects No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed
Sodium Hydroxide	1310-73-2	Not listed	Not listed	Not listed	Not listed
Methanol	67-56-1	Not listed	Not listed	Not listed	Not listed
Thymolphthalein	125-20-2	Not listed	Not listed	Not listed	Not listed

Reproductive Effects No information available

STOT - single exposure Causes damage to organs if swallowed

STOT - repeated exposure No information available
Target Organs None known.

Aspiration hazard No information available

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 619 mg/kg
ATEmix (dermal) 2077 mg/kg
ATEmix (inhalation-dust/mist) 5 mg/L
ATEmix (inhalation-vapor) 417 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

1% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Freshwater Algae	Freshwater Fish	Water Flea
Sodium Hydroxide 1310-73-2	-	LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)	-
Methanol 67-56-1	-	LC50: 13500 - 17600 mg/L, 96h flow-through (Lepomis macrochirus) LC50: 18 - 20 mL/L, 96h static (Oncorhynchus mykiss) LC50: 19500 - 20700 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: > 100 mg/L, 96h static (Pimephales promelas) LC50: = 28200 mg/L, 96h flow-through (Pimephales promelas)	-

Persistence and Degradability

Bioaccumulation/ Accumulation

No information available

Mobility

Will likely be mobile in the environment due to its water solubility

Component	log Pow
Methanol 67-56-1	-0.77
Thymolphthalein 125-20-2	3.682

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Component	CAWAST
Sodium Hydroxide 1310-73-2	Toxic Corrosive
Methanol 67-56-1	Toxic Ignitable

14. TRANSPORT INFORMATION

DOT

UN-No UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group II
Reportable Quantity (RQ): (Methanol: RQ (kg)= 2270.00, Sodium Hydroxide : RQ (kg)= 454.00)
Special Provisions B2, IB2, N34, T7, TP2
Shipping Description UN1824, SODIUM HYDROXIDE SOLUTION, 8, II
Emergency Response Guide Number 154

ICAO

UN-No UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group II
Special Provisions A3
Description UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IATA

UN-No UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group II
ERG Code 8L

Special Provisions A3, A803
Description UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

IMDG/IMO

UN-No UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group II
EmS No. F-A, S-B
Marine Pollutant yes
Description UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

15. REGULATORY INFORMATION

International Inventories

United States of America Inventory Complies
CANINV Complies
EINECS/ELINCS Complies
ENCS Does not Comply
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
CANINV/ DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	Weight %	SARA 313 - Threshold Values %
Methanol - 67-56-1	9-12	1.0 %

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355)

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
-----------	--------------------------	---	-------------------------------

Sodium Hydroxide 1310-73-2	1000 lb	-	1000 lb 454 kg
Methanol 67-56-1	5000 lb	-	5000 lb 2270 kg

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals



WARNING This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Component	California Prop. 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Component	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Sodium Hydroxide 1310-73-2	X	X	X
Methanol 67-56-1	X	X	X

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By	Regulatory Affairs
Prepared For	Thermo Fisher Scientific Inc.©
Issue Date	No information available
Revision Date	26-Nov-2023
Reason for revision	SDS sections updated.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet