

## SAFETY DATA SHEET

Creation Date 19-May-2009

Revision Date 26-March-2024

Revision Number 5

### 1. Identification

**Product Name** Chlorotrimethylsilane

**Cat No. :** L00364

**CAS-No** 75-77-4

**Synonyms** CSI; Trimethylchlorosilane; Trimethylsilyl chloride

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

##### Company

##### **Importer/Distributor**

Fisher Scientific  
112 Colonnade Road,  
Ottawa, ON K2E 7L6,  
Canada  
Tel: 1-800-234-7437

##### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99

**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

#### Classification

##### **WHMIS 2015 Classification**

Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

|                                                  |              |
|--------------------------------------------------|--------------|
| <b>Flammable liquids</b>                         | Category 2   |
| <b>Acute oral toxicity</b>                       | Category 3   |
| <b>Acute dermal toxicity</b>                     | Category 4   |
| <b>Acute Inhalation Toxicity</b>                 | Category 4   |
| <b>Skin Corrosion/Irritation</b>                 | Category 1 A |
| <b>Serious Eye Damage/Eye Irritation</b>         | Category 1   |
| <b>Physical Hazards Not Otherwise Classified</b> | Category 1   |
| Reacts violently with water                      |              |
| <b>Health Hazards Not Otherwise Classified</b>   | Category 1   |
| Corrosive to the respiratory tract               |              |

#### Label Elements

##### **Signal Word**

Danger

**Hazard Statements**

Highly flammable liquid and vapor  
Toxic if swallowed  
Harmful in contact with skin or if inhaled  
Causes severe skin burns and eye damage  
Reacts violently with water  
Corrosive to the respiratory tract

**Precautionary Statements****Prevention**

Wear respiratory protection  
Do not allow contact with water  
Keep container tightly closed  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Do not breathe dust/fumes/gas/mist/vapours/spray  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Use only outdoors or in a well-ventilated area  
Wear protective gloves/protective clothing/eye protection/face protection  
Use non-sparking tools  
Take action to prevent static discharges

**Response**

IF INHALED: Remove person to fresh air and keep comfortable for breathing  
Immediately call a POISON CENTER/doctor  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Rinse mouth  
Do NOT induce vomiting  
Wash contaminated clothing before reuse  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

**Storage**

Store locked up  
Store in a well-ventilated place. Keep container tightly closed

**Disposal**

Dispose of contents/container to an approved waste disposal plant

### 3. Composition/Information on Ingredients

| Component             | CAS-No  | Weight % |
|-----------------------|---------|----------|
| Trimethylchlorosilane | 75-77-4 | <=100    |

### 4. First-aid measures

|                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                  | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                             |
| <b>Eye Contact</b>                     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.                                                                                                                                                                                                                                                    |
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                                                                                                                                   |
| <b>Inhalation</b>                      | If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required.                                                                                                                |
| <b>Ingestion</b>                       | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                                                                                                                                |
| <b>Most important symptoms/effects</b> | Causes burns by all exposure routes. Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                                                                                                                                                                                                                                                                                                                         |

## 5. Fire-fighting measures

|                                         |                                                                                                                     |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers. |
| <b>Unsuitable Extinguishing Media</b>   | DO NOT USE WATER                                                                                                    |
| <b>Flash Point</b>                      | -28 °C / -18.4 °F                                                                                                   |
| <b>Method -</b>                         | No information available                                                                                            |
| <b>Autoignition Temperature</b>         | 395 °C / 743 °F                                                                                                     |
| <b>Explosion Limits</b>                 |                                                                                                                     |
| <b>Upper</b>                            | 46 vol %                                                                                                            |
| <b>Lower</b>                            | 1.2 vol %                                                                                                           |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                            |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                            |

### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

### Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Silicon dioxide. Formaldehyde. Hydrogen chloride gas.

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
2

**Physical hazards**  
W

## 6. Accidental release measures

|                                             |                                                                                                                                                                                                                                                      |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. |
| <b>Environmental Precautions</b>            | Should not be released into the environment. See Section 12 for additional Ecological Information.                                                                                                                                                   |
| <b>Methods for Containment and Clean Up</b> | Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.                                          |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Handle under an inert atmosphere. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges. |
| <b>Storage.</b> | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Keep away from water or moist air. Store under an inert atmosphere. Flammables area. Corrosives area. Protect from moisture. Incompatible Materials. Water. Strong oxidizing agents. Strong acids. Strong bases. Alcohols. Amines. Aldehydes.                                                                                                                                                                                                                        |

## 8. Exposure controls / personal protection

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b><u>Exposure Guidelines</u></b>  | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b><u>Engineering Measures</u></b> | Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.<br>Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source |

### **Personal protective equipment**

|                        |                                                                           |
|------------------------|---------------------------------------------------------------------------|
| <b>Eye Protection</b>  | Goggles                                                                   |
| <b>Hand Protection</b> | Wear appropriate protective gloves and clothing to prevent skin exposure. |

| Glove material              | Breakthrough time                 | Glove thickness | Glove comments         |
|-----------------------------|-----------------------------------|-----------------|------------------------|
| Nitrile rubber<br>Viton (R) | See manufacturers recommendations | -               | Splash protection only |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly  
**Recommended Filter type:** low boiling organic solvent Type AX Brown conforming to EN371

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 9. Physical and chemical properties

|                                        |                             |
|----------------------------------------|-----------------------------|
| Physical State                         | Liquid                      |
| Appearance                             | Colorless                   |
| Odor                                   | Characteristic              |
| Odor Threshold                         | No information available    |
| pH                                     | No information available    |
| Melting Point/Range                    | -58 °C / -72.4 °F           |
| Boiling Point/Range                    | 57 °C / 134.6 °F @ 760 mmHg |
| Flash Point                            | -28 °C / -18.4 °F           |
| Evaporation Rate                       | No information available    |
| Flammability (solid,gas)               | Not applicable              |
| Flammability or explosive limits       |                             |
| Upper                                  | 46 vol %                    |
| Lower                                  | 1.2 vol %                   |
| Vapor Pressure                         | 253 mbar @ 20 °C            |
| Vapor Density                          | 3.75 (Air = 1.0)            |
| Specific Gravity                       | 0.850                       |
| Solubility                             | Reacts with water           |
| Partition coefficient; n-octanol/water | No data available           |
| Autoignition Temperature               | 395 °C / 743 °F             |
| Decomposition Temperature              | No information available    |
| Viscosity                              | 0.34 mPa.s @ 25 °C          |
| Molecular Formula                      | C3 H9 Cl Si                 |
| Molecular Weight                       | 108.64                      |

### 10. Stability and reactivity

|                                  |                                                                                                                                                             |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reactive Hazard                  | Yes                                                                                                                                                         |
| Stability                        | Moisture sensitive.                                                                                                                                         |
| Conditions to Avoid              | Keep away from open flames, hot surfaces and sources of ignition. Incompatible products. Excess heat. Exposure to moist air or water. Exposure to moisture. |
| Incompatible Materials           | Water, Strong oxidizing agents, Strong acids, Strong bases, Alcohols, Amines, Aldehydes                                                                     |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Silicon dioxide, Formaldehyde, Hydrogen chloride gas                                               |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                                                                                    |
| Hazardous Reactions              | None under normal processing. Reacts violently with water.                                                                                                  |

### 11. Toxicological information

#### **Acute Toxicity**

**Product Information****Component Information**

| Component             | LD50 Oral             | LD50 Dermal                  | LC50 Inhalation              |
|-----------------------|-----------------------|------------------------------|------------------------------|
| Trimethylchlorosilane | 100-300 mg/kg ( Rat ) | LD50 = 1500 mg/kg ( Rabbit ) | LC50 = 12.9 mg/L ( Rat ) 1 h |

**Toxicologically Synergistic Products** No information available

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Irritation** Causes severe burns by all exposure routes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component             | CAS-No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|-----------------------|---------|------------|------------|------------|------------|------------|
| Trimethylchlorosilane | 75-77-4 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure** None known

**STOT - repeated exposure** None known

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity**

This product contains the following substance(s) which are hazardous for the environment. Reacts with water so no ecotoxicity data for the substance is available.

| Component             | Freshwater Algae | Freshwater Fish                 | Microtox   | Water Flea |
|-----------------------|------------------|---------------------------------|------------|------------|
| Trimethylchlorosilane | Not listed       | LC0 >=1000 mg/L Danio rerio 96h | Not listed | Not listed |

**Persistence and Degradability** Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

| Component             | log Pow |
|-----------------------|---------|
| Trimethylchlorosilane | 3       |

## 13. Disposal considerations

**Waste Disposal Methods** Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

### DOT

UN-No UN1298  
 Proper Shipping Name TRIMETHYLCHLOROSILANE  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group II

### TDG

UN-No UN1298  
 Proper Shipping Name TRIMETHYLCHLOROSILANE  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group II

### IATA

UN-No UN1298  
 Proper Shipping Name TRIMETHYLCHLOROSILANE  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group II

### IMDG/IMO

UN-No UN1298  
 Proper Shipping Name TRIMETHYLCHLOROSILANE  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group II

## 15. Regulatory information

### International Inventories

| Component             | CAS-No  | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS    | ELINCS | NLP |
|-----------------------|---------|-----|------|------|-----------------------------------------------|-----------|--------|-----|
| Trimethylchlorosilane | 75-77-4 | X   | -    | X    | ACTIVE                                        | 200-900-5 | -      | -   |

| Component             | CAS-No  | IECSC | KECL     | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|-----------------------|---------|-------|----------|------|------|------|------|-------|-------|
| Trimethylchlorosilane | 75-77-4 | X     | KE-05939 | X    | X    | X    | X    | X     | X     |

### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

## Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component             | CAS-No  | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------------------|---------|----------|------------------------------|---------------------------|--------------------------------------------|
| Trimethylchlorosilane | 75-77-4 | Listed   | Not applicable               | Not applicable            | Not applicable                             |

| Component             | CAS-No  | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------------------|---------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------|------------------------------------|
| Trimethylchlorosilane | 75-77-4 | Not applicable                                                                            | Not applicable                                                                           | Not applicable             | Not applicable                     |

**16. Other information**

**Prepared By** Product Safety Department  
Email: chem.techinfo@thermofisher.com  
www.thermofisher.com

**Creation Date** 19-May-2009  
**Revision Date** 26-March-2024  
**Print Date** 26-March-2024  
**Revision Summary** New emergency telephone response service provider.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**