

## SAFETY DATA SHEET

Creation Date 06-Aug-2014

Revision Date 06-Aug-2014

Revision Number 1

### 1. Identification

**Product Name** Protocol Decolorizer (1:1)  
**Cat No. :** 23-265-691, 23-278-651, 23-291-475  
**Synonyms** Decolorizing solution (1:1)  
**Recommended Use** Laboratory chemicals.  
**Uses advised against** No Information available  
**Details of the supplier of the safety data sheet**

|                                                                                                                                                           |                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Company</b><br>Richard Allan Scientific<br>A Subsidiary of Thermo Fisher Scientific<br>4481 Campus Drive<br>Kalamazoo, MI 49008<br>Tel: (800) 522-7270 | <b>Emergency Telephone Number</b><br>Chemtrec US: (800) 424-9300<br>Chemtrec EU: 001 (202) 483-7616 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|

### 2. Hazard(s) identification

#### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                                      |             |
|------------------------------------------------------|-------------|
| Flammable liquids                                    | Category 2  |
| Serious Eye Damage/Eye Irritation                    | Category 2  |
| Carcinogenicity                                      | Category 1A |
| Specific target organ toxicity (single exposure)     | Category 1  |
| Target Organs - Central nervous system (CNS).        |             |
| Specific target organ toxicity - (repeated exposure) | Category 2  |
| Target Organs - Kidney, Liver.                       |             |

#### **Label Elements**

##### **Signal Word**

Danger

##### **Hazard Statements**

Highly flammable liquid and vapor  
Causes serious eye irritation  
May cause drowsiness or dizziness  
May cause cancer  
Causes damage to organs  
May cause damage to organs through prolonged or repeated exposure



### Precautionary Statements

#### Prevention

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Wash face, hands and any exposed skin thoroughly after handling  
 Wear eye/face protection  
 Do not breathe dust/fume/gas/mist/vapors/spray  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 Keep container tightly closed  
 Ground/bond container and receiving equipment  
 Use explosion-proof electrical/ventilating/lighting/equipment  
 Use only non-sparking tools  
 Take precautionary measures against static discharge  
 Keep cool

#### Response

IF exposed: Call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
 Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If eye irritation persists: Get medical advice/attention

#### Fire

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction

#### Storage

Store locked up  
 Store in a well-ventilated place. Keep container tightly closed

#### Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

#### Other hazards

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

#### Unknown Acute Toxicity

.? % of the mixture consists of ingredients of unknown toxicity.

### 3. Composition / information on ingredients

| Component      | CAS-No  | Weight % |
|----------------|---------|----------|
| Acetone        | 67-64-1 | 45-50    |
| Ethyl alcohol  | 64-17-5 | 45-50    |
| Methyl alcohol | 67-56-1 | 1-5      |

### 4. First-aid measures

|                                        |                                                                                                                                                                                                                                            |
|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye Contact</b>                     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.                                                                                                                         |
| <b>Skin Contact</b>                    | Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.                                                                                                                                               |
| <b>Inhalation</b>                      | Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device. Obtain medical attention. |
| <b>Ingestion</b>                       | Do not induce vomiting. Call a physician or Poison Control Center immediately.                                                                                                                                                             |
| <b>Most important symptoms/effects</b> | Breathing difficulties. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting                                                                                                |
| <b>Notes to Physician</b>              | Treat symptomatically                                                                                                                                                                                                                      |

## 5. Fire-fighting measures

|                                         |                                                                                                                |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Suitable Extinguishing Media</b>     | CO <sub>2</sub> , dry chemical, dry sand, alcohol-resistant foam. Use water spray to cool unopened containers. |
| <b>Unsuitable Extinguishing Media</b>   | Water may be ineffective                                                                                       |
| <b>Flash Point</b>                      | 12 °C / 53.6 °F                                                                                                |
| <b>Method -</b>                         | No information available                                                                                       |
| <b>Autoignition Temperature</b>         | No information available                                                                                       |
| <b>Explosion Limits</b>                 |                                                                                                                |
| <b>Upper</b>                            | No data available                                                                                              |
| <b>Lower</b>                            | No data available                                                                                              |
| <b>Sensitivity to Mechanical Impact</b> | No information available                                                                                       |
| <b>Sensitivity to Static Discharge</b>  | No information available                                                                                       |

### Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

### Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) Thermal decomposition can lead to release of irritating gases and vapors

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

### NFPA

**Health**  
3

**Flammability**  
3

**Instability**  
0

**Physical hazards**  
N/A

## 6. Accidental release measures

|                                             |                                                                                                                                                                                 |
|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal Precautions</b>                 | Use personal protective equipment. Remove all sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.          |
| <b>Environmental Precautions</b>            | Should not be released into the environment. See Section 12 for additional ecological information.                                                                              |
| <b>Methods for Containment and Clean Up</b> | Remove all sources of ignition. Soak up with inert absorbent material. Take precautionary measures against static discharges. Keep in suitable, closed containers for disposal. |

## 7. Handling and storage

|                 |                                                                                                                                                                                                                                                                                     |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Handling</b> | Use only under a chemical fume hood. Wear personal protective equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

## 8. Exposure controls / personal protection

**Exposure Guidelines**

| Component      | ACGIH TLV                             | OSHA PEL                                                                                                                                                                                 | NIOSH IDLH                                                                                                   |
|----------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| Acetone        | TWA: 500 ppm<br>STEL: 750 ppm         | (Vacated) TWA: 750 ppm<br>(Vacated) TWA: 1800 mg/m <sup>3</sup><br>(Vacated) STEL: 2400 mg/m <sup>3</sup><br>(Vacated) STEL: 1000 ppm<br>TWA: 1000 ppm<br>TWA: 2400 mg/m <sup>3</sup>    | IDLH: 2500 ppm<br>TWA: 250 ppm<br>TWA: 590 mg/m <sup>3</sup>                                                 |
| Ethyl alcohol  | STEL: 1000 ppm                        | (Vacated) TWA: 1000 ppm<br>(Vacated) TWA: 1900 mg/m <sup>3</sup><br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>                                                                         | IDLH: 3300 ppm<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>                                               |
| Methyl alcohol | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin | (Vacated) TWA: 200 ppm<br>(Vacated) TWA: 260 mg/m <sup>3</sup><br>(Vacated) STEL: 250 ppm<br>(Vacated) STEL: 325 mg/m <sup>3</sup><br>Skin<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup> | IDLH: 6000 ppm<br>TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 325 mg/m <sup>3</sup> |

| Component      | Quebec                                                                                             | Mexico OEL (TWA)                                                                               | Ontario TWAEV                         |
|----------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|---------------------------------------|
| Acetone        | TWA: 500 ppm<br>TWA: 1190 mg/m <sup>3</sup><br>STEL: 1000 ppm<br>STEL: 2380 mg/m <sup>3</sup>      | TWA: 1000 ppm<br>TWA: 2400 mg/m <sup>3</sup><br>STEL: 1260 ppm<br>STEL: 3000 mg/m <sup>3</sup> | TWA: 500 ppm<br>STEL: 750 ppm         |
| Ethyl alcohol  | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup>                                                       | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>                                                   | STEL: 1000 ppm                        |
| Methyl alcohol | TWA: 200 ppm<br>TWA: 262 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 328 mg/m <sup>3</sup><br>Skin | TWA: 200 ppm<br>TWA: 260 mg/m <sup>3</sup><br>STEL: 250 ppm<br>STEL: 310 mg/m <sup>3</sup>     | TWA: 200 ppm<br>STEL: 250 ppm<br>Skin |

**Legend**

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

**Engineering Measures**

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal Protective Equipment****Eye/face Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection**

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|                                        |                               |
|----------------------------------------|-------------------------------|
| Physical State                         | Liquid                        |
| Appearance                             | Clear                         |
| Odor                                   | Alcohol-like                  |
| Odor Threshold                         | No information available      |
| pH                                     | No information available      |
| Melting Point/Range                    | No data available             |
| Boiling Point/Range                    | 56.1 - 82 °C / 133 - 179.6 °F |
| Flash Point                            | 12 °C / 53.6 °F               |
| Evaporation Rate                       | No information available      |
| Flammability (solid,gas)               | No information available      |
| Flammability or explosive limits       |                               |
| Upper                                  | No data available             |
| Lower                                  | No data available             |
| Vapor Pressure                         | No information available      |
| Vapor Density                          | No information available      |
| Relative Density                       | No information available      |
| Solubility                             | Soluble in water              |
| Partition coefficient; n-octanol/water | No data available             |
| Autoignition Temperature               | No information available      |
| Decomposition Temperature              | No information available      |
| Viscosity                              | No information available      |

## 10. Stability and reactivity

|                                  |                                                                                                                                   |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Reactive Hazard                  | None known, based on information available                                                                                        |
| Stability                        | Stable under normal conditions.                                                                                                   |
| Conditions to Avoid              | Incompatible products. Heat, flames and sparks.                                                                                   |
| Incompatible Materials           | Strong oxidizing agents, Strong acids, Metals, Acid anhydrides, Acid chlorides, Peroxides                                         |
| Hazardous Decomposition Products | Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ), Thermal decomposition can lead to release of irritating gases and vapors |
| Hazardous Polymerization         | Hazardous polymerization does not occur.                                                                                          |
| Hazardous Reactions              | None under normal processing.                                                                                                     |

## 11. Toxicological information

### Acute Toxicity

|                       |                                                                               |
|-----------------------|-------------------------------------------------------------------------------|
| Product Information   | No acute toxicity information is available for this product                   |
| Oral LD50             | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. |
| Dermal LD50           | Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. |
| Vapor LC50            | Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.    |
| Component Information |                                                                               |

| Component      | LD50 Oral          | LD50 Dermal                                  | LC50 Inhalation                                |
|----------------|--------------------|----------------------------------------------|------------------------------------------------|
| Acetone        | 5800 mg/kg ( Rat ) | > 15800 mg/kg (rabbit)<br>> 7400 mg/kg (rat) | 76 mg/l, 4 h, (rat)                            |
| Ethyl alcohol  | 7060 mg/kg ( Rat ) | Not listed                                   | 20000 ppm/10H ( Rat )                          |
| Methyl alcohol | 6200 mg/kg ( Rat ) | 15800 mg/kg ( Rabbit )                       | 64000 ppm ( Rat ) 4 h<br>83.2 mg/L ( Rat ) 4 h |

|                                      |                          |
|--------------------------------------|--------------------------|
| Toxicologically Synergistic Products | No information available |
|--------------------------------------|--------------------------|

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|            |                             |
|------------|-----------------------------|
| Irritation | Irritating to eyes and skin |
|------------|-----------------------------|

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component      | CAS-No  | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|----------------|---------|------------|------------|------------|------------|------------|
| Acetone        | 67-64-1 | Not listed | Not listed | Not listed | Not listed | Not listed |
| Ethyl alcohol  | 64-17-5 | Group 1    | Not listed | A3         | X          | Not listed |
| Methyl alcohol | 67-56-1 | Not listed | Not listed | Not listed | Not listed | Not listed |

**Mutagenic Effects** No information available

**Reproductive Effects** Adverse reproductive effects have occurred in humans.

**Developmental Effects** Substances known to cause developmental toxicity in humans.

**Teratogenicity** Teratogenic effects have occurred in humans.

**STOT - single exposure** Central nervous system (CNS)

**STOT - repeated exposure** Kidney Liver

**Aspiration hazard** No information available

**Symptoms / effects, both acute and delayed** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** Tumorigenic effects have been reported in experimental animals. See actual entry in RTECS for complete information.

## 12. Ecological information

### Ecotoxicity

Do not empty into drains.

| Component      | Freshwater Algae                           | Freshwater Fish                                                                                                                                                         | Microtox                                                                                                    | Water Flea                                                             |
|----------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Acetone        | NOEC = 430 mg/l (algae; 96 h)              | Oncorhynchus mykiss: LC50 = 5540 mg/l 96h<br>Alburnus alburnus: LC50 = 11000 mg/l 96h<br>Leuciscus idus: LC50 = 11300 mg/l 48h<br>Salmo gairdneri: LC50 = 6100 mg/l 24h | EC50 = 14500 mg/L/15 min                                                                                    | EC50 = 8800 mg/L/48h<br>EC50 = 12700 mg/L/48h<br>EC50 = 12600 mg/L/48h |
| Ethyl alcohol  | EC50 (72h) = 275 mg/l (Chlorella vulgaris) | Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h                                                                                                              | Photobacterium phosphoreum: EC50 = 34634 mg/L/30 min<br>Photobacterium phosphoreum: EC50 = 35470 mg/L/5 min | EC50 = 9268 mg/L/48h<br>EC50 = 10800 mg/L/24h                          |
| Methyl alcohol | Not listed                                 | Pimephales promelas: LC50 > 10000 mg/L 96h                                                                                                                              | EC50 = 39000 mg/L 25 min<br>EC50 = 40000 mg/L 15 min<br>EC50 = 43000 mg/L 5 min                             | EC50 > 10000 mg/L 24h                                                  |

**Persistence and Degradability** No information available

**Bioaccumulation/ Accumulation** No information available.

### Mobility

| Component      | log Pow |
|----------------|---------|
| Acetone        | -0.24   |
| Ethyl alcohol  | -0.32   |
| Methyl alcohol | -0.74   |

### 13. Disposal considerations

#### Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component                | RCRA - U Series Wastes | RCRA - P Series Wastes |
|--------------------------|------------------------|------------------------|
| Acetone - 67-64-1        | U002                   | -                      |
| Methyl alcohol - 67-56-1 | U154                   | -                      |

### 14. Transport information

#### DOT

UN-No UN1993  
 Proper Shipping Name FLAMMABLE LIQUID, N.O.S.  
 Proper technical name (Acetone, Ethanol)  
 Hazard Class 3  
 Packing Group II

#### TDG

UN-No UN1993  
 Proper Shipping Name FLAMMABLE LIQUID, N.O.S.  
 Hazard Class 3  
 Packing Group II

#### IATA

UN-No UN1993  
 Proper Shipping Name FLAMMABLE LIQUID, N.O.S.  
 Hazard Class 3  
 Packing Group II

#### IMDG/IMO

UN-No UN1993  
 Proper Shipping Name FLAMMABLE LIQUID, N.O.S.  
 Hazard Class 3  
 Packing Group II

### 15. Regulatory information

#### International Inventories

| Component      | TSCA | DSL | NDSL | EINECS    | ELINCS | NLP | PICCS | ENCS | AICS | IECSC | KECL |
|----------------|------|-----|------|-----------|--------|-----|-------|------|------|-------|------|
| Acetone        | X    | X   | -    | 200-662-2 | -      |     | X     | X    | X    | X     | X    |
| Ethyl alcohol  | X    | X   | -    | 200-578-6 | -      |     | X     | X    | X    | X     | X    |
| Methyl alcohol | X    | X   | -    | 200-659-6 | -      |     | X     | X    | X    | X     | X    |

#### Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B)).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

TSCA 12(b)

SARA 313

| Component      | CAS-No  | Weight % | SARA 313 - Threshold Values % |
|----------------|---------|----------|-------------------------------|
| Methyl alcohol | 67-56-1 | 1-5      | 1.0                           |

**SARA 311/312 Hazardous Categorization**

|                                   |     |
|-----------------------------------|-----|
| Acute Health Hazard               | Yes |
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | Yes |
| Sudden Release of Pressure Hazard | No  |
| Reactive Hazard                   | No  |

**Clean Water Act** Not applicable

**Clean Air Act**

| Component      | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|----------------|-----------|-------------------------|-------------------------|
| Methyl alcohol | X         |                         | -                       |

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component      | Hazardous Substances RQs | CERCLA EHS RQs |
|----------------|--------------------------|----------------|
| Acetone        | 5000 lb                  | -              |
| Methyl alcohol | 5000 lb                  | -              |

**California Proposition 65** This product does not contain any Proposition 65 chemicals

| Component      | CAS-No  | California Prop. 65 | Prop 65 NSRL | Category                 |
|----------------|---------|---------------------|--------------|--------------------------|
| Ethyl alcohol  | 64-17-5 | Developmental       | -            | Developmental Carcinogen |
| Methyl alcohol | 67-56-1 | Developmental       | -            | Developmental            |

**State Right-to-Know**

| Component      | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|----------------|---------------|------------|--------------|----------|--------------|
| Acetone        | X             | X          | X            | -        | X            |
| Ethyl alcohol  | X             | X          | X            | X        | X            |
| Methyl alcohol | X             | X          | X            | X        | X            |

**U.S. Department of Transportation**

Reportable Quantity (RQ): Y

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

**U.S. Department of Homeland Security**

This product contains the following DHS chemicals:

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-----------|-----------------------------------------------|
| Acetone   | 2000 lb STQ                                   |

**Other International Regulations**

**Mexico - Grade** Serious risk, Grade 3

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

**WHMIS Hazard Class** B2 Flammable liquid  
D2A Very toxic materials





## 16. Other information

**Prepared By**

Regulatory Affairs  
Richard Allan Scientific  
A Subsidiary of Thermo Fisher Scientific  
Tel: (800) 522-7270

**Creation Date**

06-Aug-2014

**Revision Date**

06-Aug-2014

**Print Date**

06-Aug-2014

**Revision Summary**

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

**Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**