

Creation Date 28-Oct-2009

Revision Date 16-Mar-2024

Revision Number 5

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Hydrogen peroxide, ACS, 29-32% w/w aqueous solution
Cat No. : 33323
Synonyms Hydrogen Dioxide; Peroxide; Carbamide Peroxide

Unique Formula Identifier (UFI) 5G3U-RMWM-KU11-UKYE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Sector of use	SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites
Product category	PC21 - Laboratory chemicals
Process categories	PROC15 - Use as a laboratory reagent
Environmental release category	ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates)
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

Poison Centre - Emergency information services

Ireland : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Oxidizing liquids

Category 2 (H272)

Health hazards

Acute oral toxicity

Category 4 (H302)

Acute Inhalation Toxicity - Dusts and Mists

Category 4 (H332)

Serious Eye Damage/Eye Irritation

Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer

H302 + H332 - Harmful if swallowed or if inhaled

H318 - Causes serious eye damage

Precautionary Statements

P220 - Keep away from clothing and other combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

2.3. Other hazards

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)

This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	65 - 80	-
Hydrogen peroxide	7722-84-1	231-765-0	20 - 35	Ox. Liq. 1 (H271) Acute Tox. 4 (H302) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Chronic 3 (H412)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Hydrogen peroxide	Ox. Liq. 1 :: C>=70% Ox. Liq. 2 :: 20%<=C<70% Ox. Liq. 3 :: 8%<=C<20% Skin Corr. 1A :: C>=70% Skin Corr. 1B :: 50%<=C<70% Eye Dam. 1 :: >=8%C<50% Eye Irrit. 2 :: 5%<=C<8% Skin Irrit. 2 :: 35%<=C<50% STOT SE 3 :: C>=35% Aquatic Chronic 3 :: C>=63%	-	-

Components	Reach Registration Number
Hydrogen peroxide	01-2119485845-22

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes eye burns.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
--------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray or fog; do not use straight streams.

Extinguishing media which must not be used for safety reasons

Dry chemical. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Corrosive material. Containers may explode when heated. Oxidizer: Contact with combustible/organic material may cause fire. In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating gases and vapors. May ignite combustibles (wood paper, oil, clothing, etc.).

Hazardous Combustion Products

Hydrogen, Oxygen.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.
Do not use steel or aluminum tools or equipment

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. To maintain product quality. Keep refrigerated. Protect from direct sunlight. Do not store in metal containers. Containers should be vented periodically in order to overcome pressure buildup. Do not store near combustible materials.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 5.1B

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

Switzerland - Storage of hazardous substances

Storage class - SC 5

<https://www.kvu.ch/de/themen/stoffe-und-produkte>

<https://www.kvu.ch/fr/themes/substances-et-produits>

<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** -

The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Hydrogen peroxide		STEL: 2 ppm 15 min STEL: 2.8 mg/m ³ 15 min TWA: 1 ppm 8 hr TWA: 1.4 mg/m ³ 8 hr	TWA / VME: 1 ppm (8 heures). TWA / VME: 1.5 mg/m ³ (8 heures).	TWA: 1 ppm 8 uren TWA: 1.4 mg/m ³ 8 uren	TWA / VLA-ED: 1 ppm (8 horas) TWA / VLA-ED: 1.4 mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Hydrogen peroxide		TWA: 0.5 ppm (8 Stunden). AGW - TWA: 0.71 mg/m ³ (8 Stunden). AGW - exposure factor 1 TWA: 0.5 ppm (8 Stunden). MAK TWA: 0.71 mg/m ³ (8 Stunden). MAK Höhepunkt: 0.5 ppm Höhepunkt: 0.71 mg/m ³	TWA: 1 ppm 8 horas		TWA: 1 ppm 8 tunteina TWA: 1.4 mg/m ³ 8 tunteina STEL: 3 ppm 15 minuutteina STEL: 4.2 mg/m ³ 15 minuutteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Hydrogen peroxide	MAK-KZGW: 2 ppm 15 Minuten MAK-KZGW: 2.8 mg/m ³ 15 Minuten MAK-TMW: 1 ppm 8 Stunden MAK-TMW: 1.4 mg/m ³ 8 Stunden	TWA: 1 ppm 8 timer TWA: 1.4 mg/m ³ 8 timer STEL: 2 ppm 15 minutter STEL: 2.8 mg/m ³ 15 minutter	STEL: 2 ppm 15 Minuten STEL: 2.8 mg/m ³ 15 Minuten TWA: 1 ppm 8 Stunden TWA: 1.4 mg/m ³ 8 Stunden	STEL: 0.8 mg/m ³ 15 minutach TWA: 0.4 mg/m ³ 8 godzinach	TWA: 1 ppm 8 timer TWA: 1.4 mg/m ³ 8 timer STEL: 3 ppm 15 minutter. value calculated STEL: 2.8 mg/m ³ 15 minutter. value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Hydrogen peroxide	TWA: 1.5 mg/m ³	TWA-GVI: 1 ppm 8 satima. TWA-GVI: 1.4 mg/m ³ 8 satima. STEL-KGVI: 2 ppm 15 minutama. STEL-KGVI: 2.8 mg/m ³ 15 minutama.	TWA: 1 ppm 8 hr. TWA: 1.5 mg/m ³ 8 hr. STEL: 3 mg/m ³ 15 min STEL: 2 ppm 15 min		TWA: 1 mg/m ³ 8 hodinách. Ceiling: 2 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Hydrogen peroxide	TWA: 1 ppm 8 tundides. TWA: 1.4 mg/m ³ 8 tundides. STEL: 2 ppm 15 minutites. STEL: 3 mg/m ³ 15 minutites.		STEL: 3 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³		TWA: 1 ppm 8 klukkustundum. TWA: 1.4 mg/m ³ 8 klukkustundum. Ceiling: 2 ppm Ceiling: 2.8 mg/m ³

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Hydrogen peroxide		Ceiling: 2 ppm Ceiling: 3 mg/m ³ TWA: 1 ppm IPRD TWA: 1.4 mg/m ³ IPRD			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Hydrogen peroxide		Ceiling: 2.8 mg/m ³ TWA: 1 ppm TWA: 1.4 mg/m ³		Binding STEL: 2 ppm 15 minuter Binding STEL: 3 mg/m ³ 15 minuter TLV: 1 ppm 8 timmar. NGV TLV: 1.4 mg/m ³ 8 timmar. NGV	

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydrogen peroxide 7722-84-1 (20 - 35)	DNEL = 3mg/m ³		DNEL = 1.4mg/m ³	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Hydrogen peroxide 7722-84-1 (20 - 35)	PNEC = 0.0126mg/L	PNEC = 0.047mg/kg sediment dw	PNEC = 0.0138mg/L	PNEC = 4.66mg/L	PNEC = 0.0023mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Hydrogen peroxide 7722-84-1 (20 - 35)	PNEC = 0.0126mg/L	PNEC = 0.047mg/kg sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Butyl rubber	> 480 minutes	0.35 mm	EN 374	(minimum requirement)
Neoprene	> 480 minutes	0.45 mm		
Natural rubber	> 480 minutes	0.5 mm		
Nitrile rubber	> 480 minutes	0.1 - 0.2 mm		
Viton (R)	> 480 minutes	0.3 mm		

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Particulates filter conforming to EN 143 Inorganic gases and vapours filter Type B Grey conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Particle filtering: EN149:2001
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance	Colorless	
Odor	Slight	
Odor Threshold	No data available	
Melting Point/Range	-33 °C / -27.4 °F	
Softening Point	No data available	
Boiling Point/Range	108 °C / 226.4 °F	@ 760 mmHg
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	> 125°C	
pH	3.3	
Viscosity	No data available	
Water Solubility	Soluble	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Hydrogen peroxide	-1.1	
Vapor Pressure	No data available	
Density / Specific Gravity	1.110	

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

Bulk Density	Not applicable	Liquid
Vapor Density	1.10	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Explosive Properties	Not explosive
Oxidizing Properties	Oxidizer
Evaporation Rate	1.0 (Butyl acetate = 1.0)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Yes

10.2. Chemical stability

Sensitivity to light. Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light. Combustible material.

10.5. Incompatible materials

Strong oxidizing agents. Metals. Reducing Agent. Alcohols. Ammonia. copper. Copper alloys. lead oxides. Cyanides. Sulfides. Lead. Acetone. Aluminium. . Strong reducing agents. Combustible material. Zinc.

10.6. Hazardous decomposition products

Hydrogen. Oxygen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;	
Oral	Category 4
Dermal	No data available
Inhalation	Category 4

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrogen peroxide	376 mg/kg (Rat) (90%) 910 mg/kg (Rat) (20-60%) 1518 mg/kg (Rat) (8-20% sol)	>2000 mg/kg (Rabbit)	LC50 = 2000 mg/m ³ (Rat) 4 h

(b) skin corrosion/irritation;	No data available
--------------------------------	-------------------

(c) serious eye damage/irritation;	Category 1 Bridging principle "Dilution"
------------------------------------	---

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

(d) respiratory or skin sensitization;

Respiratory	No data available
Skin	No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available
Target Organs No information available.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Contains a substance which is: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrogen peroxide	LC50: 16.4 mg/L/96h (P.promelas)	EC50 7.7 mg/L/24h	EC50 2.5 mg/L/72h

12.2. Persistence and degradability

Persistence	Readily biodegradable
Degradability	Persistence is unlikely, Decomposes, Soluble in water, based on information available.
Degradation in sewage treatment plant	Not relevant for inorganic substances. No inhibition of bacteria is expected if properly introduced into a biological treatment facility. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hydrogen peroxide	-1.1	No data available

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN2014

14.2. UN proper shipping name

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

5.1

Subsidiary Hazard Class

8

14.4. Packing group

II

ADR

14.1. UN number

UN2014

14.2. UN proper shipping name

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

5.1

Subsidiary Hazard Class

8

14.4. Packing group

II

IATA

14.1. UN number

UN2014

14.2. UN proper shipping name

HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

5.1

Subsidiary Hazard Class

8

14.4. Packing group

II

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

- 14.5. Environmental hazards** No hazards identified
- 14.6. Special precautions for user** No special precautions required.
- 14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Hydrogen peroxide	7722-84-1	231-765-0	-	-	X	X	KE-20204	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Hydrogen peroxide	7722-84-1	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrogen peroxide	7722-84-1	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Hydrogen peroxide	WGK1	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

SAFETY DATA SHEET

Hydrogen peroxide, ACS, 29-32% w/w aqueous solution

Revision Date 16-Mar-2024

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Creation Date	28-Oct-2009
Revision Date	16-Mar-2024
Revision Summary	New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet