



SAFETY DATA SHEET

Creation Date 30-Sep-2009

Revision Date 30-Sep-2009

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name SAFRANIN
Synonyms No information available.
Recommended Use Laboratory chemicals

Company OXOID AUSTRALIA PTY LTD
20 Dalgleish Street
Thebarton
Adelaide
South Australia 5031
AUSTRALIA
Tel: 61 8 8238 9050 or 1800 33
11 63 (Toll Free)
Fax: 61 8 8238 9060 or 1800 00
70 54 (Toll Free)

2. HAZARDS IDENTIFICATION

The product is classified and labelled in accordance with Directive 1999/45/EC. Hazardous according to the criteria of NOHSC..

R -phrase(s)
R10 - Flammable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	Weight %	EC No.	Classification
Ethyl alcohol 64-17-5	10	EEC No. 200-578-6	F;R11
Phenazinium, 3,7-diamino- 2,8-dimethyl-5-phenyl-, chloride 477-73-6	< 1	EEC No. 207-518-8	Xi;R36/38
Methyl alcohol 67-56-1	< 1	EEC No. 200-659-6	F;R11 T;R23/24/25-39/23/24/25

For the full text of the R phrases mentioned in this Section, see Section 16



SAFRANIN

Revision Date 30-Sep-2009

4. FIRST AID MEASURES

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes
Ingestion	Clean mouth with water and afterwards drink plenty of water
Inhalation	Move to fresh air
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Flash Point	48.9°C / 120°F
Method	No information available.
Autoignition Temperature	No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation
Environmental Precautions	Prevent further leakage or spillage if safe to do so
Methods for Containment and Clean Up	No information available



SAFETY DATA SHEET

SAFRANIN

Revision Date 30-Sep-2009

7. HANDLING AND STORAGE

Handling	Ensure adequate ventilation
Storage	Keep container tightly closed in a dry and well-ventilated place
Specific use(s)	No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Component	European Union	The United Kingdom	France	Spain	Germany
Ethyl alcohol			VME: 1000 ppm VME: 1900 mg/m ³ VLCT: 5000 ppm VLCT: 9500 mg/m ³	VLA-ED: 1000 ppm VLA-ED: 1910 mg/m ³	
Methyl alcohol	TWA: 200 ppm TWA: 260 mg/m ³ Skin		VME: 200 ppm VME: 260 mg/m ³ VLCT: 1000 ppm VLCT: 1300 mg/m ³	VLA-ED: 266 mg/m ³ VLA-ED: 200 ppm	

Component	Italy	Portugal	The Netherlands	Finland	Austria
Ethyl alcohol		TWA: 1000 ppm	STEL: 1900 mg/m ³ TWA: 260 mg/m ³	TWA: 1900 mg/m ³ TWA: 1000 ppm STEL: 2500 mg/m ³ STEL: 1300 ppm	STEL: 2000 ppm STEL: 3800 mg/m ³ MAK: 1000 ppm MAK: 1900 mg/m ³
Methyl alcohol	TWA: 200 ppm TWA: 260 mg/m ³	STEL: 250 ppm TWA: 200 ppm	STEL: 520 mg/m ³ TWA: 260 mg/m ³	TWA: 270 mg/m ³ TWA: 200 ppm STEL: 330 mg/m ³ STEL: 250 ppm	STEL: 1040 mg/m ³ STEL: 800 ppm MAK: 260 mg/m ³ MAK: 200 ppm

Component	Switzerland	Poland	Norway	Ireland	Denmark	Australia
Ethyl alcohol	STEL: 1000 ppm STEL: 1920 mg/m ³ MAK: 960 mg/m ³ MAK: 500 ppm	NDS: 1900 mg/m ³	TWA: 500 ppm TWA: 950 mg/m ³	TWA: 1000 ppm TWA: 1900 mg/m ³	TWA: 1900 mg/m ³ TWA: 1000 ppm	TWA: 1000 ppm TWA: 1880 mg/m ³



SAFETY DATA SHEET

SAFRANIN

Revision Date 30-Sep-2009

Component	Switzerland	Poland	Norway	Ireland	Denmark	Australia
Methyl alcohol	STEL: 1040 mg/m ³ STEL: 800 ppm MAK: 200 ppm MAK: 260 mg/m ³	NDSch: 300 mg/m ³ NDS: 100 mg/m ³	TWA: 100 ppm TWA: 130 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 310 mg/m ³ Skin	TWA: 200 ppm TWA: 260 mg/m ³	STEL: 250 ppm STEL: 328 mg/m ³ TWA: 262 mg/m ³ TWA: 200 ppm

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Eye Protection

Tightly fitting safety goggles

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure

Hand Protection

Protective gloves

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid

Appearance

Red

pH

No information available.

Boiling Point/Range

No information available.

Melting Point/Range

No information available.

Flash Point

48.9°C / 120°F

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to Avoid

Incompatible products

Incompatible Materials

Strong oxidizing agents

Hazardous Decomposition Products

None under normal use

Hazardous Polymerization

Hazardous polymerization does not occur

Hazardous Reactions .

None under normal processing.

11. TOXICOLOGICAL INFORMATION



SAFETY DATA SHEET

SAFRANIN

Revision Date 30-Sep-2009

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	7060 mg/kg (Rat)		
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat) 4 h 83.2 mg/L (Rat) 4 h

Chronic Toxicity

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	IARC	UK
Ethyl alcohol	Group 1	

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Sensitization

No information available.

Neurological Effects

No information available.

Mutagenic Effects

No information available.

Reproductive Effects

No information available.

Developmental Effects

No information available.

Target Organs

Blood, Reproductive System, Central nervous system (CNS), Eyes, Respiratory system, Liver, Skin, Optic nerve.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethyl alcohol			= 34634 mg/L EC50 Photobacterium phosphoreum 30 min = 35470 mg/L EC50 Photobacterium phosphoreum 5 min	LC50 48 h 9268 mg/L EC50 24 h 10800 mg/L LC50 48 h 9268 mg/L



SAFETY DATA SHEET

SAFRANIN

Revision Date 30-Sep-2009

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methyl alcohol			EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	

Persistence and Degradability No information available

Bioaccumulative Potential No information available.

Mobility No information available.

Component	log Pow
Ethyl alcohol	-0.32
Methyl alcohol	-0.77

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

IMDG/IMO Not determined

ADR

UN-No	UN1170
Hazard Class	3
Packing Group	III
Proper Shipping Name	ETHANOL SOLUTION

IATA

UN-No	UN1170
Hazard Class	3
Packing Group	III
Proper Shipping Name	ETHANOL SOLUTION

15. REGULATORY INFORMATION

The product is classified and labelled in accordance with Directive 1999/45/EC Hazardous according to the criteria of NOHSC.

Labelling



SAFETY DATA SHEET

SAFRANIN

Revision Date 30-Sep-2009

R -phrase(s)

R10 - Flammable

S -phrase(s)

International Inventories

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Ethyl alcohol	200-578-6	-		X	X	-	X	X	X	X	KE-13217 X
Phenazinium, 3,7-diamino-2,8-dimethyl-5-phenyl-, chloride	207-518-8	-		X	X	-	X	X	X	X	KE-09729 X
Methyl alcohol	200-659-6	-		X	X	-	X	X	X	X	KE-23193 X

16. OTHER INFORMATION

Text of R phrases mentioned in Section 2-3

R10 - Flammable

R11 - Highly flammable

R36/38 - Irritating to eyes and skin

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed

Prepared By Regulatory Affairs on behalf of Oxoid Australia

Creation Date 30-Sep-2009

Revision Date 30-Sep-2009

Revision Summary No information available.

Restrictions on use No information available.

Training advice No information available.

Literary reference No information available.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet