

Creation Date 09-Nov-2010

Revision Date 22-Sep-2023

Revision Number 11

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                                  |                                                                        |
|----------------------------------|------------------------------------------------------------------------|
| <b>Product Description:</b>      | <b><u>N,N-Diisopropylethylamine</u></b>                                |
| <b>Cat No. :</b>                 | <b>115220000; 115220250; 115221000; 115225000; 11522101; 115220026</b> |
| <b>Synonyms</b>                  | Huenig's base; N-Ethyldiisopropylamine                                 |
| <b>CAS No</b>                    | 7087-68-5                                                              |
| <b>EC No</b>                     | 230-392-0                                                              |
| <b>Molecular Formula</b>         | C8 H19 N                                                               |
| <b>REACH registration number</b> | 01-2119973181-39                                                       |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                       |                                                                                             |
|---------------------------------------|---------------------------------------------------------------------------------------------|
| <b>Recommended Use</b>                | Laboratory chemicals.                                                                       |
| <b>Sector of use</b>                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| <b>Product category</b>               | PC21 - Laboratory chemicals                                                                 |
| <b>Process categories</b>             | PROC15 - Use as a laboratory reagent                                                        |
| <b>Environmental release category</b> | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| <b>Uses advised against</b>           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

#### Company

**EU entity/business name**  
Thermo Fisher Scientific  
Janssen Pharmaceuticaaan 3a, 2440 Geel, Belgium

**UK entity/business name**  
Fisher Scientific UK  
Bishop Meadow Road,  
Loughborough, Leicestershire LE11 5RG, United Kingdom

**Swiss distributor - Fisher Scientific AG**  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
e-mail - infoch@thermofisher.com

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### CLP Classification - Regulation (EC) No 1272/2008

##### Physical hazards

Flammable liquids

Category 2 (H225)

##### Health hazards

Acute oral toxicity

Category 4 (H302)

Acute Inhalation Toxicity - Vapors

Category 3 (H331)

Serious Eye Damage/Eye Irritation

Category 1 (H318)

Specific target organ toxicity - (single exposure)

Category 3 (H335)

##### Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

H318 - Causes serious eye damage

#### **Precautionary Statements**

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/physician

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

### 2.3. Other hazards

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

| Component                                 | CAS No    | EC No             | Weight % | CLP Classification - Regulation (EC) No 1272/2008                                                          |
|-------------------------------------------|-----------|-------------------|----------|------------------------------------------------------------------------------------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | 7087-68-5 | EEC No. 230-392-0 | >95      | Flam. Liq. 2 (H225)<br>Eye Dam. 1 (H318)<br>Acute Tox. 4 (H302)<br>Acute Tox. 3 (H331)<br>STOT SE 3 (H335) |

REACH registration number

01-2119973181-39

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

|                                           |                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.                                                                                                                                                                                                                              |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                              |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.                                                                                                                                                                                                                    |
| <b>Ingestion</b>                          | Do NOT induce vomiting. Call a physician or poison control center immediately.                                                                                                                                                                                                                                                 |
| <b>Inhalation</b>                         | Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If not breathing, give artificial respiration. |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.                                                                                                                                                                               |

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes eye burns. Causes severe eye damage. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

## 5.1. Extinguishing media

### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

### **Extinguishing media which must not be used for safety reasons**

Water may be ineffective.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. In the event of fire and/or explosion do not breathe fumes.

### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Thermal decomposition can lead to release of irritating gases and vapors.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 3

Switzerland - Storage of hazardous substances

Storage class - SC 3  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component                                                   | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|-------------------------------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- 7087-68-5 ( >95 ) |                              |                                 |                                | DNEL = 2.96mg/kg bw/day           |

| Component                                 | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|-------------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | DNEL = 12.6mg/m <sup>3</sup>     | DNEL = 12.6mg/m <sup>3</sup>        | DNEL = 4.2mg/m <sup>3</sup>        | DNEL = 4.2mg/m <sup>3</sup>           |

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

|                   |  |  |  |  |
|-------------------|--|--|--|--|
| 7087-68-5 ( >95 ) |  |  |  |  |
|-------------------|--|--|--|--|

## Predicted No Effect Concentration (PNEC)

See values below.

| Component                                                   | Fresh water      | Fresh water sediment          | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)       |
|-------------------------------------------------------------|------------------|-------------------------------|--------------------|------------------------------------|--------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- 7087-68-5 ( >95 ) | PNEC = 0.173mg/L | PNEC = 41.09mg/kg sediment dw | PNEC = 0.281mg/L   | PNEC = 9.12mg/L                    | PNEC = 8.12mg/kg soil dw |

| Component                                                   | Marine water      | Marine water sediment        | Marine water Intermittent | Food chain | Air |
|-------------------------------------------------------------|-------------------|------------------------------|---------------------------|------------|-----|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- 7087-68-5 ( >95 ) | PNEC = 0.0173mg/L | PNEC = 4.11mg/kg sediment dw |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time                 | Glove thickness | EU standard | Glove comments        |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers recommendations | -               | EN 374      | (minimum requirement) |
| Nitrile rubber |                                   |                 |             |                       |
| Neoprene       |                                   |                 |             |                       |
| PVC            |                                   |                 |             |                       |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141  
When RPE is used a face piece Fit Test should be conducted

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

Environmental exposure controls No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

|                                              |                                             |                                          |
|----------------------------------------------|---------------------------------------------|------------------------------------------|
| Physical State                               | Liquid                                      |                                          |
| Appearance                                   | Light yellow                                |                                          |
| Odor                                         | No information available                    |                                          |
| Odor Threshold                               | No data available                           |                                          |
| Melting Point/Range                          | -46 °C / -50.8 °F                           |                                          |
| Softening Point                              | No data available                           |                                          |
| Boiling Point/Range                          | 127 °C / 260.6 °F                           | @ 760 mmHg                               |
| Flammability (liquid)                        | Highly flammable                            | On basis of test data                    |
| Flammability (solid,gas)                     | Not applicable                              | Liquid                                   |
| Explosion Limits                             | <b>Lower</b> 3 vol%<br><b>Upper</b> 17 vol% |                                          |
| Flash Point                                  | 6 °C / 42.8 °F                              | <b>Method -</b> No information available |
| Autoignition Temperature                     | 260 °C / 500 °F                             |                                          |
| Decomposition Temperature                    | No data available                           |                                          |
| pH                                           | No information available                    |                                          |
| Viscosity                                    | 0.88 cSt @ 20°C                             | Kinematic                                |
| Water Solubility                             | 3.9 g/L (20°C)                              |                                          |
| Solubility in other solvents                 | No information available                    |                                          |
| Partition Coefficient (n-octanol/water)      |                                             |                                          |
| Component                                    | <b>log Pow</b>                              |                                          |
| 2-Propanamine,<br>N-ethyl-N-(1-methylethyl)- | -1.8                                        |                                          |
| Vapor Pressure                               | 14hPa @ 20°C                                |                                          |
| Density / Specific Gravity                   | 0.7560                                      |                                          |
| Bulk Density                                 | Not applicable                              | Liquid                                   |
| Vapor Density                                | No data available                           | (Air = 1.0)                              |
| Particle characteristics                     | Not applicable (liquid)                     |                                          |

### 9.2. Other information

|                      |                                             |
|----------------------|---------------------------------------------|
| Molecular Formula    | C8 H19 N                                    |
| Molecular Weight     | 129.24                                      |
| Explosive Properties | Vapors may form explosive mixtures with air |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

|                          |                                          |
|--------------------------|------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

## 10.5. Incompatible materials

Acids. Strong oxidizing agents. Metals. copper. Carbon dioxide (CO<sub>2</sub>). Butyl rubber.

## 10.6. Hazardous decomposition products

Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Thermal decomposition can lead to release of irritating gases and vapors.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

##### (a) acute toxicity;

Oral

Category 4

Dermal

Based on available data, the classification criteria are not met

Inhalation

Category 3

| Component                                 | LD50 Oral       | LD50 Dermal | LC50 Inhalation      |
|-------------------------------------------|-----------------|-------------|----------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | 317 mg/kg (Rat) | -           | 2.63 mg/L 4h ( Rat ) |

##### (b) skin corrosion/irritation;

Based on available data, the classification criteria are not met

##### (c) serious eye damage/irritation;

Category 1

##### (d) respiratory or skin sensitization;

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

##### (e) germ cell mutagenicity;

Based on available data, the classification criteria are not met

##### (f) carcinogenicity;

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

##### (g) reproductive toxicity;

Based on available data, the classification criteria are not met

##### (h) STOT-single exposure;

Category 3

Results / Target organs

Respiratory system.

##### (i) STOT-repeated exposure;

Based on available data, the classification criteria are not met

Target Organs

None known.

##### (j) aspiration hazard;

Based on available data, the classification criteria are not met

#### Other Adverse Effects

The toxicological properties have not been fully investigated.

#### Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

### 11.2. Information on other hazards

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### **Ecotoxicity effects**

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

| Component                                 | Freshwater Fish                                   | Water Flea    | Freshwater Algae |
|-------------------------------------------|---------------------------------------------------|---------------|------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | LC50: = 69.7 mg/L, 96h flow-through (Danio rerio) | >100 mg/L 48h |                  |

### 12.2. Persistence and degradability

#### **Persistence**

Not readily biodegradable  
Soluble in water, Persistence is unlikely, based on information available.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component                                 | log Pow | Bioconcentration factor (BCF) |
|-------------------------------------------|---------|-------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | -1.8    | No data available             |

### 12.4. Mobility in soil

The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

### 12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

### 12.6. Endocrine disrupting properties

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

### 12.7. Other adverse effects

#### **Persistent Organic Pollutant Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

#### **European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains.

## Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600  
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

|                                         |                                               |
|-----------------------------------------|-----------------------------------------------|
| <b>14.1. UN number</b>                  | UN3384                                        |
| <b>14.2. UN proper shipping name</b>    | TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. |
| <b>Technical Shipping Name</b>          | N,N-Diisopropylethylamine                     |
| <b>14.3. Transport hazard class(es)</b> | 6.1                                           |
| <b>Subsidiary Hazard Class</b>          | 3                                             |
| <b>14.4. Packing group</b>              | I                                             |

### ADR

|                                         |                                               |
|-----------------------------------------|-----------------------------------------------|
| <b>14.1. UN number</b>                  | UN3384                                        |
| <b>14.2. UN proper shipping name</b>    | TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. |
| <b>Technical Shipping Name</b>          | N,N-Diisopropylethylamine                     |
| <b>14.3. Transport hazard class(es)</b> | 6.1                                           |
| <b>Subsidiary Hazard Class</b>          | 3                                             |
| <b>14.4. Packing group</b>              | I                                             |

### IATA

FORBIDDEN FOR IATA TRANSPORT

|                                         |                                                                             |
|-----------------------------------------|-----------------------------------------------------------------------------|
| <b>14.1. UN number</b>                  | UN3384                                                                      |
| <b>14.2. UN proper shipping name</b>    | TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S.* FORBIDDEN FOR IATA TRANSPORT |
| <b>Technical Shipping Name</b>          | N,N-Diisopropylethylamine                                                   |
| <b>14.3. Transport hazard class(es)</b> | 6.1                                                                         |
| <b>Subsidiary Hazard Class</b>          | 3                                                                           |
| <b>14.4. Packing group</b>              | I                                                                           |

**14.5. Environmental hazards** No hazards identified

**14.6. Special precautions for user** No special precautions required.

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component                                    | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|----------------------------------------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| 2-Propanamine,<br>N-ethyl-N-(1-methylethyl)- | 7087-68-5 | 230-392-0 | -      | -   | X     | X    | KE-10950 | X    | X    |

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

| Component                                 | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------------------------------------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | 7087-68-5 | X    | ACTIVE                                        | X   | -    | X    | X     | -     |

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

**Authorisation/Restrictions according to EU REACH**

Not applicable

| Component                                 | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------------------------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | 7087-68-5 | -                                                                   | -                                                                             | -                                                                                                     |

**Seveso III Directive (2012/18/EC)**

| Component                                 | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------------------------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | 7087-68-5 | Not applicable                                                                            | Not applicable                                                                           |

**Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals**

Not applicable

**Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?**

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

| Component                                 | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------------------------------------|---------------------------------------|-------------------------|
| 2-Propanamine, N-ethyl-N-(1-methylethyl)- | WGK2                                  |                         |

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

# SAFETY DATA SHEET

N,N-Diisopropylethylamine

Revision Date 22-Sep-2023

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H225 - Highly flammable liquid and vapor

H302 - Harmful if swallowed

H331 - Toxic if inhaled

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 09-Nov-2010

**Revision Date** 22-Sep-2023

**Revision Summary** Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).**

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

# **SAFETY DATA SHEET**

**N,N-Diisopropylethylamine**

**Revision Date** 22-Sep-2023

---

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**