

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: **Spectroflux 105A**
Cat No. : **H33169**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Avocado Research Chemicals Ltd.
(Part of Thermo Fisher Scientific)
Shore Road, Heysham
Lancashire, LA3 2XY,
United Kingdom
Office Tel: +44 (0) 1524 850506
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency information services **Ireland** : National Poisons Information Centre (NPIC) -
01 809 2166 (8am-10pm, 7 days a week)
Malta : +356 2395 2000
Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Oxidizing solids Category 3 (H272)

Health hazards

Acute oral toxicity Category 4 (H302)

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Serious Eye Damage/Eye Irritation
Reproductive Toxicity

Category 2 (H319)
Category 2 (H361fd)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Warning

Hazard Statements

H272 - May intensify fire; oxidizer

H302 - Harmful if swallowed

H319 - Causes serious eye irritation

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Boron lithium oxide (B4Li2O7)	12007-60-2	EEC No. 234-514-3	77	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Repr. 2 (H361d)
Sodium nitrate	7631-99-4	231-554-3	10	Ox. Sol. 3 (H272) Eye Irrit. 2 (H319)
Lithium carbonate	554-13-2	209-062-5	10	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Lanthanum oxide (La ₂ O ₃)	1312-81-8	EEC No. 215-200-5	2	-
Sodium bromide	7647-15-6	231-599-9	1	STOT SE 3 (H336) Repr. 2 (H361fd) STOT RE 2 (H373)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Boron lithium oxide (B ₄ Li ₂ O ₇)	Repr. 2 : C ≥ 3.8 %	-	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood, paper, oil, clothing, etc.).

Hazardous Combustion Products

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

None under normal use conditions.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials.

Technical Rules for Hazardous Substances (TRGS) 510 Class 5.1B
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

ALFAAH33169

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Boron lithium oxide (B4Li2O7) 12007-60-2 (77)				DNEL = 333mg/kg bw/day
Lithium carbonate 554-13-2 (10)		DNEL = 100mg/kg bw/day		DNEL = 64.3mg/kg bw/day
Lanthanum oxide (La2O3) 1312-81-8 (2)				DNEL = 8.75mg/kg bw/day
Sodium bromide 7647-15-6 (1)		DNEL = 95mg/kg bw/day		DNEL = 95mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Boron lithium oxide (B4Li2O7) 12007-60-2 (77)		DNEL = 7.1mg/m³		DNEL = 7.1mg/m³
Lithium carbonate 554-13-2 (10)		DNEL = 30mg/m³		DNEL = 10mg/m³
Lanthanum oxide (La2O3) 1312-81-8 (2)				DNEL = 61.5mg/m³
Sodium bromide 7647-15-6 (1)				DNEL = 4.75mg/m³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Boron lithium oxide (B4Li2O7) 12007-60-2 (77)				PNEC = 44mg/L	
Sodium nitrate 7631-99-4 (10)				PNEC = 18mg/L	
Lithium carbonate 554-13-2 (10)	PNEC = 9mg/L	PNEC = 238.4mg/kg sediment dw	PNEC = 0.3mg/L	PNEC = 122.2mg/L	PNEC = 44.11mg/kg soil dw
Lanthanum oxide (La2O3) 1312-81-8 (2)	PNEC = 10mg/L	PNEC = 15.5mg/kg sediment dw	PNEC = 1mg/L	PNEC = 100mg/L	PNEC = 18.9mg/kg soil dw
Sodium bromide 7647-15-6 (1)	PNEC = 0.15mg/L		PNEC = 0.208mg/L	PNEC = 100mg/L	PNEC = 3.2mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Lithium carbonate 554-13-2 (10)	PNEC = 0.9mg/L	PNEC = 23.84mg/kg sediment dw			
Lanthanum oxide (La2O3) 1312-81-8 (2)	PNEC = 1mg/L	PNEC = 15.5mg/kg sediment dw		PNEC = 156mg/kg food	

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Sodium bromide 7647-15-6 (1)	PNEC = 0.075mg/L			PNEC = 3.33333mg/kg food	
-----------------------------------	------------------	--	--	-----------------------------	--

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State

Solid Crystalline

Appearance

White

Odor

No information available

Odor Threshold

No data available

Melting Point/Range

No data available

Softening Point

No data available

ALFAAH33169

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Boiling Point/Range	No information available	
Flammability (liquid)	Not applicable	Solid
Flammability (solid,gas)	No information available	
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	Not applicable	Solid
Water Solubility	Insoluble in water	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
Sodium nitrate	-3.8	
Vapor Pressure	No data available	
Density / Specific Gravity	No data available	
Bulk Density	No data available	
Vapor Density	Not applicable	Solid
Particle characteristics	No data available	

9.2. Other information

Oxidizing Properties	Oxidizer
Evaporation Rate	Not applicable - Solid

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Yes

10.2. Chemical stability

Oxidizer: Contact with combustible/organic material may cause fire.

10.3. Possibility of hazardous reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Combustible material.

10.5. Incompatible materials

Strong reducing agents. Combustible material.

10.6. Hazardous decomposition products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;	
Oral	Category 4

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Dermal
Inhalation

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Boron lithium oxide (B4Li2O7)	-	LD50 > 2000 mg/kg (Rat)	-
Sodium nitrate	>2000 mg/kg (Rat)	-	-
Lithium carbonate	LD50 = 525 mg/kg (Rat)	LD50 > 3000 mg/kg (Rabbit)	>2.17 mg/L (Rat) 4 h
Sodium bromide	LD50 = 3500 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available
Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 2

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects,both acute and delayed No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains a substance which is: Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium nitrate	LC50: 994.4 - 1107 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 2000 mg/L, 96h static (Lepomis macrochirus)	6000 mg/L 24h	-
Lithium carbonate	LC50: = 30.3 mg/L, 96h static (Oncorhynchus mykiss)		
Sodium bromide	LC50: > 1000 mg/L, 96h static (Oncorhynchus mykiss) LC50: 24000 - 96000 mg/L, 96h flow-through (Oryzias latipes) LC50: = 24000 mg/L, 96h semi-static (Oryzias latipes) LC50: 16000 - 24000 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 16000 mg/L, 96h semi-static (Poecilia reticulata) LC50: 0.054 - 0.081 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: > 1000 mg/L, 96h static (Lepomis macrochirus) LC50: 15614 - 17428 mg/L, 96h static (Pimephales promelas)	EC50: 5700 - 10800 mg/L, 48h Static (Daphnia magna) EC50: 5800 - 48000 mg/L, 48h (Daphnia magna)	EC50: 5800 - 24000 mg/L, 96h (Scenedesmus pannonicus)

Component	Microtox	M-Factor
Sodium nitrate	-	
Sodium bromide	-	

12.2. Persistence and degradability

Persistence	Insoluble in water.
Degradability	Not relevant for inorganic substances.
Degradation in sewage treatment plant	Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Sodium nitrate	-3.8	No data available

12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

13.1. Waste treatment methods

Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN1498
14.2. UN proper shipping name	SODIUM NITRATE
14.3. Transport hazard class(es)	5.1
14.4. Packing group	III

ADR

14.1. UN number	UN1498
14.2. UN proper shipping name	SODIUM NITRATE
14.3. Transport hazard class(es)	5.1
14.4. Packing group	III

IATA

14.1. UN number	UN1498
14.2. UN proper shipping name	SODIUM NITRATE
14.3. Transport hazard class(es)	5.1
14.4. Packing group	III

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
-----------	--------	--------	--------	-----	-------	------	------	------	------

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Boron lithium oxide (B4Li2O7)	12007-60-2	234-514-3	-	-	X	X	KE-11000	X	X
Sodium nitrate	7631-99-4	231-554-3	-	-	X	X	KE-31545	X	X
Lithium carbonate	554-13-2	209-062-5	-	-	X	X	KE-22550	X	X
Lanthanum oxide (La2O3)	1312-81-8	215-200-5	-	-	X	X	KE-21836	X	X
Sodium bromide	7647-15-6	231-599-9	-	-	X	X	KE-31368	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Boron lithium oxide (B4Li2O7)	12007-60-2	X	ACTIVE	X	-	X	X	X
Sodium nitrate	7631-99-4	X	ACTIVE	X	-	X	X	X
Lithium carbonate	554-13-2	X	ACTIVE	X	-	X	X	X
Lanthanum oxide (La2O3)	1312-81-8	X	ACTIVE	X	-	X	X	X
Sodium bromide	7647-15-6	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Boron lithium oxide (B4Li2O7)	12007-60-2	-	-	-
Sodium nitrate	7631-99-4	-	-	-
Lithium carbonate	554-13-2	-	-	-
Lanthanum oxide (La2O3)	1312-81-8	-	-	-
Sodium bromide	7647-15-6	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Boron lithium oxide (B4Li2O7)	12007-60-2	Not applicable	Not applicable
Sodium nitrate	7631-99-4	Not applicable	Not applicable
Lithium carbonate	554-13-2	Not applicable	Not applicable
Lanthanum oxide (La2O3)	1312-81-8	Not applicable	Not applicable
Sodium bromide	7647-15-6	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Boron lithium oxide (B4Li2O7)	WGK1	
Sodium nitrate	WGK1	
Lithium carbonate	WGK1	
Lanthanum oxide (La2O3)	nwg	
Sodium bromide	WGK1	

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed
H319 - Causes serious eye irritation
H361d - Suspected of damaging the unborn child
H272 - May intensify fire; oxidizer
H318 - Causes serious eye damage

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer
Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data

Health Hazards Calculation method

Environmental hazards Calculation method

Training Advice

SAFETY DATA SHEET

Spectroflux 105A

Revision Date 30-Nov-2024

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By	Health, Safety and Environmental Department
Revision Date	30-Nov-2024
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet