

Creation Date 22-Sep-2009

Revision Date 10-Feb-2024

Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|----------------------------------|--|
| Product Description: | <u>m-Toluidine</u> |
| Cat No. : | A14058 |
| Synonyms | 3-Aminotoluene; 3-Methylaniline; 3-Methylbenzenamine |
| Index No | 612-024-00-4 |
| CAS No | 108-44-1 |
| EC No | 203-583-1 |
| Molecular Formula | C7 H9 N |
| REACH registration number | - |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------|--------------------------|
| Recommended Use | Laboratory chemicals. |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

| | |
|--|-------------------|
| Acute oral toxicity | Category 3 (H301) |
| Acute dermal toxicity | Category 3 (H311) |
| Acute Inhalation Toxicity - Vapors | Category 3 (H331) |
| Specific target organ toxicity - (repeated exposure) | Category 2 (H373) |

Environmental hazards

| | |
|------------------------|-------------------|
| Acute aquatic toxicity | Category 1 (H400) |
|------------------------|-------------------|

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled
Combustible liquid

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor/physician
P273 - Avoid release to the environment

2.3. Other hazards

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB)

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

3.1. Substances

| Component | CAS No | EC No | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|-------------|----------|-------------------|----------|---|
| m-Toluidine | 108-44-1 | EEC No. 203-583-1 | >95 | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT RE 2 (H373) Aquatic Acute 1 (H400) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------|---------------------------------------|----------|-----------------|
| m-Toluidine | - | 1 | - |

| REACH registration number | - |
|---------------------------|---|
|---------------------------|---|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Inhalation | Remove to fresh air. Immediate medical attention is required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If not breathing, give artificial respiration. |
| Self-Protection of the First Aider | Use personal protective equipment as required. |

4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

5.2. Special hazards arising from the substance or mixture

Combustible material. Flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Use only under a chemical fume hood. Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Avoid ingestion and inhalation. Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Store under an inert atmosphere. Flammables area.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 6.1C

Switzerland - Storage of hazardous substances

Storage class - SC 6.1
<https://www.kvu.ch/de/themen/stoffe-und-produkte>

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|-------------|----------------|--------------------|--------|--|--|
| m-Toluidine | | | | TWA: 2 ppm 8 uren TWA: 8.9 mg/m ³ 8 uren Huid | TWA / VLA-ED: 2 ppm (8 horas) TWA / VLA-ED: 8.9 mg/m ³ (8 horas) Piel |

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|-------------|-------|---------|----------------------------|-----------------|---------|
| m-Toluidine | | | TWA: 2 ppm 8 horas Pele | | |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|-------------|---|--|--|--------|--------|
| m-Toluidine | Haut MAK-KZGW: 4 ppm 15 Minuten MAK-KZGW: 18 mg/m ³ 15 Minuten MAK-TMW: 2 ppm 8 Stunden MAK-TMW: 9 mg/m ³ 8 Stunden | TWA: 2 ppm 8 timer TWA: 9 mg/m ³ 8 timer STEL: 4 ppm 15 minutter STEL: 18 mg/m ³ 15 minutter Hud | Haut/Peau TWA: 2 ppm 8 Stunden TWA: 9 mg/m ³ 8 Stunden | | |

| Component | Bulgaria | Croatia | Ireland | Cyprus | Czech Republic |
|-------------|----------|---------|--|--------|---|
| m-Toluidine | | | TWA: 0.2 ppm 8 hr. TWA: 0.9 mg/m ³ 8 hr. STEL: 0.6 ppm 15 min STEL: 2.7 mg/m ³ 15 min Skin | | TWA: 5 mg/m ³ 8 hodinách. Potential for cutaneous absorption Ceiling: 10 mg/m ³ |

| Component | Estonia | Gibraltar | Greece | Hungary | Iceland |
|-------------|---|-----------|---|--|--|
| m-Toluidine | TWA: 2 ppm 8 tundides. TWA: 9 mg/m ³ 8 tundides. | | skin - potential for cutaneous absorption TWA: 2 ppm TWA: 8.92 mg/m ³ | TWA: 9 mg/m ³ 8 óraban. AK lehetséges borön keresztüli felszívódás | TWA: 2 ppm 8 klukkustundum. TWA: 9 mg/m ³ 8 klukkustundum. Skin notation Ceiling: 4 ppm Ceiling: 18 mg/m ³ |

| Component | Latvia | Lithuania | Luxembourg | Malta | Romania |
|-------------|---|-----------|------------|-------|---------|
| m-Toluidine | STEL: 1 mg/m ³ TWA: 0.5 mg/m ³ | | | | |

| Component | Russia | Slovak Republic | Slovenia | Sweden | Turkey |
|-------------|---|-----------------|----------|--------|--------|
| m-Toluidine | TWA: 1 mg/m ³ 0101 MAC: 2 mg/m ³ | | | | |

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

| Component | European Union | United Kingdom | France | Spain | Germany |
|-------------|----------------|----------------|--------|--|---------|
| m-Toluidine | | | | Methemoglobin: 1.5 % Methemoglobin in total hemoglobin blood end of shift | |

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

| Component | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|---------------------------------|---------------------------------|------------------------------------|-----------------------------------|--------------------------------------|
| m-Toluidine 108-44-1 (>95) | | DNEL = 0.08mg/kg bw/day | | DNEL = 0.08mg/kg bw/day |

| Component | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|---------------------------------|-------------------------------------|--|---------------------------------------|--|
| m-Toluidine 108-44-1 (>95) | | DNEL = 0.59mg/m ³ | | DNEL = 0.59mg/m ³ |

Predicted No Effect Concentration (PNEC)

See values below.

| Component | Fresh water | Fresh water sediment | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture) |
|---------------------------------|------------------|---------------------------------------|----------------------|---------------------------------------|------------------------------|
| m-Toluidine 108-44-1 (>95) | PNEC = 0.001mg/L | PNEC = 0.00803mg/kg sediment dw | PNEC = 0.0075mg/L | PNEC = 20.4mg/L | PNEC = 0.001mg/kg soil dw |

| Component | Marine water | Marine water sediment | Marine water Intermittent | Food chain | Air |
|---------------------------------|----------------------|--------------------------------------|------------------------------|-----------------------|-----|
| m-Toluidine 108-44-1 (>95) | PNEC = 0.0001mg/L | PNEC = 0.0008mg/kg sediment dw | | PNEC = 1mg/kg food | |

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (European standard - EN 166)

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | - | EN 374 | (minimum requirement) |
| Nitrile rubber | recommendations | | | |
| Neoprene | | | | |
| PVC | | | | |

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced
Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141
When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|---|--|-----------------------------------|
| Physical State | Liquid | |
| Appearance | Yellow | |
| Odor | aromatic | |
| Odor Threshold | No data available | |
| Melting Point/Range | -30 °C / -22 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 203 - 204 °C / 397.4 - 399.2 °F | @ 760 mmHg |
| Flammability (liquid) | Combustible liquid | On basis of test data |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | No data available Lower 1.1 Vol% Upper 6.6 Vol% | |
| Flash Point | 86 °C / 186.8 °F | Method - No information available |
| Autoignition Temperature | 482 - °C / 899.6 - °F | |
| Decomposition Temperature | No data available | |
| pH | No information available | |
| Viscosity | No data available | |
| Water Solubility | 0.2 g/100ml (20°C) | practically insoluble |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| m-Toluidine | 1.4 | |

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

| | | |
|----------------------------|-------------------------|-------------|
| Vapor Pressure | 0.4 hPa @ 20 °C | |
| Density / Specific Gravity | 0.980 | |
| Bulk Density | Not applicable | Liquid |
| Vapor Density | 3.7 (Air = 1.0) | (Air = 1.0) |
| Particle characteristics | Not applicable (liquid) | |

9.2. Other information

| | |
|----------------------|--|
| Molecular Formula | C7 H9 N |
| Molecular Weight | 107.15 |
| Explosive Properties | explosive air/vapour mixtures possible |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Light sensitive. Air sensitive.

10.3. Possibility of hazardous reactions

| | |
|--------------------------|--|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

10.4. Conditions to avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition. Temperatures above 100 °C / 1002 °F. Exposure to light. Exposure to air.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Chloroformates.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

| | |
|------------|------------|
| Oral | Category 3 |
| Dermal | Category 3 |
| Inhalation | Category 3 |

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------|--------------------------|------------------------------|-----------------|
| m-Toluidine | LD50 = 450 mg/kg (Rat) | LD50 = 3250 mg/kg (Rabbit) | - |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

(d) respiratory or skin sensitization;

| | |
|-------------|-------------------|
| Respiratory | No data available |
| Skin | No data available |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available
There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2
Target Organs Blood, Central Vascular System (CVS), Eyes, Skin.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------|-----------------|---|------------------|
| m-Toluidine | | LC50: = 0.73 mg/L, 48h (Daphnia magna) | |

| Component | Microtox | M-Factor |
|-------------|-------------------------|----------|
| m-Toluidine | EC50 = 11.7 mg/L 30 min | 1 |

12.2. Persistence and degradability

| | |
|--|---|
| Persistence | Persistence is unlikely. |
| Degradation in sewage treatment plant | Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-----------|---------|-------------------------------|
|-----------|---------|-------------------------------|

ALFAAA14058

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

| | | |
|-------------|-----|-------------------|
| m-Toluidine | 1.4 | No data available |
|-------------|-----|-------------------|

12.4. Mobility in soil

The product is insoluble and floats on water The product evaporates slowly Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil

12.5. Results of PBT and vPvB assessment

Substance is not considered persistent, bioaccumulative and toxic (PBT) / very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

Other Information

Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment.

Switzerland - Waste Ordinance

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600
<https://www.fedlex.admin.ch/eli/cc/2015/891/en>

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number

UN1708

14.2. UN proper shipping name

TOLUIDINES, LIQUID

14.3. Transport hazard class(es)

6.1

14.4. Packing group

II

ADR

14.1. UN number

UN1708

14.2. UN proper shipping name

TOLUIDINES, LIQUID

14.3. Transport hazard class(es)

6.1

14.4. Packing group

II

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

IATA

| | |
|--|--|
| 14.1. UN number | UN1708 |
| 14.2. UN proper shipping name | TOLUIDINES, LIQUID |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| m-Toluidine | 108-44-1 | 203-583-1 | - | - | X | X | KE-23447 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------|----------|------|---|-----|------|------|-------|-------|
| m-Toluidine | 108-44-1 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------|----------|---|---|---|
| m-Toluidine | 108-44-1 | - | - | - |

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------|----------|---|--|
| m-Toluidine | 108-44-1 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------|---------------------------------------|-------------------------|
| m-Toluidine | WGK3 | |

| Component | France - INRS (Tables of occupational diseases) |
|-------------|---|
| m-Toluidine | Tableaux des maladies professionnelles (TMP) - RG 15,RG 15bis |

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

SAFETY DATA SHEET

m-Toluidine

Revision Date 10-Feb-2024

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

| | |
|------------------|--|
| Prepared By | Health, Safety and Environmental Department |
| Creation Date | 22-Sep-2009 |
| Revision Date | 10-Feb-2024 |
| Revision Summary | New emergency telephone response service provider. |

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, Chemo (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet