

SAFETY DATA SHEET

Creation Date 10-September-2009 Revision Date 25-December-2021 **Revision Number** 10

1. Identification

Product Name Chlorobenzene

Cat No.: AC396970000; AC396970010; AC396971000

CAS-No

Synonyms Monochlorobenzene; Benzene chloride

Recommended Use Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

Emergency Telephone Number For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 3 Acute Inhalation Toxicity Category 4 Skin Corrosion/Irritation Category 2

Label Elements

Signal Word

Warning

Hazard Statements

Flammable liquid and vapor Harmful if inhaled Causes skin irritation



Precautionary Statements

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor if you feel unwell

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Chlorobenzene	108-90-7	>95

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms/effects
None reasonably foreseeable. Causes central nervous system depression: Symptoms of

overexposure may be headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point 23 °C / 73.4 °F

Method - No information available

Autoignition Temperature 590 °C / 1094 °F

Explosion Limits

Upper 9.6 vol % **Lower** 1.8 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	3	0	N/A

6. Accidental release measures

Personal PrecautionsUse personal protective equipment as required. Ensure adequate ventilation.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Avoid ingestion and inhalation. Ensure adequate ventilation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Bases. Strong

reducing agents. Metals.

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta	British Columbia	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH IDLH
Chlorobenzene	TWA: 10 ppm TWA: 46 mg/m ³	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 ppm		(Vacated) TWA: 75 ppm (Vacated) TWA:	''
						350 mg/m ³ TWA: 75 ppm	

ſ				TWA: 350	
- 1				m a /m 3	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Viton (R)	> 480 minutes	0.7 mm	As tested under EN374-3
			Determination of Resistance to
			Permeation by Chemicals

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Recommended Filter type: Organic gases and vapours filter Type A Brown conforming to EN14387

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid
Appearance Clear
Odor bitter almonds

Odor Threshold No information available

pH No information available

Melting Point/Range -45 °C / -49 °F

Boiling Point/Range 131 °C / 267.8 °F

Flash Point 23 °C / 73.4 °F

Evaporation Rate 1 (Butyl Acetate = 1.0)

Flammability (solid, gas)

Not applicable

Flammability or explosive limits
Upper 9.6 vol %
Lower 1.8 vol %

Vapor Pressure 12 mbar @ 20°C

Vapor Density Specific Gravity 1.108

Solubility Moderately soluble Partition coefficient; n-octanol/water No data available 590 °C / 1094 °F **Autoignition Temperature**

> 132°C **Decomposition Temperature**

Viscosity 0.8 mPa.s @ 20°C

Molecular Formula C6 H5 CI 112.56 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under recommended storage conditions.

Conditions to Avoid Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Bases, Strong reducing agents, Metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene, Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Chlorobenzene	LD50 2000 - 4000 mg/kg (Rat)	LD50 > 7940 mg/kg (Rabbit)	LC50 = 13.5 mg/L (Rat) 7 h		

Toxicologically Synergistic

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available

Irritating to skin Irritation

Sensitization No information available

Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Chlorobenzene	108-90-7	Not listed	Not listed	A3	Not listed	A3

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Causes central nervous system depression: Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information No information available

Tumorigenic effects have been reported in experimental animals. Other Adverse Effects

12. Ecological information

Ecotoxicity

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chlorobenzene	EC50: = 12.5 mg/L, 96h	LC50: 36.35 - 58.19 mg/L,	EC50 = 11.26 mg/L 30 min	EC50: = 0.59 mg/L, 48h
	static (Pseudokirchneriella	96h static (Poecilia	EC50 = 11.3 mg/L 30 min	(Daphnia magna)
	subcapitata)	reticulata)	EC50 = 11.5 mg/L 15 min	
	EC50: 2.55 - 420 mg/L, 96h	LC50: 7 - 8.5 mg/L, 96h	EC50 = 20 mg/L 10 min	
	(Pseudokirchneriella	flow-through (Pimephales	EC50 = 9.36 mg/L 5 min	
	subcapitata)	promelas)		
		LC50: = 4.5 mg/L, 96h static		
		(Pimephales promelas)		
		LC50: 6.9 - 7.9 mg/L, 96h		
		flow-through (Lepomis		
		macrochirus)		
		LC50: 4.1 - 4.9 mg/L, 96h		
		static (Lepomis macrochirus)		
		LC50: 4.1 - 5.3 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
		LC50: = 91 mg/L, 96h static		
		(Brachydanio rerio)		

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Chlorobenzene	2.8

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Chlorobenzene - 108-90-7	U037	-

14. Transport information

Revision Date 25-December-2021

Chlorobenzene

DOT

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

TDG

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

<u>IATA</u>

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

IMDG/IMO

UN-No UN1134

Proper Shipping Name CHLOROBENZENE

Hazard Class 3
Packing Group III

15. Regulatory information

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA In notific Active-	ation -	EINECS	ELINCS	NLP
Chlorobenzene	108-90-7	X	-	X	ACT	IVE	203-628-5	-	-
Component	CAS-No	IFCSC	KECI	FNCS	ISHI	TCSL	AICS	NZIoC	PICCS

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Chlorobenzene	108-90-7	X	KE-25489	X	X	X	X	X	Х

Leaend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Chlorobenzene	Part 1, Group A Substance Part 4 Substance		

Legend NPRI - National Pollutant Release Inventory

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate

	Authorization	Substances	List of Substances of Very High Concern (SVHC)	
Chlorobenzene	-	Use restricted. See item 75.	-	
		(see link for restriction details)		

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

	Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
	Chlorobenzene	108-90-7	Listed	Not applicable	Not applicable	Not applicable
	Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
	Chlorobenzene	108-90-7	Not applicable	Not applicable	Not applicable	Annex I - Y45

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date10-September-2009Revision Date25-December-2021Print Date25-December-2021

Revision SummaryThis document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS