

according to Regulation (EC) No. 1907/2006

Revision Date 30-Nov-2024 Revision Number 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Cat No.: 35768

Molecular Formula Ti in 5% HN O3 /tr. HF

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Poison Centre - Emergency information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Revision Date 30-Nov-2024

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Substances/mixtures corrosive to metal Category 1 (H290)

Health hazards

Skin Corrosion/Irritation Category 1 B (H314)
Serious Eye Damage/Eye Irritation Category 1 (H318)

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

Precautionary Statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

Section 3: Composition/information on ingredients

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	94.80	-
Nitric acid	7697-37-2	231-714-2	5.00	Ox. Liq. 3 (H272)

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

				Met. Corr. 1 (H290) Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) (EUH071)
Titanium	7440-32-6	EEC No. 231-142-3	0.10	-
Hydrofluoric acid	7664-39-3	EEC No. 231-634-8	0.10	Met. Corr. 1 (H290) Acute Tox. 2 (H300) Acute Tox. 1 (H310) Acute Tox. 2 (H330) Skin Corr. 1A (H314) Eye Dam. 1 (H318)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Nitric acid	Ox. Liq. 2 :: C>=99%	-	-
	Ox. Liq. 3 :: 65%<=C<99%		
	Acute Tox. 1 (inhal) :: C>=70%		
	Acute Tox. 3 (inhal) ::		
	70%>C>=26.5%		
	Acute Tox. 4 (inhal) ::		
	26.5%>C>=13.25%		
	Skin Corr. 1A :: C>=20%		
	Skin Corr. 1B :: 5%<=C<20%		
	Met. Corr. 1 :: C>=2%		
	EUH071 :: C>=20%		
Hydrofluoric acid	Skin Corr. 1A :: C>=7%	-	-
·	Skin Corr. 1B :: 1%<=C<7%		
	Eye Irrit. 2 :: 0.1%<=C<1%		

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	-	-	ATE = 2.65 mg/L (vapours)

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

ALFAA35768

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Revision Date 30-Nov-2024

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible. CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Nitrogen oxides (NOx), Hydrogen fluoride, Titanium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Revision Date 30-Nov-2024

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 8B

Switzerland - Storage of hazardous substances

Storage class - SC 8 (Acid) https://www.kvu.ch/de/themen/stoffe-und-produkte

https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Nitric acid	STEL: 1 ppm (15min)	STEL: 1 ppm 15 min	STEL / VLCT: 1 ppm.	STEL: 1 ppm 15	STEL / VLA-EC: 1 ppm
	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³ 15 min	indicative limit	minuten	(15 minutos).
	(15min)		STEL / VLCT: 2.6	STEL: 2.6 mg/m ³ 15	STEL / VLA-EC: 2.6
			mg/m ³ . indicative limit	minuten	mg/m³ (15 minutos).
Hydrofluoric acid	TWA: 1.8 ppm (8h)	STEL: 3 ppm 15 min	TWA / VME: 1.8 ppm (8	TWA: 1.8 ppm 8 uren	STEL / VLA-EC: 3 ppm
	TWA: 1.5 mg/m ³ (8h)	STEL: 2.5 mg/m ³ 15 min	heures). restrictive limit	TWA: 1.5 mg/m ³ 8 uren	(15 minutos).
	STEL: 3 ppm (15min)	TWA: 1.8 ppm 8 hr	TWA / VME: 1.5 mg/m ³	STEL: 3 ppm 15	STEL / VLA-EC: 2.5
	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³ 8 hr	(8 heures). restrictive	minuten	mg/m³ (15 minutos).
	(15min)		limit	STEL: 2.5 mg/m ³ 15	TWA / VLA-ED: 1.8 ppm
			STEL / VLCT: 3 ppm.	minuten	(8 horas)
			restrictive limit		TWA / VLA-ED: 1.5
			STEL / VLCT: 2.5		mg/m³ (8 horas)
			mg/m ³ . restrictive limit		

Component	Italy	Germany	Portugal	The Netherlands	Finland
Nitric acid	STEL: 1 ppm 15 minuti. Short-term STEL: 2.6 mg/m³ 15 minuti. Short-term	TWA: 1 ppm (8 Stunden). AGW - TWA: 2.6 mg/m³ (8 Stunden). AGW -	STEL: 1 ppm 15 minutos STEL: 2.6 mg/m³ 15 minutos TWA: 2 ppm 8 horas	STEL: 0.5 ppm 15 minuten STEL: 1.3 mg/m³ 15 minuten	TWA: 0.5 ppm 8 tunteina TWA: 1.3 mg/m³ 8 tunteina STEL: 1 ppm 15 minuutteina STEL: 2.6 mg/m³ 15 minuutteina
Hydrofluoric acid	TWA: 1.8 ppm 8 ore. Time Weighted Average	TWA: 1 ppm (8 Stunden). AGW -	STEL: 3 ppm 15 minutos	STEL: 1.27 ppm 15 minuten	TWA: 1.8 ppm 8 tunteina

Titanium, plasma standard solution, Specpure®, Ti 1000μg/ml

Revision Date 30-Nov-2024

Tim ST S	VA: 1.5 mg/m³ 8 ore. ne Weighted Average EL: 3 ppm 15 minuti. Short-term STEL: 2.5 mg/m³ 15 minuti. Short-term	Stunden). AGW - exposure factor 2 TWA: 1 mg/m³ (8 Stunden).	STEL: 2.5 mg/m ³ 15 minutos Ceiling: 2 ppm TWA: 1.8 ppm 8 horas TWA: 1.5 mg/m ³ 8 horas TWA: 2.5 mg/m ³ 8 horas	TWA: 1.5 mg/m³ 8 tunteina STEL: 3 ppm 15 minuutteina STEL: 2.5 mg/m³ 15 minuutteina
		'4 TWA: 1 ppm (8 Stunden). MAK TWA: 0.83 mg/m³ (8 Stunden). MAK TWA: 1 mg/m³ (8 Stunden). MAK Höhepunkt: 2 ppm Höhepunkt: 1.66 mg/m³ Haut	Pele	lho

Component	Austria	Denmark	Switzerland	Poland	Norway
Nitric acid	MAK-KZGW: 1 ppm 15 Minuten MAK-KZGW: 2.6 mg/m ³ 15 Minuten	minutter	STEL: 2 ppm 15 Minuten STEL: 5 mg/m ³ 15 Minuten	STEL: 2.6 mg/m ³ 15 minutach TWA: 1.4 mg/m ³ 8 godzinach	TWA: 2 ppm 8 timer TWA: 5 mg/m³ 8 timer STEL: 4 ppm 15 minutter, value
			TWA: 2 ppm 8 Stunden TWA: 5 mg/m³ 8 Stunden	3	calculated STEL: 10 mg/m³ 15 minutter. value calculated
Titanium				STEL: 30 mg/m³ 15 minutach TWA: 10 mg/m³ 8 godzinach	
Hydrofluoric acid	Haut MAK-KZGW: 3 ppm 15 Minuten MAK-KZGW: 2.5 mg/m³ 15 Minuten MAK-TMW: 1.8 ppm 8 Stunden MAK-TMW: 1.5 mg/m³ 8 Stunden	STEL: 2.5 mg/m³ 15 minutter STEL: 3 ppm 15 minutter	STEL: 2 ppm 15 Minuten STEL: 1.66 mg/m³ 15 Minuten TWA: 1 ppm 8 Stunden TWA: 0.83 mg/m³ 8 Stunden	STEL: 2 mg/m³ 15 minutach TWA: 0.5 mg/m³ 8 godzinach	TWA: 0.6 ppm 8 timer TWA: 0.5 mg/m³ 8 timer STEL: 1.5 mg/m³ 15 minutter. value from the regulation STEL: 1.8 ppm 15 minutter. value from the regulation Hud

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Nitric acid	STEL: 1 ppm	STEL-KGVI: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	TWA: 1 mg/m ³ 8
	STEL: 2.6 mg/m ³	minutama.	STEL: 2.6 mg/m ³ 15 min	STEL: 2.6 mg/m ³	hodinách.
	_	STEL-KGVI: 2.6 mg/m ³	_	_	Ceiling: 2.5 mg/m ³
		15 minutama.			
Titanium	TWA: 1.0 mg/m ³				
Hydrofluoric acid	TWA: 1.8 ppm	TWA-GVI: 1.8 ppm 8	TWA: 1.5 mg/m ³ 8 hr.	STEL: 3.0 ppm	TWA: 1.5 mg/m ³ 8
	TWA: 1.5 mg/m ³	satima.	TWA: 1.8 ppm 8 hr. F	STEL: 2.5 mg/m ³	hodinách.
	STEL: 3 ppm	TWA-GVI: 1.5 mg/m ³ 8	STEL: 2.5 mg/m ³ 15 min	TWA: 1.8 ppm	Ceiling: 2.5 mg/m ³
	STEL: 2.5 mg/m ³	satima.	STEL: 3 ppm 15 min	TWA: 1.5 mg/m ³	
		STEL-KGVI: 3 ppm 15	Skin		
		minutama.			
		STEL-KGVI: 2.5 mg/m ³			
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Nitric acid	STEL: 1 ppm 15	STEL: 1 ppm 15 min	STEL: 1 ppm	STEL: 2.6 mg/m ³ 15	STEL: 1 ppm
	minutites.	STEL: 2.6 mg/m ³ 15 min	STEL: 2.6 mg/m ³	percekben. CK	STEL: 2.6 mg/m ³
	STEL: 2.6 mg/m ³ 15			STEL: 1 ppm 15	
	minutites.			percekben. CK	
Hydrofluoric acid	TWA: 1.8 ppm 8	TWA: 1.8 ppm 8 hr	STEL: 3 ppm	STEL: 2.5 mg/m ³ 15	STEL: 3 ppm 5 minutes
	tundides.	TWA: 1.5 mg/m ³ 8 hr	STEL: 2.5 mg/m ³	percekben. CK	STEL: 2.5 mg/m ³ 5
	TWA: 1.5 mg/m ³ 8	STEL: 3 ppm 15 min	TWA: 3 ppm	STEL: 3 ppm 15	minutes
	tundides.	STEL: 2.5 mg/m ³ 15 min	TWA: 2.5 mg/m ³	percekben. CK	TWA: 0.7 ppm 8
	STEL: 3 ppm 15			TWA: 1.8 ppm 8 órában.	klukkustundum.
	minutites.			AK	TWA: 0.6 mg/m ³ 8
	STEL: 2.5 mg/m ³ 15	1		TWA: 1.5 mg/m ³ 8	klukkustundum.
	minutites.	1		órában. AK	

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

	lehetséges borön	1
	keresztüli felszívódás	

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Nitric acid	STEL: 1 ppm	STEL: 1 ppm	STEL: 1 ppm 15	STEL: 1 ppm 15 minuti	STEL: 1 ppm 15 minute
	STEL: 2.6 mg/m ³	STEL: 2.6 mg/m ³	Minuten	STEL: 2.6 mg/m ³ 15	STEL: 2.6 mg/m ³ 15
	TWA: 0.78 ppm		STEL: 2.6 mg/m ³ 15	minuti	minute
	TWA: 2 mg/m ³		Minuten		
Titanium	TWA: 10 mg/m ³				TWA: 10 mg/m ³ 8 ore
	_				STEL: 15 mg/m ³ 15
					minute
Hydrofluoric acid	STEL: 3 ppm	TWA: 1.8 ppm IPRD	TWA: 1.8 ppm 8	TWA: 1.8 ppm	TWA: 1.8 ppm 8 ore
	STEL: 2.5 mg/m ³	TWA: 1.5 mg/m ³ IPRD	Stunden	TWA: 1.5 mg/m ³	TWA: 1.5 mg/m ³ 8 ore
	TWA: 1.8 ppm	STEL: 3 ppm	TWA: 1.5 mg/m ³ 8	STEL: 3 ppm 15 minuti	STEL: 3 ppm 15 minute
	TWA: 1.5 mg/m ³	STEL: 2.5 mg/m ³	Stunden	STEL: 2.5 mg/m ³ 15	STEL: 2.5 mg/m ³ 15
	_	_	STEL: 3 ppm 15	minuti	minute
			Minuten		
			STEL: 2.5 mg/m ³ 15		
			Minuten		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Nitric acid	Skin notation	Ceiling: 2.6 mg/m ³		Binding STEL: 1 ppm 15	
	MAC: 2 mg/m ³		TWA: 2.6 mg/m ³ 8 urah		STEL: 2.6 mg/m ³ 15
			STEL: 1 ppm 15	Binding STEL: 2.6	dakika
			minutah	mg/m³ 15 minuter	
			STEL: 2.6 mg/m ³ 15	TLV: 0.5 ppm 8 timmar.	
			minutah	NGV	
				TLV: 1.3 mg/m ³ 8	
				timmar. NGV	
Titanium	TWA: 10 mg/m ³ 1994				
Hydrofluoric acid	TWA: 0.1 mg/m ³ 0608	Ceiling: 2.5 mg/m ³	TWA: 1.8 ppm 8 urah	Binding STEL: 2 ppm 15	TWA: 1.8 ppm 8 saat
	MAC: 0.5 mg/m ³	TWA: 1.8 ppm	TWA: 1.5 mg/m ³ 8 urah	minuter	TWA: 1.5 mg/m ³ 8 saat
	_	TWA: 1.5 mg/m ³	Koža	Binding STEL: 1.7	STEL: 3 ppm 15 dakika
			STEL: 3 ppm 15	mg/m ³ 15 minuter	STEL: 2.5 mg/m ³ 15
			minutah	TLV: 1.8 ppm 8 timmar.	dakika
			STEL: 2.5 mg/m ³ 15	NGV	
			minutah	TLV: 1.5 mg/m ³ 8	
				timmar. NGV	

Biological limit values

List source(s):

Component	:	European Union	United Kingdom	France	Spain	Germany
Hydrofluoric ad	cid			Fluorides: urine	Fluorides: 2 mg/L urine	Fluoride: 4.0 mg/g
				beginning of shift	pre-shift	Creatinine urine (end of
				Fluorides: urine end of	Fluorides: 3 mg/L urine	shift)
				shift	end of shift	

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Hydrofluoric acid			Fluoride: 7 mg/g		
			creatinine urine end of		
1			exposure or work shift		
			Fluoride: 4 mg/g		
			creatinine urine prior to		
			shift		

Monitoring methods

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry MDHS 99 Metals in air by ICP-AES

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component Acute effects local Acute effects Chronic effects local Chronic effe
--

ALFAA35768

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

	(Oral)	systemic (Oral)	(Oral)	systemic (Oral)
Hydrofluoric acid		0.01 mg/kg/ bw/day		0.01 mg/kg bw/day
7664-39-3 (0.10)				

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Hydrofluoric acid 7664-39-3 (0.10)	DNEL = 2.5mg/m ³	$DNEL = 2.5 mg/m^3$	DNEL = $1.5\mu g/m^3$	DNEL = 1.5mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Titanium	PNEC = 0.076mg/L	PNEC = 600mg/kg	PNEC = 0.37mg/L	PNEC = 60mg/L	PNEC = 60mg/kg
7440-32-6 (0.10)	_	sediment dw	-	-	soil dw
Hydrofluoric acid	PNEC = 0.9mg/L	_		PNEC = 51mg/L	PNEC = 11mg/kg
7664-39-3 (0.10)					soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Titanium	PNEC = 0.6mg/L	PNEC = 60mg/kg			
7440-32-6 (0.10)		sediment dw			
Hydrofluoric acid	PNEC = 0.9mg/L				
7664-39-3 (0.10)					

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

	e comments m requirement)
--	------------------------------

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

ALFAA35768

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Revision Date 30-Nov-2024

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Multi-purpose/ABEK conforming to EN14387 Particulates filter

Method - No information available

conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

No information available Odor **Odor Threshold** No data available Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** No information available Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

No information available **Flash Point**

Autoignition Temperature No data available **Decomposition Temperature** No data available

рΗ

Viscosity No data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Nitric acid -2.3 Hydrofluoric acid -1.4

<=1100 hPa @ 50 °C **Vapor Pressure Density / Specific Gravity** No data available

Not applicable **Bulk Density** Liquid No data available (Air = 1.0)**Vapor Density**

Particle characteristics Not applicable (liquid)

9.2. Other information

Ti in 5% HN O3 /tr. HF Molecular Formula

Section 10: Stability and reactivity

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen fluoride. Titanium oxides.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid	-	-	LC50 = 2500 ppm. (Rat) 1h
Hydrofluoric acid	-	-	LC50 = 0.79 mg/L (Rat) 1 h

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Nitric acid	-	-	ATF = 2.65 mg/L (vapours)

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratorySkin
No data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

ALFAA35768

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Target Organs No information available.

No data available (i) aspiration hazard;

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Revision Date 30-Nov-2024

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity effects

May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Hydrofluoric acid	LC50 = 660 mg/L, 48h (Leuciscus idus)	EC50 = 270 mg/L, 48h (Daphnia species)	

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence

based on information available. May persist.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Nitric acid	-2.3	No data available
Hydrofluoric acid	-1.4	No data available

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13: Disposal considerations

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

Revision Date 30-Nov-2024

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

Section 14: Transport information

IMDG/IMO

14.1. UN number UN3264

14.2. UN proper shipping name Technical Shipping NameCorrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID, Hydrofluoric acid)

14.3. Transport hazard class(es) 8 14.4. Packing group III

<u>ADR</u>

14.1. UN number UN3264

14.2. UN proper shipping name Technical Shipping NameCorrosive liquid, acidic, inorganic, n.o.s. (NITRIC ACID, Hydrofluoric acid)

14.3. Transport hazard class(es) 8 14.4. Packing group 8

IATA

14.1. UN number UN3264

14.2. UN proper shipping nameCorrosive liquid, acidic, inorganic, n.o.s.Technical Shipping Name(NITRIC ACID, Hydrofluoric acid)14.3. Transport hazard class(es)8

14.4. Packing group

14.5. Environmental hazardsNo hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Revision Date 30-Nov-2024

International Inventories Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Nitric acid	7697-37-2	231-714-2	-	-	X	X	KE-25911	X	X
Titanium	7440-32-6	231-142-3	-	-	Х	Х	KE-33881	Х	-
Hydrofluoric acid	7664-39-3	231-634-8	-	-	Х	Х	KE-20198	Х	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	Х	-	Х	Х	X
Nitric acid	7697-37-2	Х	ACTIVE	Х	-	Х	Х	Х
Titanium	7440-32-6	Х	ACTIVE	Х	-	Х	X	Х
Hydrofluoric acid	7664-39-3	Х	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Nitric acid	7697-37-2	-	Use restricted. See entry 75. (see link for restriction details)	-
Titanium	7440-32-6	-	-	-
Hydrofluoric acid	7664-39-3	-	Use restricted. See entry 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	
Water	7732-18-5	Not applicable	Not applicable	
Nitric acid	7697-37-2	Not applicable	Not applicable	
Titanium	7440-32-6	Not applicable	Not applicable	
Hydrofluoric acid	7664-39-3	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Nitric acid	WGK1	
Titanium	nwg	
Hydrofluoric acid	WGK2	

Component	France - INRS (Tables of occupational diseases)
Hydrofluoric acid	Tableaux des maladies professionnelles (TMP) - RG 32

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

	Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
	Nitric acid Prohibited and Rest 7697-37-2 (5.00) Substances			
Hydrofluoric acid 7664-39-3 (0.10)		Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H272 - May intensify fire; oxidizer

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

EUH071 - Corrosive to the respiratory tract

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

Titanium, plasma standard solution, Specpure®, Ti 1000µg/ml

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50% LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50% NOEC - No Observed Effect Concentration POW - Partition coefficient Octanol:Water PBT - Persistent, Bioaccumulative, Toxic vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Revision Date 30-Nov-2024

Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Prepared By Health, Safety and Environmental Department

Revision Date 30-Nov-2024 **Revision Summary** Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet