

SAFETY DATA SHEET

Creation Date 06-November-2010 Revision Date 28-March-2024 Revision Number 3

1. Identification

Product Name Lithium foil

Cat No.: 10767

CAS-No 7439-93-2

Synonyms Lithium metal; Lithium element

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Substances/mixtures which, in contact with water, emit Category 1 Gas(es) = Hydrogen

flammable gases

Skin Corrosion/IrritationCategory 1 BSerious Eye Damage/Eye IrritationCategory 1

Label Elements

Signal Word

Danger

Hazard Statements

In contact with water releases flammable gases which may ignite spontaneously Causes severe skin burns and eye damage



Precautionary Statements

Prevention

Do not allow contact with water

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eve protection/face protection

Handle and store contents under inert gas. Protect from moisture

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

IF ON SKIN: Brush off loose particles from skin. Immerse in cool water

Storage

Store locked up

Store in a dry place. Store in a closed container

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

L	Component	CAS-No	Weight %	
	Lithium	7439-93-2	>95	

4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is

required. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device.

Ingestion Do NOT induce vomiting. Call a physician immediately.

Most important symptoms/effects Causes burns by all exposure routes. . Product is a corrosive material. Use of gastric

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media dry ground dolomite.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

Autoignition Temperature 180 °C / 356 °F

Explosion Limits

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Water reactive. Produce flammable gases on contact with water.

Hazardous Combustion Products

Hydrogen.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	3	2	W

6. Accidental release measures

Personal Precautions Avoid contact with skin and eyes. Evacuate personnel to safe areas. Use personal

protective equipment as required. Ensure adequate ventilation. ELIMINATE all ignition

sources (no smoking, flares, sparks or flames in immediate area).

Environmental Precautions See Section 12 for additional Ecological Information.

Methods for Containment and Clean Pick up and transfer to properly labelled containers. Prevent product from entering drains. **Up**

_					
/	н	and	lina	and	storage

Handling Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not

breathe dust. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate

exhaust ventilation.

Storage. Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Store contents

under argon. Keep from any possible contact with water. Incompatible Materials. Organic

materials. Acids. Halogens. oxygen. nitriles. Metals. Carbon dioxide (CO2).

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the

process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical StateSolidAppearanceSilverOdorOdorless

Odor Threshold
pHNo information available
No information availableMelting Point/Range180 °C / 356 °FBoiling Point/Range1340 °C / 2444 °FFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Pressure

Vapor Density

Not applicable

Specific Gravity

No information available

Solubility

No information available

Partition coefficient; n-octanol/water

Autoignition Temperature

No data available

180 °C / 356 °F

Autoignition Temperature180 °C / 356 °FDecomposition TemperatureNo information available

Viscosity Not applicable

Molecular Formula Li 6.94 **Molecular Weight**

10. Stability and reactivity

Yes **Reactive Hazard**

Stability Air sensitive. Moisture sensitive.

Conditions to Avoid Exposure to air. Incompatible products. Exposure to moist air or water.

Incompatible Materials Organic materials, Acids, Halogens, oxygen, nitriles, Metals, Carbon dioxide (CO2)

Hazardous Decomposition Products Hydrogen

Hazardous Polymerization Hazardous polymerization does not occur.

Reacts violently with water, liberating extremely flammable gases. **Hazardous Reactions**

No information available

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Toxicologically Synergistic

Products

No acute toxicity information is available for this product

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

No information available Sensitization

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Con	nponent CAS-No		IARC	NTP	ACGIH	OSHA	Mexico	
Li	thium	7439-93-2	Not listed					

Mutagenic Effects No information available

No information available. **Reproductive Effects**

No information available. **Developmental Effects**

Teratogenicity No information available.

None known STOT - single exposure STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Reacts with water so no ecotoxicity data for the substance is available.

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1415
Proper Shipping Name LITHIUM
Hazard Class 4.3
Packing Group I

TDG

UN-No UN1415
Proper Shipping Name LITHIUM
Hazard Class 4.3
Packing Group I

<u>IATA</u>

UN-No UN1415
Proper Shipping Name LITHIUM
Hazard Class 4.3
Packing Group I

IMDG/IMO

UN-No UN1415
Proper Shipping Name LITHIUM
Hazard Class 4.3
Packing Group I

15. Regulatory information

International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Ī	Lithium	7439-93-2	X	-	Х	ACTIVE	231-102-5	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Lithium	7439-93-2	X	KE-22543	X	ı	X	X	X	X

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component		REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Lithium	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

Lithium

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Lithium	7439-93-2	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		

16. Other information

Not applicable

Not applicable

Not applicable

Prepared By Product Safety Department

7439-93-2

Email: chem.techinfo@thermofisher.com

Not applicable

www.thermofisher.com

Creation Date06-November-2010Revision Date28-March-2024Print Date28-March-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS