

Page 1 / 10 Creation Date 06-Jul-2010 Revision Date 21-Mar-2025 Version 5

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Hafnium standard solution, 1 mg/ml Hf in 5% HF
Product Description: Hafnium standard solution, 1 mg/ml Hf in 5% HF

Cat No.: 196010000; 196011000

Synonyms Hydrofluoric acid solution; Fluohydric acid; Fluoric acid

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Substances/mixtures corrosive to metal	Category 1 (H290)
Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 2 (H310)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

Label Elements



Signal Word Danger

ACR19601

Hazard Statements

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H331 - Toxic if inhaled

Precautionary Statements

Prevention

P262 - Do not get in eyes, on skin, or on clothing

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

Response

P310 - Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P330 - Rinse mouth

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P405 - Store locked up

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Hafnium	7440-58-6	0.01
Hydrogen fluoride	7664-39-3	5
Water	7732-18-5	94.99

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Immediate and specialised first aid and medical treatment is required. Speed is of the essence. Flush with plenty of water immediately. Continue flushing during transport to hospital or medical center.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

ACR19601

Hafnium standard solution, 1 mg/ml Hf in 5% HF

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required. Dermal burns may be treated with calcium gluconate gel or slurry in water or glycerine. This compound binds the active fluorides in an insoluble form and limits burn extension and pain. Soaking or immersion with iced 0.13% Benzalkonium chloride solution may be used for skin burns and should be continued until the pain is relieved. Do

Revision Date 21-Mar-2025

not use in eyes.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. A nebulized solution of 2.5% Calcium

gluconate may be administered with Oxygen by inhalation.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

This product contains hydrogen fluoride. Generous application of calcium gluconate gel to the affected skin may be indicated. For dermal exposure, the use of 2.5-33% calcium gluconate or carbonate gel or slurry has been recommended. The gel is either placed into a surgical glove into which the affected extremity is then placed or applied directly on the burn. This compound binds with the active fluorides in an insoluble form and limits burn extension and pain. Calcium chloride should not be used. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Gaseous hydrogen fluoride (HF).

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Hafnium standard solution, 1 mg/ml Hf in 5% HF

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Should not be released into the environment.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do not store in metal containers.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Hafnium		TWA: 0.5 mg/m ³	(Vacated) TWA: 0.5 mg/m ³
			TWA: 0.5 mg/m ³
Hydrogen fluoride		TWA: 0.5 ppm TWA: 2.5 mg/m ³	(Vacated) TWA: 3 ppm (Vacated)
		Ceiling: 2 ppm	TWA: 2.5 mg/m ³
		Skin	(Vacated) STEL: 6 ppm
			TWA: 3 ppm

Component	European Union	The United Kingdom	Germany
Hydrogen fluoride	TWA: 1.8 ppm (8h)	STEL: 3 ppm 15 min	TWA: 1 ppm (8 Stunden). AGW -
	TWA: 1.5 mg/m³ (8h)	STEL: 2.5 mg/m ³ 15 min	exposure factor 2
	STEL: 3 ppm (15min)	TWA: 1.8 ppm 8 hr	TWA: 0.83 mg/m³ (8 Stunden).
	STEL: 2.5 mg/m³ (15min)	TWA: 1.5 mg/m ³ 8 hr	AGW - exposure factor 2 TWA: 1 mg/m³ (8 Stunden). AGW -
			exposure factor 4
			TWA: 1 ppm (8 Stunden). MAK
			TWA: 0.83 mg/m³ (8 Stunden). MAK
			TWA: 1 mg/m³ (8 Stunden). MAK
			Höhepunkt: 2 ppm
			Höhepunkt: 1.66 mg/m ³
			Haut

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

Hafnium standard solution, 1 mg/ml Hf in 5% HF

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Acid gases filter Type E Yellow conforming to EN14387 Particulates filter conforming to EN

143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearanceColorlessPhysical StateLiquidOdorpungent

Odor Threshold No data available

pH < 1.0

Melting Point/Range-35 °C / -31 °FSoftening PointNo data availableBoiling Point/Range105 °C / 221 °F

Flash Point No information available Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density 2.21 (Air = 1.0)

Specific Gravity / Density 1.15-1.20

Bulk Density Not applicable Liquid

Hafnium standard solution, 1 mg/ml Hf in 5% HF

Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Hydrogen fluoride -1.4

Autoignition Temperature Decomposition Temperature

Viscosity Explosive Properties Oxidizing Properties No data available No data available No data available

No information available No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

Corrosive to metals. Contact with metals may evolve flammable hydrogen gas.

Conditions to Avoid

Incompatible products. Excess heat.

Incompatible Materials

Metals. Cyanides. Sulfides. Bases. Fluorine.

Hazardous Decomposition Products

Gaseous hydrogen fluoride (HF).

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Category 3 **Dermal** Category 2 Inhalation Category 3

Hafnium standard solution, 1 mg/ml Hf in 5% HF

Revision Date 21-Mar-2025

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Hydrogen fluoride	-	-	LC50 = 0.79 mg/L (Rat) 1 h	
Water	-	-	-	

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

(i) aspiration hazard; Based on available data, the classification criteria are not met

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation.

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Do not empty into drains. .

	Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
	Hydrogen fluoride	LC50 = 660 mg/L, 48h	EC50 = 270 mg/L, 48h		
1		(Leuciscus idus)	(Daphnia species)		
-1					

Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available, Miscible with

water.

Degradability Not relevant for inorganic substances.

Hafnium standard solution, 1 mg/ml Hf in 5% HF

 Bioaccumulative potential
 Bioaccumulation is unlikely

 Component
 log Pow
 Bioconcentration factor (BCF)

 Hydrogen fluoride
 -1.4
 No data available

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains Do not flush to sewer Large amounts will affect pH and harm aquatic organisms Solutions with low pH-value must be neutralized before discharge

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN1790
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name HYDROFLUORIC ACID

Road and Rail Transport

UN-No UN1790
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name HYDROFLUORIC ACID

<u>IATA</u>

UN-No UN1790
Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

Proper Shipping Name HYDROFLUORIC ACID

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

ACR19601

Hafnium standard solution, 1 mg/ml Hf in 5% HF

Revision Date 21-Mar-2025

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Hafnium	231-166-4	Х	Х	Х	Х		-	-	KE-18170
Hydrogen fluoride	231-634-8	Х	Χ	Х	Х	Χ	Х	Χ	KE-20198
Water	231-791-2	Χ	Х	Х	Х		Χ	Χ	KE-35400

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Hydrogen fluoride				Annex I - Y34

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 21-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health

ACR19601

Revision Date 21-Mar-2025

(Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet