

### SAFETY DATA SHEET

### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

**Product Identifier** 

Product Name <u>Tin (II) chloride, dihydrate</u>

**CAS No** 10025-69-1

Synonyms Stannous chloride dihydrate

Molecular Formula Cl2 Sn . 2 H2 O

Molecular Weight 225.63

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code T/1654/73, T/1654/60, T/1654/53, T/1654/50, T/1654/48

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

## **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002503

**GHS Classification** 

Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Acute Oral Toxicity

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Skin Sensitization

Specific target organ toxicity - (single exposure)

Specific target organ toxicity - (repeated exposure)

Category 1

Category 1

Category 2

Category 2

**Environmental hazards** 

FSUT1654 Version 3 13-Mar-2023 Page 1/11

Chronic aquatic toxicity

Category 3

#### **Label Elements**



Signal Word

Danger

#### **Hazard Statements**

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

#### Prevention

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P390 - Absorb spillage to prevent material damage

#### Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other hazards which do not result in classification

Toxic to terrestrial vertebrates

### **Section 3 - Composition and Information on Ingredients**

	Component	CAS No	Weight %
Sta	nnous chloride dihydrate	10025-69-1	>95
	Stannous chloride	7772-99-8	-

FSUT1654 Version 3 13-Mar-2023 Page 2 / 11

# **Section 4 - First Aid Measures**

**Description of first aid measures** 

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe

damage to the delicate tissue and danger of perforation

Notes to Physician Treat symptomatically.

# **Section 5 - Fire Fighting Measures**

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors, Hydrogen chloride gas.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **Section 6 - Accidental Release Measures**

Personal Precautions, Protective Equipment and Emergency Procedures

**Emergency procedures** 

FSUT1654 Version 3 13-Mar-2023 Page 3 / 11

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### **Environmental Precautions**

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### **Section 7 - Handling and Storage**

#### **Precautions for Safe Handling**

#### Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers. Corrosives area. Store under an inert atmosphere.

#### **Incompatible Materials**

Strong oxidizing agents. Peroxides. Alkali metals. . Nitrates. Ethylene oxide.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

### **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Stannous chloride dihydrate		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: 4 mg/m³ 15 min TWA: 2 mg/m³ 8 hr
Stannous chloride		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: 4 mg/m³ 15 min TWA: 2 mg/m³ 8 hr

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Appropriate engineering controls

FSUT1654 Version 3 13-Mar-2023 Page 4 / 11

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber, Nitrile	See manufacturers	-	AS/NZS 2161	(minimum requirement)
rubber, Neoprene, PVC.	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

### **Section 9 - Physical and Chemical Properties**

#### Information on basic physical and chemical properties

Physical State Solid

Appearance Colorless Odor Odorless

Odor Threshold No data available

**pH** No information available

**Melting Point/Range** 37 - 38 °C / 98.6 - 100.4 °F

Softening Point No data available

Boiling Point/Range 652 °C / 1205.6 °F @ 760 mmHg

Flammability (liquid) Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data available

ViscosityNot applicableSolidWater Solubility1187 g/l (20°C)

Solubility in other solvents No information available

FSUT1654 Version 3 13-Mar-2023 Page 5/11

Partition Coefficient (n-octanol/water)

Vapor Pressure
Density / Specific Gravity
Bulk Density
Vapor Density
No data available
No data available
No data available
Not applicable

Particle characteristics No data available

Other information

Molecular Formula Cl2 Sn . 2 H2 O

Molecular Weight 225.63

Evaporation Rate Not applicable - Solid

### **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available Strong reducing agent. Fire and explosion risk

Solid

in contact with oxidizing agents

Stability Strong reducing agent. Fire and explosion risk in contact with oxidizing agents. Moisture

sensitive. Air sensitive.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

**Hazardous Polymerization** No information available.

Hazardous Reactions None under normal processing.

**Conditions to Avoid**Avoid dust formation, Incompatible products, Excess heat, Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Peroxides, Alkali metals, . Nitrates: Ethylene oxide

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Hydrogen

chloride gas.

### **Section 11 - Toxicological Information**

#### **Acute Effects**

### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Not an expected route of exposure.

Eyes Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin** Avoid contact with skin. Causes burns. Skin Corrosion/Irritation.

**Ingestion** May be harmful if swallowed.

#### Numerical measures of toxicity

(a) acute toxicity;

Oral Category 4

**Dermal**Based on available data, the classification criteria are not met

Inhalation Category 4

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Stannous chloride LD50 = 1910 mg/kg ( Rat )			LC50 = 2mg/l (4h) rat (OECD
			436)

FSUT1654 Version 3 13-Mar-2023 Page 6 / 11

**(b) skin corrosion/irritation**; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory** Based on available data, the classification criteria are not met

Skin Category 1

Sensitization No information available

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Stannous chloride	OECD Test Guideline 476	in vitro	negative
7772-99-8 ( - )	Gene cell mutation	Mammalian	

Mutagenic effects have occurred in humans

(f) carcinogenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species / Duration	Study result		
Stannous chloride	OECD Test Guideline 451	Rat mouse 2 years	negative		
7772-99-8 ( - )		-	_		

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

Component	Test method	Test species / Duration	Study result		
Stannous chloride	OECD Test Guideline similar to	rabbit 15 days	NOAEL = 41.5 mg/kg bw/day		
7772-99-8 ( - )	OECD 416				

(h) STOT-single exposure; Category 3

Results / Target organs Respiratory system

(i) STOT-repeated exposure; Category 2

Target Organs Respiratory system, Eyes, Skin, Kidney, Blood, spleen.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

#### Symptoms / effects,both acute and delayed

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation.

### **Section 12 - Ecological Information**

**Ecotoxicity** 

**Aquatic ecotoxicity**The product contains following substances which are hazardous for the environment.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

FSUT1654 Version 3 13-Mar-2023 Page 7/11

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Stannous chloride		EC50 = 19.5 mg/L/48h		

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

Soluble in water, Persistence is unlikely, based on information available. **Persistence** 

Degradability

Not relevant for inorganic substances. Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** Bioaccumulation is unlikely

**Mobility** The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Other adverse effects

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **Section 13 - Disposal Considerations**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Disposal agencies or waste contractors must comply with the New Zealand Hazardous

Substances (Disposal) Regulations . Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment. Large amounts will affect

pH and harm aquatic organisms.

# **Section 14 - Transport Information**

NZS 5433:2020

UN3260 **UN-No** 

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. **Proper Shipping Name** 

**Technical Shipping Name** Tin (II) chloride dihydrate

**Hazard Class** 8 Ш

**Packing Group** 

IATA

UN3260 **UN-No** 

**FSUT1654** Version 3 13-Mar-2023 Page 8/11

### SAFETY DATA SHEET

**Proper Shipping Name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

**Technical Shipping Name** Tin (II) chloride dihydrate

**Hazard Class** Ш **Packing Group** 

IMDG/IMO

**UN-No** UN3260

**Proper Shipping Name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

**Technical Shipping Name** Tin (II) chloride dihydrate

**Hazard Class** Ш **Packing Group** 

**Environmental hazards** No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the

**IBC Code** 

Not applicable, packaged goods

**Special Precautions** No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

### **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002503
----------------------	-----------

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

**International Regulations** 

**Ozone Depletion Potential** This product does not contain any known or suspected substance

**Persistent Organic Pollutant** This product does not contain any known or suspected substance

**Rotterdam Convention (PIC)** Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

#### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

**FSUT1654** Version 3 13-Mar-2023 Page 9/11

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Stannous chloride dihydrate	10025-69-1	X	Х	-	-	-	-	Х	Х
Stannous chloride	7772-99-8	X	X	-	-	-	KE-33845	Х	Х

Component	ent CAS No TSCA TSCA Inventory notification - Active-Inactive		DSL	NDSL	PICCS	ISHL	ENCS	
Stannous chloride dihydrate	10025-69-1	-	•	-	-	X	Х	Х
Stannous chloride	7772-99-8	Х	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **Section 16 - Other Information**

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b)

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

 $\ensuremath{\mathsf{MARPOL}}$  - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

**RPE** - Respiratory Protective Equipment **NOEC** - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand EPA - Assigning a product to an existing HSNO approval guide

#### **Training Advice**

Chemical incident response training.

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 13-Mar-2023

Revision Summary SDS sections updated

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

FSUT1654 Version 3 13-Mar-2023 Page 10 / 11

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

FSUT1654 Version 3 13-Mar-2023 Page 11 / 11