

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name Ethanol, HPLC/spectrophotometric grade (200 proof)

CAS No 64-17-5

Synonyms Ethyl alcohol; Absolute ethanol

Molecular FormulaC2 H6 OMolecular Weight46.07

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code R33818

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR001144

GHS Classification

Physical hazards

Flammable liquids Category 2

Health hazards

Serious Eye Damage/Eye Irritation Category 2

Environmental hazards

Based on available data, the classification criteria are not met

Label Elements

ALFAAR33818 Version 2 15-Mar-2023 Page 1/11



Signal Word Danger

Hazard Statements

H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection/ face protection

Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|---------------|---------|----------|
| Ethyl alcohol | 64-17-5 | 99-100 |

Section 4 - First Aid Measures

Description of first aid measures

General Advice If symptoms persist, call a physician.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

ALFAAR33818 Version 2 15-Mar-2023 Page 2 / 11

Ethanol, HPLC/spectrophotometric grade (200 proof)

SAFETY DATA SHEET

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting.

Notes to Physician Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2).

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

ALFAAR33818 Version 2 15-Mar-2023 Page 3 / 11

Precautions for Safe Handling

Advice on safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Flammables area. Keep away from heat, sparks and flame.

Incompatible Materials

Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

| Component | New Zealand WEL | Australia | ACGIH TLV | The United Kingdom |
|---------------|-----------------------------|-----------------------------|----------------|-----------------------------------|
| Ethyl alcohol | TWA: 1000 ppm | TWA: 1000 ppm | STEL: 1000 ppm | TWA: 1000 ppm TWA; 1920 |
| | TWA: 1880 mg/m ³ | TWA: 1880 mg/m ³ | | mg/m³ TWA |
| | _ | | | WEL - STEL: 3000 ppm |
| | | | | STEL; 5760 mg/m ³ STEL |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

ALFAAR33818 Version 2 15-Mar-2023 Page 4/11

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|-------------------------|-------------------|-------------------|-----------------|--|
| Butyl rubber, Neoprene. | > 480 minutes | 0.38 mm - 0.56 mm | AS/NZS 2161 | As tested under EN374-3 Determination of |
| | > 480 minutes | 0.45 mm | | Resistance to Permeation by Chemicals |
| PVC | < 60 minutes | 0.18 mm | | |
| Viton (R) | > 480 minutes | 0.7 mm | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ **Recommended Filter type:**

equivalent)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls**

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

Clear, Colorless **Appearance**

Alcohol Odor

Odor Threshold No data available

pН 7 @ 20°C 10g/l aq.sol

-114 °C / -173.2 °F Melting Point/Range **Softening Point** No data available

Boiling Point/Range 78 °C / 172.4 °F

Flammability (liquid) Highly flammable On basis of test data

Flammability (solid, gas) Not applicable Liquid

Explosion Limits Lower 3.3 vol % Upper 19 vol %

12 °C / 53.6 °F **Flash Point** Method - No information available

363 °C / 685.4 °F **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available

Water Solubility Miscible

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

log Pow Component Ethyl alcohol -0.32

59 kPa @ 20°C **Vapor Pressure Density / Specific Gravity** 0.785 g/cm3 @20°C

Bulk Density Not applicable Liquid **Vapor Density** No data available (Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

ALFAAR33818 Version 2 15-Mar-2023 Page 5/11

Molecular FormulaC2 H6 OMolecular Weight46.07

VOC Content(%) 100% (Organic Carbon (by mass) = 52.1 %) (EC/1999/13)

Explosive Properties Vapors may form explosive mixtures with air

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Hygroscopic.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Conditions to Avoid Incompatible products, Heat, flames and sparks, Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. INHALATION MAY CAUSE CENTRAL NERVOUS

SYSTEM EFFECTS. Harmful by inhalation.

Eyes Irritating to eyes.

Skin May cause irritation. Harmful in contact with skin.

Ingestion Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------|----------------------|-------------|--------------------------|
| Ethyl alcohol | LD50 = 10470 mg/kg | | LC50 = 117-125 mg/l (4h) |
| | OECD 401 (Rat) | | OECD 403 (rat) |
| | 3450 mg/kg (Mouse) | | 20000 ppm/10H (rat) |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

ALFAAR33818 Version 2 15-Mar-2023 Page 6/11

(d) respiratory or skin sensitization;

Respiratory Skin

Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met

| Component | Test method | Test species | Study result |
|-------------------------------------|---|--------------|-----------------|
| Ethyl alcohol 64-17-5 (99-100) | Mouse Ear Swelling Test (MEST) | mouse | non-sensitising |
| 04-17-3 (99-100) | OECD Test Guideline 429 Local Lymph Node Assay | mouse | non-sensitising |

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

| Component | Test method | Test species | Study result |
|--------------------|-------------------------|--------------|--------------|
| Ethyl alcohol | AMES test | in vitro | negative |
| 64-17-5 (99-100) | OECD Test Guideline 471 | Bacteria | _ |
| | | | |
| | Gene cell mutation | | |
| | OECD Test Guideline 476 | in vitro | negative |
| | | Mammalian | _ |

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity: Based on available data, the classification criteria are not met

| Component | Test method | Test species / Duration | Study result |
|-------------------------------------|-------------------------|---------------------------|-----------------------|
| Ethyl alcohol 64-17-5 (99-100) | OECD Test Guideline 416 | Oral / mouse 2 Generation | NOAEL = 13.8 g/kg/day |
| 04-17-3 (99-100) | OECD Test Guideline 414 | Inhalation / Rat | NOAEC = 16000 ppm |

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity Do not empty into drains.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|---------------|------------------------|-----------------------|-----------------------|--------------------|
| Ethyl alcohol | Fathead minnow | EC50 = 9268 mg/L/48h | EC50 (72h) = 275 mg/l | Photobacterium |
| | (Pimephales promelas) | EC50 = 10800 mg/L/24h | (Chlorella vulgaris) | phosphoreum:EC50 = |
| | LC50 = 14200 mg/l/96h | | | 34634 mg/L/30 min |
| | | | | Photobacterium |
| | | | | phosphoreum:EC50 = |
| | | | | 35470 mg/L/5 min |

Terrestrial ecotoxicity

| Component | Earthworm | Avian | Honeybees |
|---------------|--------------------------------|-------|-----------|
| Ethyl alcohol | Acute toxicity: LC50 0.1 - 1 | | |
| | mg/cm2 (Eisenia foetida, 48 h, | | |
| | filter paper) | | |

ALFAAR33818 Version 2 15-Mar-2023 Page 7/11

Persistence and Degradability Readily biodegradable

Persistence Persistence is unlikely, based on information available.

| Component | Degradability |
|--------------------|-----------------|
| Ethyl alcohol | OECD 301E = 94% |
| 64-17-5 (99-100) | |

Bioaccumulative Potential

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|---------------|---------|-------------------------------|
| Ethyl alcohol | -0.32 | No data available |

Mobility The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

aır

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

| Component | Hazchem Code |
|--------------------|--------------|
| Ethyl alcohol | 2YE |
| 64-17-5 (99-100) | 2Y |

NZS 5433:2020

UN-No UN1170
Proper Shipping Name ETHANOL

Hazard Class 3
Packing Group ||

IATA

ALFAAR33818 Version 2 15-Mar-2023 Page 8 / 11

Ethanol, HPLC/spectrophotometric grade (200 proof)

SAFETY DATA SHEET

UN1170 **UN-No Proper Shipping Name ETHANOL**

Hazard Class Packing Group П

IMDG/IMO

UN-No UN1170 **Proper Shipping Name ETHANOL**

Hazard Class 3 **Packing Group** Ш

No hazards identified **Environmental hazards**

Transport in bulk according to Annex II of MARPOL 73/78 and the

IBC Code

Special Precautions No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Not applicable, packaged goods

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

| HSNO Approval Number | HSR001144 |
|----------------------|-----------|
|----------------------|-----------|

National Regulations

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Authorisation/Restrictions according to EU REACH

Not applicable

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

ALFAAR33818 Version 2 15-Mar-2023 Page 9/11

| Component | CAS No | NZIoC | AICS | EINECS | ELINCS | NLP | KECL | IECSC | TCSI |
|---------------|---------|-------|------|--------|--------|-----|----------|-------|------|
| Ethyl alcohol | 64-17-5 | X | Х | - | - | - | KE-13217 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | PICCS | ISHL | ENCS |
|---------------|---------|------|---|-----|------|-------|------|------|
| Ethyl alcohol | 64-17-5 | X | ACTIVE | Х | - | X | Х | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **WEL** - Workplace Exposure Limit

DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$ - Australian Code for the Transport of Dangerous Goods by Road and Rail

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

Revision Date 15-Mar-2023 Revision Summary Not applicable

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

ALFAAR33818 Version 2 15-Mar-2023 Page 10 / 11

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAAR33818 Version 2 15-Mar-2023 Page 11 / 11