

# **SAFETY DATA SHEET**

Creation Date 24-October-2010 Revision Date 02-April-2024 Revision Number 4

## 1. Identification

Product Name 2-Fluoro-4-methylaniline

Cat No. : A16591

**Synonyms** 2-Fluoro-p-toluidine

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

### Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity (single exposure)

Category 2

Category 2

Category 2

Category 3

Target Organs - Respiratory system.

### Label Elements

### Signal Word

Danger

### **Hazard Statements**

### 2-Fluoro-4-methylaniline

Combustible liquid
Toxic if swallowed, in contact with skin or if inhaled
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation



#### **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Take off immediately all contaminated clothing and wash it before reuse

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

| Component                  | CAS-No        | Weight % |  |
|----------------------------|---------------|----------|--|
| Benzenamine, 2-fluoro-4-me | hyl- 452-80-2 | <=100    |  |

## 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

**Ingestion** Call a physician immediately. Clean mouth with water.

Most important symptoms/effects Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting

**Notes to Physician** Treat symptomatically

## Fire-fighting measures

**Suitable Extinguishing Media** Water spray, Carbon dioxide (CO<sub>2</sub>), Dry chemical, Chemical foam, Water mist may be used

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

79 °C / 174.2 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Ammonia. Gaseous hydrogen fluoride (HF). Fluorine.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3      | 2            | 0           | N/A              |

### Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not let this chemical enter the environment. Remove all sources of ignition.

## 7. Handling and storage

Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

Storage.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents. Strong bases.

### 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Nitrile rubber | See manufacturers | -               | Splash protection only |
| Neoprene       | recommendations   |                 |                        |
| Natural rubber |                   |                 |                        |
| PVC            |                   |                 |                        |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

No information available.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical State Liquid Appearance Amber

Odor No information available
Odor Threshold No information available
pH No information available

Melting Point/RangeNo data availableBoiling Point/Range70 - 71 °C / 158 - 159.8 °F @ 7 mmHg

Flash Point 79 °C / 174.2 °F
Evaporation Rate No information available

Flammability (solid,gas)
Not applicable
Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density4.32Specific Gravity1.108

Solubility
No information available
Partition coefficient; n-octanol/water
No data available

### 2-Fluoro-4-methylaniline

No information available

**Autoignition Temperature Decomposition Temperature** 

No information available **Viscosity** No information available

C7 H8 F N **Molecular Formula Molecular Weight** 125.16

## 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions.

**Conditions to Avoid** Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials** Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO<sub>2</sub>), Ammonia, Gaseous

hydrogen fluoride (HF), Fluorine

**Hazardous Polymerization** No information available.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information Component Information** 

**Toxicologically Synergistic** No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component          | CAS-No   | IARC       | NTP        | ACGIH      | OSHA       | Mexico     |
|--------------------|----------|------------|------------|------------|------------|------------|
| Benzenamine,       | 452-80-2 | Not listed |
| 2-fluoro-4-methyl- |          |            |            |            |            |            |

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. No information available. **Developmental Effects** No information available. **Teratogenicity** 

STOT - single exposure Respiratory system STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN2810

Proper Shipping Name Toxic liquid, organic, n.o.s.

Hazard Class 6.1 Packing Group III

TDG

UN-No UN2810

Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.

Hazard Class 6.1 Packing Group

<u>IATA</u>

UN-No UN2810

Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.

Hazard Class 6.1 Packing Group III

IMDG/IMO

**UN-No** UN2810

Proper Shipping Name TOXIC LIQUID, ORGANIC, N.O.S.

Hazard Class 6.1 Packing Group III

## 15. Regulatory information

#### International Inventories

| Component                       | CAS-No   | DSL | NDSL | TSCA | TSCA Inventory<br>notification -<br>Active-Inactive | EINECS | ELINCS | NLP |
|---------------------------------|----------|-----|------|------|---|--------|--------|-----|
| Benzenamine, 2-fluoro-4-methyl- | 452-80-2 | -   | -    | -    | •   | -      | -      | -   |

| Component                       | CAS-No   | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|---------------------------------|----------|-------|------|------|------|------|------|-------|-------|
| Benzenamine, 2-fluoro-4-methyl- | 452-80-2 | -     | -    | -    | -    | X    | -    | -     | -     |

### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### Other International Regulations

Authorisation/Restrictions according to EU REACH

Not applicable

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component                          | CAS-No   | OECD HPV  | Persistent Organic<br>Pollutant  | Ozone Depletion<br>Potential  | Restriction of<br>Hazardous<br>Substances (RoHS) |
|------------------------------------|----------|---|--|-------------------------------|--|
| Benzenamine,<br>2-fluoro-4-methyl- | 452-80-2 | Not applicable  | Not applicable   | Not applicable                | Not applicable                                   |
| Component                          | CAS-No   | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident<br>Notification | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report<br>Requirements | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste)            |
| Benzenamine,<br>2-fluoro-4-methyl- | 452-80-2 | Not applicable  | Not applicable   | Not applicable                | Not applicable                                   |

## 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 24-October-2010

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

**Revision Summary** New emergency telephone response service provider.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**