

according to Regulation (EC) No. 1907/2006

Revision Date 27-Sep-2023

**Revision Number** 6

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: <u>Triiron dodecacarbonyl</u>

Cat No.: 209290000; 209290050; 209290250

CAS No 17685-52-8 EC No 241-668-5 Molecular Formula C12 Fe3 O12

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## 1.3. Details of the supplier of the safety data sheet

Company

EU entity/business name

Thermo Fisher Scientific

Janssen Pharmaceuticalaan 3a, 2440 Geel, Belgium

UK entity/business name

Fisher Scientific UK Bishop Meadow Road,

Loughborough, Leicestershire LE11 5RG, United Kingdom

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

e-mail - infoch@thermofisher.com

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

#### Triiron dodecacarbonyl

Revision Date 27-Sep-2023

## CLP Classification - Regulation (EC) No 1272/2008

## **Physical hazards**

Flammable solids Category 2 (H228)

## **Health hazards**

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Vapors

Specific target organ toxicity - (single exposure)

Category 4 (H312)

Category 4 (H332)

Category 4 (H332)

Category 2 (H371)

#### **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



#### Signal Word

Warning

## **Hazard Statements**

H228 - Flammable solid

H371 - May cause damage to organs

H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled

## **Precautionary Statements**

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P312 - Call a POISON CENTER or doctor if you feel unwell

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

## 2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No
				1272/2008

#### Triiron dodecacarbonyl

Methanol	67-56-1	200-659-6	5-10	Flam. Liq. 2 (H225)
				Acute Tox. 3 (H301)
				Acute Tox. 3 (H311)
				Acute Tox. 3 (H331)
				STOT SE 1 (H370)
Dimucarbonyldecacarbonyl-triangulo-triir	17685-52-8	EEC No. 241-668-5	90-95	STOT SE 2 (H371)
on				Acute Tox. 4 (H302)
				Acute Tox. 4 (H312)
				Acute Tox. 4 (H332)
				Flam. sol. 2 (H228)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Methanol	STOT Single Exp. 1 :: >= 10 STOT Single Exp. 2 :: 3 - < 10	<del>-</del>	-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

## 4.1. Description of first aid measures

General Advice If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Get medical attention. Wash off immediately with plenty of water for at least 15 minutes.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

No information available.

## 5.2. Special hazards arising from the substance or mixture

ACR20929

#### Triiron dodecacarbonyl

Combustible material.

#### **Hazardous Combustion Products**

Heavy metal oxides.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

#### 6.2. Environmental precautions

Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

## 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 4.1B

Switzerland - Storage of hazardous substances

Storage class - SC 4.1

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

#### 7.3. Specific end use(s)

Use in laboratories

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Revision Date 27-Sep-2023

## 8.1. Control parameters

## **Exposure limits**

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Methanol	TWA: 200 ppm 8 hr	WEL - TWA: 200 ppm	TWA / VME: 200 ppm (8	TWA: 200 ppm 8 uren	TWA / VLA-ED: 200
	TWA: 260 mg/m <sup>3</sup> 8 hr	TWA; 266 mg/m <sup>3</sup> TWA	heures). restrictive limit	TWA: 266 mg/m <sup>3</sup> 8 uren	ppm (8 horas)
	Skin	WEL - STEL: 250 ppm	TWA / VME: 260 mg/m <sup>3</sup>	STEL: 250 ppm 15	TWA / VLA-ED: 266
		STEL; 333 mg/m <sup>3</sup> STEL	(8 heures). restrictive	minuten	mg/m³ (8 horas)
			limit	STEL: 333 mg/m <sup>3</sup> 15	Piel
			STEL / VLCT: 1000	minuten	
			ppm. restrictive limit	Huid	
			STEL / VLCT: 1300		
			mg/m <sup>3</sup> . restrictive limit		
			Peau		
Dimucarbonyldeca		STEL: 2 mg/m <sup>3</sup> 15 min			TWA / VLA-ED: 1 mg/m <sup>3</sup>
carbonyl-triangulo-trii		TWA: 1 mg/m <sup>3</sup> 8 hr			(8 horas)
ron					

Component	Italy	Germany	Portugal	The Netherlands	Finland
Methanol	TWA: 200 ppm 8 ore.	100 ppm TWA MAK;	STEL: 250 ppm 15	huid	TWA: 200 ppm 8
	Time Weighted Average	130 mg/m <sup>3</sup> TWA	minutos	TWA: 133 mg/m <sup>3</sup> 8 uren	tunteina
	TWA: 260 mg/m <sup>3</sup> 8 ore.	MAKSkin absorber	TWA: 200 ppm 8 horas	-	TWA: 270 mg/m <sup>3</sup> 8
	Time Weighted Average		TWA: 260 mg/m <sup>3</sup> 8		tunteina
	Pelle		horas		STEL: 250 ppm 15
			Pele		minuutteina
					STEL: 330 mg/m <sup>3</sup> 15
					minuutteina
					lho
Dimucarbonyldeca			TWA: 1 mg/m <sup>3</sup> 8 horas		
carbonyl-triangulo-trii			1		
ron					

Component	Austria	Denmark	Switzerland	Poland	Norway
Methanol	Haut	TWA: 200 ppm 8 timer	Haut/Peau	STEL: 300 mg/m <sup>3</sup> 15	TWA: 100 ppm 8 timer
	MAK-KZGW: 800 ppm	TWA: 260 mg/m <sup>3</sup> 8 timer	STEL: 400 ppm 15	minutach	TWA: 130 mg/m <sup>3</sup> 8 timer
	15 Minuten	STEL: 400 ppm 15	Minuten	TWA: 100 mg/m <sup>3</sup> 8	STEL: 150 ppm 15
	MAK-KZGW: 1040	minutter	STEL: 520 mg/m <sup>3</sup> 15	godzinach	minutter. value
	mg/m <sup>3</sup> 15 Minuten	STEL: 520 mg/m <sup>3</sup> 15	Minuten		calculated
	MAK-TMW: 200 ppm 8	minutter	TWA: 200 ppm 8		STEL: 162.5 mg/m <sup>3</sup> 15
	Stunden	Hud	Stunden		minutter. value
	MAK-TMW: 260 mg/m <sup>3</sup>		TWA: 260 mg/m <sup>3</sup> 8		calculated
	8 Stunden		Stunden		Hud
Dimucarbonyldeca			TWA: 1 mg/m <sup>3</sup> 8		TWA: 1 mg/m <sup>3</sup> 8 timer
carbonyl-triangulo-trii			Stunden		
ron					

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Methanol	TWA: 200 ppm	kože	TWA: 200 ppm 8 hr.	Skin-potential for	TWA: 250 mg/m <sup>3</sup> 8
	TWA: 260.0 mg/m <sup>3</sup>	TWA-GVI: 200 ppm 8	TWA: 260 mg/m <sup>3</sup> 8 hr.	cutaneous absorption	hodinách.
	Skin notation	satima.	STEL: 600 ppm 15 min	TWA: 200 ppm	Potential for cutaneous
		TWA-GVI: 260 mg/m <sup>3</sup> 8	STEL: 780 mg/m <sup>3</sup> 15	TWA: 260 mg/m <sup>3</sup>	absorption
		satima.	min	_	Ceiling: 1000 mg/m <sup>3</sup>
			Skin		]

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Methanol	Nahk	Skin notation	skin - potential for	TWA: 260 mg/m <sup>3</sup> 8	TWA: 200 ppm 8
	TWA: 200 ppm 8	TWA: 200 ppm 8 hr	cutaneous absorption	órában. AK	klukkustundum.
	tundides.	TWA: 260 mg/m <sup>3</sup> 8 hr	STEL: 250 ppm	lehetséges borön	TWA: 260 mg/m <sup>3</sup> 8

## Triiron dodecacarbonyl

Revision Date 27-Sep-2023

TWA: 250 mg/m <sup>3</sup> 8	STEL: 325 mg/m <sup>3</sup>	keresztüli felszívódás	klukkustundum.
tundides.	TWA: 200 ppm		Skin notation
STEL: 250 ppm 15	TWA: 260 mg/m <sup>3</sup>		Ceiling: 400 ppm
minutites.			Ceiling: 520 mg/m <sup>3</sup>
STEL: 350 mg/m <sup>3</sup> 15			
minutites.			

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Methanol	skin - potential for	TWA: 200 ppm IPRD	Possibility of significant	possibility of significant	Skin notation
	cutaneous exposure	TWA: 260 mg/m <sup>3</sup> IPRD	uptake through the skin	uptake through the skin	TWA: 200 ppm 8 ore
	TWA: 200 ppm	Oda	TWA: 200 ppm 8	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup> 8 ore
	TWA: 260 mg/m <sup>3</sup>		Stunden	TWA: 260 mg/m <sup>3</sup>	
			TWA: 260 mg/m <sup>3</sup> 8		
			Stunden		

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Methanol	TWA: 5 mg/m <sup>3</sup> 1250	Potential for cutaneous	TWA: 200 ppm 8 urah	Indicative STEL: 250	Deri
	Skin notation	absorption	TWA: 260 mg/m <sup>3</sup> 8 urah	ppm 15 minuter	TWA: 200 ppm 8 saat
	MAC: 15 mg/m <sup>3</sup>	TWA: 200 ppm	Koža	Indicative STEL: 350	TWA: 260 mg/m <sup>3</sup> 8 saat
	-	TWA: 260 mg/m <sup>3</sup>	STEL: 800 ppm 15	mg/m <sup>3</sup> 15 minuter	_
			minutah	TLV: 200 ppm 8 timmar.	
			STEL: 1040 mg/m <sup>3</sup> 15	NGV	
			minutah	TLV: 250 mg/m <sup>3</sup> 8	
				timmar. NGV	
				Hud	

## **Biological limit values**

List source(s):

ropean Union	United Kingdom	France	Spain	Germany
	-	Methanol: 15 mg/L urine end of shift	end of shift	Methanol: 15 mg/L urine (end of shift) Methanol: 15 mg/L urine (for long-term exposures: at the end of the shift after several shifts)
	opean omon	onted Kingdom	Methanol: 15 mg/L urine	Methanol: 15 mg/L urine end of shift end of shift

Component	Italy	Finland	Denmark	Bulgaria	Romania
Methanol					Methanol: 6 mg/L urine
					end of shift

Component	Gibraltar	Latvia	Slovak Republic	Luxembourg	Turkey
Methanol			Methanol: 30 mg/L urine		
			end of exposure or work		
			shift		
			Methanol: 30 mg/L urine		
			after all work shifts for		
			long-term exposure		

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

MDHS 99 Metals in air by ICP-AES

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Methanol		DNEL = 20mg/kg		DNEL = 20mg/kg

#### Triiron dodecacarbonyl

67-56-1 ( 5-10 )	bw/day	bw/day

Revision Date 27-Sep-2023

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Methanol	$DNEL = 130 mg/m^3$	DNEL = 130mg/m <sup>3</sup>	DNEL = 130mg/m <sup>3</sup>	DNEL = 130mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
			sediment		sewage treatment	
Г	Methanol	PNEC = 20.8 mg/L	PNEC = 77mg/kg	PNEC = 1540mg/L	PNEC = 100mg/L	PNEC = 100mg/kg
L	67-56-1 ( 5-10 )		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Methanol 67-56-1 ( 5-10 )	PNEC = 2.08mg/L	PNEC = 7.7mg/kg sediment dw			

#### 8.2. Exposure controls

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

**Hand Protection** Protective gloves

		Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
--	--	---	---	-----------------	-----------------------	---

Long sleeved clothing. Skin and body protection

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

> are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Triiron dodecacarbonyl Revision Date 27-Sep-2023

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Solid **Physical State** 

**Appearance** Black

No information available Odor No data available **Odor Threshold Melting Point/Range** 140 °C / 284 °F **Softening Point** No data available **Boiling Point/Range** No information available

Flammability (liquid) Not applicable Solid

No information available Flammability (solid, gas) **Explosion Limits** No data available

**Flash Point** No information available Method - No information available

**Autoignition Temperature** No data available **Decomposition Temperature** No data available рΗ No information available

**Viscosity** Not applicable Solid

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Methanol -0.74

**Vapor Pressure** No data available

**Density / Specific Gravity** 1.990

**Bulk Density** No data available

**Vapor Density** Not applicable Solid

No data available Particle characteristics

9.2. Other information

**Evaporation Rate** 

**Molecular Formula** C12 Fe3 O12 **Molecular Weight** 503.66

Flammable solids Burning rate or burning time = > 2.2 mm/s or < 45 secs

Wetted zone passed - No Not applicable - Solid

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation.

Triiron dodecacarbonyl

## 10.5. Incompatible materials

Acids. Strong bases. Halogens. Acid anhydrides. Acid chlorides. Reducing Agent.

Revision Date 27-Sep-2023

## 10.6. Hazardous decomposition products

Heavy metal oxides.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Product Information**

(a) acute toxicity;

 Oral
 Category 4

 ATE = 366 mg/kg

 Dermal
 Category 4

 ATE = 589 mg/kg

 Inhalation
 Category 4

Category 4 ATE = 5.9 mg/L

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methanol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg ( Rabbit )	LC50 = 128.2 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

**Respiratory Skin**No data available
No data available

Component	Test method	Test species	Study result
Methanol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 ( 5-10 )	Guinea Pig Maximisation Test		_
	(GPMT)		

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methanol	OECD Test Guideline 416	Rat / Inhalation	NOAEC =
67-56-1 ( 5-10 )		2 Generation	1.3 mg/l (air)

(h) STOT-single exposure; Category 2

**Results / Target organs** Optic nerve, Central nervous system (CNS).

(i) STOT-repeated exposure; No data available

Target Organs No information available.

Triiron dodecacarbonyl Revision Date 27-Sep-2023

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Symptoms / effects,both acute and No information available.

delayed

#### 11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

Ecotoxicity effects May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Methanol	Pimephales promelas: LC50 >	EC50 > 10000 mg/L 24h	
	10000 mg/L 96h		

Component	Microtox	M-Factor
Methanol	EC50 = 39000 mg/L 25 min	
	EC50 = 40000 mg/L 15 min	
	EC50 = 43000 mg/L 5 min	

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence Insoluble in water, May persist.

Degradability Not relevant for inorganic substances.

Component	Degradability	
Methanol	DT50 ~ 17.2d	
67-56-1 ( 5-10 )	>94% after 20d	

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

## 12.3. Bioaccumulative potential May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

Component	log Pow	Bioconcentration factor (BCF)	
Methanol	-0.74	<10 dimensionless	

12.4. Mobility in soil Spillage unlikely to penetrate soil The product is insoluble and sinks in water Is not likely

mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Triiron dodecacarbonyl Revision Date 27-Sep-2023

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

**European Waste Catalogue (EWC)** 

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

**Switzerland - Waste Ordinance** 

Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

## **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

14.1. UN number **UN3178** 

14.2. UN proper shipping name

Flammable solid, inorganic, n.o.s.

**Technical Shipping Name** 

Di-.mu.-carbonyldecacarbonyl-triangulo-triiron, Methyl alcohol 4.1

14.3. Transport hazard class(es)

14.4. Packing group

П

ADR

14.1. UN number

UN3178

14.2. UN proper shipping name

Flammable solid, inorganic, n.o.s.

**Technical Shipping Name** 14.3. Transport hazard class(es) Di-.mu.-carbonyldecacarbonyl-triangulo-triiron, Methyl alcohol

4.1

14.4. Packing group

П

IATA

14.1. UN number

UN3178

14.2. UN proper shipping name **Technical Shipping Name** 

Flammable solid, inorganic, n.o.s.

14.3. Transport hazard class(es)

Di-.mu.-carbonyldecacarbonyl-triangulo-triiron, Methyl alcohol

14.4. Packing group

4.1 П

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

Triiron dodecacarbonyl

carbonyl Revision Date 27-Sep-2023

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methanol	67-56-1	200-659-6	ı	1	X	X	KE-23193	X	X
Dimucarbonyldecacarbonyl-tria	17685-52-8	241-668-5	-	-	-	X	-	-	-
ngulo-triiron									

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methanol	67-56-1	X	ACTIVE	X	Ī	X	Х	X
Dimucarbonyldecacarbonyl-tria ngulo-triiron	17685-52-8	-	-	-	-	-	-	-

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methanol	67-56-1	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Dimucarbonyldecacarbonyl-triang ulo-triiron	17685-52-8	-	-	-

## **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methanol	67-56-1	500 tonne	5000 tonne
Dimucarbonyldecacarbon yl-triangulo-triiron	17685-52-8	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

#### Triiron dodecacarbonyl

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

**WGK Classification** 

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class	
Methanol	WGK 2	Class I: 20 mg/m³ (Massenkonzentration)	

Component	France - INRS (Tables of occupational diseases)
Methanol Tableaux des maladies professionnelles (TMP) - RG 84	

## **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	mponent Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)		Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Methanol 67-56-1 ( 5-10 )	Prohibited and Restricted Substances	Group I	

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## **SECTION 16: OTHER INFORMATION**

## Full text of H-Statements referred to under sections 2 and 3

H228 - Flammable solid

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H371 - May cause damage to organs

H225 - Highly flammable liquid and vapor

H370 - Causes damage to organs

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

## Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

ACR20929

#### Triiron dodecacarbonyl

TWA - Time Weighted Average

**EC50** - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

Predicted No Effect Concentration (PNEC)

vPvB - very Persistent, very Bioaccumulative

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment **LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration **PBT** - Persistent, Bioaccumulative, Toxic

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 27-Sep-2023 Revision Summary Not applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

ACR20929