

according to Regulation (EC) No. 1907/2006

Creation Date 19-Jan-2010 Revision Date 30-Jan-2024 Revision Number 3

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description: Zinc oxide
Cat No.: Zinc oxide
44263

Synonyms Chinese white; Zinc white; C.I. Pigment White 4

 Index No
 030-013-00-7

 CAS No
 1314-13-2

 EC No
 215-222-5

 Molecular Formula
 O Zn

 REACH registration number

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11. CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

ALFAA44263

Zinc oxide Revision Date 30-Jan-2024

### CLP Classification - Regulation (EC) No 1272/2008

### **Physical hazards**

Based on available data, the classification criteria are not met

### **Health hazards**

Based on available data, the classification criteria are not met

### **Environmental hazards**

Acute aquatic toxicity Chronic aquatic toxicity Category 1 (H400) Category 1 (H410)

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



Signal Word

Warning

### **Hazard Statements**

H410 - Very toxic to aquatic life with long lasting effects

### **Precautionary Statements**

P273 - Avoid release to the environment

### 2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### 3.1. Substances

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Zinc oxide (ZnO)	1314-13-2	215-222-5	>95	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Zinc oxide (ZnO)	-	10	-

Zinc oxide Revision Date 30-Jan-2024

**REACH registration number** 

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention if symptoms occur.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

**Ingestion** Do NOT induce vomiting. Get medical attention if symptoms occur.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

#### Extinguishing media which must not be used for safety reasons

No information available.

### 5.2. Special hazards arising from the substance or mixture

Do not allow run-off from fire-fighting to enter drains or water courses.

#### **Hazardous Combustion Products**

None under normal use conditions.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes or clothing.

Zinc oxide Revision Date 30-Jan-2024

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510

Storage Class (LGK) (Germany)

Storage Class/LGK 13

Switzerland - Storage of hazardous substances

Storage class - SC 11/13

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

### 7.3. Specific end use(s)

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

### **Exposure limits**

List source(s): **IRE -** 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

L	Component	European Union	The United Kingdom	France	Belgium	Spain
Ī	Zinc oxide (ZnO)			TWA / VME: 5 mg/m <sup>3</sup> (8	TWA: 2 mg/m <sup>3</sup> 8 uren	STEL / VLA-EC: 10
-				heures).	STEL: 10 mg/m <sup>3</sup> 15	mg/m³ (15 minutos).
				TWA / VME: 10 mg/m <sup>3</sup>	minuten	TWA / VLA-ED: 2 mg/m <sup>3</sup>
Į				(8 heures).		(8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Zinc oxide (ZnO)		TWA: 0.1 mg/m <sup>3</sup> (8	STEL: 10 mg/m <sup>3</sup> 15		TWA: 2 mg/m <sup>3</sup> 8
		Stunden). MAK	minutos		tunteina
		TWA: 2 mg/m <sup>3</sup> (8	TWA: 2 mg/m <sup>3</sup> 8 horas		STEL: 10 mg/m <sup>3</sup> 15
		Stunden). MAK			minuutteina

Zinc oxide Revision Date 30-Jan-2024

	Höhepunkt: 0.4 mg/m <sup>3</sup>		
	Höhepunkt: 4 mg/m <sup>3</sup>		

Component	Austria	Denmark	Switzerland	Poland	Norway
Zinc oxide (ZnO)	MAK-TMW: 5 mg/m <sup>3</sup> 8	TWA: 4 mg/m <sup>3</sup> 8 timer	STEL: 3 mg/m <sup>3</sup> 15	STEL: 10 mg/m <sup>3</sup> 15	TWA: 5 mg/m <sup>3</sup> 8 timer
	Stunden	STEL: 8 mg/m <sup>3</sup> 15	Minuten	minutach	STEL: 10 mg/m <sup>3</sup> 15
		minutter	TWA: 3 mg/m <sup>3</sup> 8	TWA: 5 mg/m <sup>3</sup> 8	minutter. value
			Stunden	godzinach	calculated

	Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Ī	Zinc oxide (ZnO)	TWA: 5.0 mg/m <sup>3</sup>	TWA-GVI: 2 mg/m <sup>3</sup> 8	TWA: 2 mg/m <sup>3</sup> 8 hr.		TWA: 2 mg/m <sup>3</sup> 8
١		STEL: 10.0 mg/m <sup>3</sup>	satima. respirable dust	fume; respirable fraction		hodinách. Zn
١		_	STEL-KGVI: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> 15 min		Ceiling: 5 mg/m <sup>3</sup> Zn
١			15 minutama.	-		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Zinc oxide (ZnO)	TWA: 5 mg/m <sup>3</sup> 8		STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> 8	TWA: 4 mg/m <sup>3</sup> 8
	tundides.		TWA: 5 mg/m³	órában. AK	klukkustundum. Zn including fume Ceiling: 8 mg/m³ Zn
					including fume

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Zinc oxide (ZnO)	TWA: 0.5 mg/m <sup>3</sup>	TWA: 5 mg/m³ IPRD			TWA: 5 mg/m <sup>3</sup> 8 ore STEL: 10 mg/m <sup>3</sup> 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Zinc oxide (ZnO)	TWA: 0.5 mg/m <sup>3</sup> 2345	Ceiling: 1 mg/m <sup>3</sup>		TLV: 5 mg/m <sup>3</sup> 8 timmar.	
	MAC: 1.5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> fume		NGV	

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

### **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Comp	onent	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
	de (ZnO) 3-2 ( >95 )				DNEL = 83mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Zinc oxide (ZnO) 1314-13-2 ( >95 )			$DNEL = 0.5 mg/m^3$	DNEL = 5mg/m <sup>3</sup>

### **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Zinc oxide (ZnO)	PNEC = 20.6µg/L	PNEC =		$PNEC = 100\mu g/L$	PNEC = 35.6 mg/kg

#### Zinc oxide Revision Date 30-Jan-2024

1314-13-2 ( >95 )	117.8mg/kg		soil dw
	sediment dw		

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Zinc oxide (ZnO)	PNEC = 6.1µg/L	PNEC = 56.5mg/kg			
1314-13-2 ( >95 )		sediment dw			

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Small scale/Laboratory use Maintain adequate ventilation

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical State Powder Solid

Appearance Off-white Odor Odorless

Odor Threshold
Melting Point/Range
Softening Point
Boiling Point/Range
No data available
No information available
No information available

Flammability (liquid) Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits

No data available

Zinc oxide Revision Date 30-Jan-2024

No information available Method - No information available **Flash Point** 

**Autoignition Temperature** No data available No data available

**Decomposition Temperature** 

pН 50 g/l aq.sol.(susp) Solid

**Viscosity** Not applicable **Water Solubility** 1.6 mg/L (29°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Vapor Pressure** 

No information available **Density / Specific Gravity** 5.600

**Bulk Density** No data available

**Vapor Density** Not applicable Solid

**Particle characteristics** No data available

9.2. Other information

Molecular Formula O Zn **Molecular Weight** 81.38

**Evaporation Rate** Not applicable - Solid

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available. **Hazardous Reactions** No information available.

10.4. Conditions to avoid

Avoid dust formation. Incompatible products.

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

None under normal use conditions.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Product Information**

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral

Dermal No data available Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Zinc oxide (ZnO)	LD50 > 5000 mg/kg (Rat)	LD50 > 2000 mg/kg, 24h (Rat)	LC50 > 5.7 mg/L, 4h (Rat)	

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

Revision Date 30-Jan-2024 Zinc oxide

rabbit **Test species** 

No skin irritation **Observational endpoint** 

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

Test method Test method B.5

OECD 405

rabbit **Test species** 

No eye irritation Observation end point

(d) respiratory or skin sensitization;

Based on available data, the classification criteria are not met Respiratory Based on available data, the classification criteria are not met Skin

Component	Test method	Test species	Study result	
Zinc oxide (ZnO)	in vivo	guinea pig	non-sensitising	
1314-13-2 (>95)	OECD Test Guideline 406		_	
	Test method B.6			

Based on available data, the classification criteria are not met (e) germ cell mutagenicity;

Component	Test method	Test species	Study result	
Zinc oxide (ZnO) 1314-13-2 ( >95 )	in vitro OECD Test Guideline 471 Bacterial Reverse Mutation Test	in vitro: Bacteria	negative	
	in vivo OECD Test Guideline 474 Mammalian	in vivo Mammalian	negative	

Mutagenic effects have occurred in experimental animals

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

**Target Organs** No information available.

(j) aspiration hazard; Not applicable

Solid

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Symptoms / effects,both acute and No information available.

delayed

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

### **SECTION 12: ECOLOGICAL INFORMATION**

Zinc oxide Revision Date 30-Jan-2024

12.1. Toxicity

**Ecotoxicity effects**Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Zinc oxide (ZnO)	LC50: = 1.55 mg/L, 96h static (Danio rerio)		

Component	Microtox	M-Factor
Zinc oxide (ZnO)		10

12.2. Persistence and degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Degradability** Not relevant for inorganic substances.

**Degradation in sewage**Contains substances known to be hazardous to the environment or not degradable in waste

treatment plant water treatment plants.

**12.3. Bioaccumulative potential** Bioaccumulation is unlikely

**12.4. Mobility in soil**The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Waste from Residues/Unused Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification. Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

Zinc oxide Revision Date 30-Jan-2024

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN3077

**14.2. UN proper shipping name** Environmentally hazardous substances, solid, n.o.s.

Technical Shipping Name Zinc oxide

14.3. Transport hazard class(es) 9
14.4. Packing group III

ADR

**14.1. UN number** UN3077

**14.2. UN proper shipping name** Environmentally hazardous substances, solid, n.o.s.

Technical Shipping Name Zinc oxide

14.3. Transport hazard class(es) 9 14.4. Packing group III

<u>IATA</u>

<u>14.1. UN number</u> UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.\*

Technical Shipping Name Zinc oxide

14.3. Transport hazard class(es)914.4. Packing groupIII

<u>14.5. Environmental hazards</u> Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

ulk Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Zinc oxide (ZnO)	1314-13-2	215-222-5	-	-	Х	X	KE-35565	Χ	Χ

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Zinc oxide (ZnO)	1314-13-2	X	ACTIVE	Х	_	X	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of

Zinc oxide Revision Date 30-Jan-2024

			Substances	Substances of Very High Concern (SVHC)
Zinc oxide (ZnO)	1314-13-2	-	Use restricted. See item 75.	-
			(see link for restriction details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Seveso III Directive (2012/18/EC)

Γ	Component	CAS No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	
-	•		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report	
			Notification	Requirements	
Γ	Zinc oxide (ZnO)	1314-13-2	Not applicable	Not applicable	

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

#### **National Regulations**

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class	
Zinc oxide (ZnO)	WGK2		

#### **Swiss Regulations**

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

#### Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

Zinc oxide Revision Date 30-Jan-2024

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

NZIoC - New Zealand Inventory of Chemicals

Predicted No Effect Concentration (PNEC)

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

TWA - Time Weighted Average

EC50 - Effective Concentration 50%

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date19-Jan-2010Revision Date30-Jan-2024

**Revision Summary** New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**