

SAFETY DATA SHEET

Creation Date 12-Oct-2010

Revision Date 29-Mar-2024

Revision Number 5

1. Identification

| | |
|-----------------------------|--|
| Product Name | Aluminum wire |
| Cat No. : | 43336 |
| CAS No | 7429-90-5 |
| Synonyms | No information available |
| Recommended Use | Laboratory chemicals. |
| Uses advised against | Food, drug, pesticide or biocidal product use. |

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|-----------|-----------|----------|
| Aluminum | 7429-90-5 | 99 |

4. First-aid measures

| | |
|--|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. |
| Inhalation | Remove to fresh air. Get medical attention immediately if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Most important symptoms and effects | None reasonably foreseeable. |
| Notes to Physician | Treat symptomatically |

5. Fire-fighting measures

| | |
|---|--------------------------|
| Unsuitable Extinguishing Media | No information available |
| Flash Point | Not applicable |
| Method - | No information available |
| Autoignition Temperature | No information available |
| Explosion Limits | |
| Upper | No data available |
| Lower | No data available |
| Sensitivity to Mechanical Impact | No information available |
| Sensitivity to Static Discharge | No information available |

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Fumes of aluminum or aluminum oxide.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health
0

Flammability
1

Instability
1

Physical hazards
N/A

6. Accidental release measures

| | |
|----------------------------------|---|
| Personal Precautions | Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation. |
| Environmental Precautions | Should not be released into the environment. |

Methods for Containment and Clean Up Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing agents.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-----------|--------------------------|--|---|--------------------------|
| Aluminum | TWA: 1 mg/m ³ | (Vacated) TWA: 15 mg/m ³ (Vacated) TWA: 5 mg/m ³ TWA: 15 mg/m ³ TWA: 5 mg/m ³ | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | TWA: 1 mg/m ³ |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection No protective equipment is needed under normal use conditions.

Recommended Filter type: Particle filter.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

| | |
|---|--------------------------------|
| Physical State | Solid; Various Form |
| Appearance | Silver / Grey |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH | Not applicable |
| Melting Point/Range | 660 °C / 1220 °F |
| Boiling Point/Range | 2327 °C / 4220.6 °F @ 760 mmHg |
| Flash Point | Not applicable |
| Evaporation Rate | Not applicable |
| Flammability (solid,gas) | No information available |
| Flammability or explosive limits | |
| Upper | No data available |
| Lower | No data available |
| Vapor Pressure | No information available |
| Vapor Density | Not applicable |
| Specific Gravity | 2.700 |
| Solubility | insoluble |
| Partition coefficient; n-octanol/water | No data available |
| Autoignition Temperature | No information available |

| | |
|---------------------------|--------------------------|
| Decomposition Temperature | No information available |
| Viscosity | Not applicable |
| Molecular Formula | Al |
| Molecular Weight | 26.97 |

10. Stability and reactivity

| | |
|----------------------------------|--|
| Reactive Hazard | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products. Excess heat. Avoid dust formation. Exposure to air. Exposure to moist air or water. |
| Incompatible Materials | Strong oxidizing agents |
| Hazardous Decomposition Products | Fumes of aluminum or aluminum oxide |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions | None under normal processing. |

11. Toxicological information

Acute Toxicity

Product Information Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|------------|-------------|-------------------------------|
| Aluminum | Not listed | Not listed | LC50 > 0.888 mg/L (Rat) 4 h |

Toxicologically Synergistic Products No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|-----------------|--|
| Irritation | No information available |
| Sensitization | No information available |
| Carcinogenicity | The table below indicates whether each agency has listed any ingredient as a carcinogen. |

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|-----------|-----------|------------|------------|------------|------------|------------|
| Aluminum | 7429-90-5 | Not listed | Not listed | Not listed | Not listed | Not listed |

| | |
|--|---------------------------|
| Mutagenic Effects | No information available |
| Reproductive Effects | No information available. |
| Developmental Effects | No information available. |
| Teratogenicity | No information available. |
| STOT - single exposure | None known |
| STOT - repeated exposure | None known |
| Aspiration hazard | No information available |
| Symptoms / effects, both acute and delayed | No information available |
| Endocrine Disruptor Information | No information available |

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags |
|-----------|-----------|------|---|-----------------------------|
| Aluminum | 7429-90-5 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-----------|-----------|-----|-----|-----------|-------|------|------|------|-------|----------|
| Aluminum | 7429-90-5 | X | - | 231-072-3 | X | X | | X | X | KE-00881 |

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting thresholds |
|-----------|--------|----------|-------------------------------|---------------------------------|
|-----------|--------|----------|-------------------------------|---------------------------------|

| | | | | |
|----------|-----------|----|-------|---|
| Aluminum | 7429-90-5 | 99 | 1.0 % | - |
|----------|-----------|----|-------|---|

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and Health Administration Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
| Aluminum | X | X | X | - | X |

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:
Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-----------|---|
| Aluminum | - |

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----------|---|---|---|
| Aluminum | 7429-90-5 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------|-----------|----------|------------------------------|---------------------------|--|
| Aluminum | 7429-90-5 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-----------|-----------|---|--|----------------------------|------------------------------------|
| Aluminum | 7429-90-5 | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By

Health, Safety and Environmental Department
Email: chem.techinfo@thermofisher.com
www.thermofisher.com

Creation Date

12-Oct-2010

Revision Date

29-Mar-2024

Print Date

29-Mar-2024

Revision Summary

New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS