

SAFETY DATA SHEET

Revision Date 02-April-2024 Revision Number 3

1. Identification

Product Name Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium powder

Cat No.: 96044

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Respiratory Sensitization Category 1
Carcinogenicity Category 2

Label Elements

Signal Word

Danger

Hazard Statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled Suspected of causing cancer



Precautionary Statements

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray

Wear respiratory protection

Response

IF exposed or concerned: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing If experiencing respiratory symptoms: Call a POISON CENTER/doctor

Storage

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % |
|---|--------|----------|
| Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium | N/A | <=100 |
| powder | | |

4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms/effects May cause allergy or asthma symptoms or breathing difficulties if inhaled. Symptoms of

allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands

and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available

Method -No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

None known.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| NI | _ | п | |
|----|---|---|---|
| N | - | _ | Δ |
| | | | |

Health **Flammability** Instability **Physical hazards** 2 0 0

Accidental release measures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust **Personal Precautions**

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed Up

containers for disposal.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Keep containers tightly closed in a dry, cool and well-ventilated place. Storage.

8. Exposure controls / personal protection

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines**

limitsestablished by the region specific regulatory bodies.

Ensure adequate ventilation, especially in confined areas. **Engineering Measures**

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control

hazardous materials at source

Personal protective equipment

Wear appropriate protective eyeglasses or chemical safety goggles as described by **Eye Protection**

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

| Glove material | Breakthrough time | Glove thickness | Glove comments |
|----------------|-------------------|-----------------|----------------|
| Natural rubber | See manufacturers | - | |

Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium powder

Nitrile rubber Neoprene PVC recommendations

Splash protection only

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical StateSolidAppearanceGreyOdorOdorless

Odor Threshold
pHNo information available
No information availableMelting Point/RangeNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNot applicable

Specific GravityNo information availableSolubilityNo information availablePartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

Viscosity Not applicable

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Toxicological information

Acute Toxicity

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 5 mg/l. Mist LC50

Component Information

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

- California - Proposition 65 - Carcinogens List.

| Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------------|--------|------------|------------|------------|------------|------------|
| Nickel, 22 Chromium, | N/A | Not listed |
| 10 Aluminum, 1 | | | | | | |
| Yttrium powder | | | | | | |

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability Insoluble in water

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN3089 **UN-No**

METAL POWDERS, FLAMMABLE, N.O.S. **Proper Shipping Name Technical Name** (nickel chromium aluminum yttrium powder)

Hazard Class 4.1 **Packing Group**

TDG

UN3089 **UN-No**

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 **Packing Group** Ш

IATA

UN3089 **UN-No**

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 **Packing Group**

IMDG/IMO

UN3089 **UN-No**

Proper Shipping Name Metal powder, flammable, n.o.s.

Hazard Class 4.1 **Packing Group** Ш

15. Regulatory information

International Inventories

| Component | CAS-No | DSL | NDSL | TSCA | TSCA Inventory notification - Active-Inactive | EINECS | ELINCS | NLP |
|---|--------|-----|------|------|---|--------|--------|-----|
| Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium powder | N/A | - | - | - | - | - | - | - |

| Component | CAS-No | IECSC | KECL | ENCS | ISHL | TCSI | AICS | NZIoC | PICCS |
|----------------------------|--------|-------|------|------|------|------|------|-------|-------|
| Nickel, 22 Chromium, 10 | N/A | - | - | - | - | - | - | - | - |
| Aluminum, 1 Yttrium powder | | | | | | | | | |

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Other International Regulations

Not applicable Authorisation/Restrictions according to EU REACH

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS-No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|---|--------|----------------|---------------------------------|------------------------------|--|
| Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium powder | N/A | Not applicable | Not applicable | Not applicable | Not applicable |

| | Component | CAS-No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | (2012/18/EC) - | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|---|--------|---|----------------|-------------------------------|---------------------------------------|
| Ī | Nickel, 22 Chromium, 10 Aluminum, 1 Yttrium powder | N/A | Not applicable | Not applicable | Not applicable | Not applicable |

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-April-2024

 Print Date
 02-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS