Thermo Fisher SCIENTIFIC

SAFETY DATA SHEET

Page 1 / 8 Revision Date 09-May-2024 Version 3

AI FAAJ67752

Tris-glycine large precast gel, 12%

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Tris-glycine large precast gel, 12% Product Description: Tris-glycine large precast gel, 12%

Cat No. : J67752

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical StateAppearanceOdorSolid GelNo information availableOdorless

Emergency Overview

The product contains no substances which at their given concentration are considered to be hazardous to health.

Classification of the substance or mixture

Based on available data, the classification criteria are not met

Label Elements

None required

Physical and Chemical Hazards

None identified.

Health Hazards

The product contains no substances which at their given concentration are considered to be hazardous to health.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

Tris-glycine large precast gel, 12%

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Water	7732-18-5	85.4
2-Propenamide, N,N'-methylenebis-, polymer with 2-propenamide	25034-58-6	12
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	2.5
Sodium lauryl sulfate	151-21-3	0.1

SECTION 4. FIRST AID MEASURES

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Inaestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Most important symptoms and effects

None reasonably foreseeable.

Self-Protection of the First Aider

No special precautions required.

Notes to Physician

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO 2). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation.

Environmental Precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Page 3/8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep refrigerated.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Exposure Controls

Engineering Measures

None under normal use conditions. .

Personal protective equipment

Wear safety glasses with side shields (or goggles) (European standard - EN 166) **Eye Protection**

Hand Protection Protective gloves

Glove material Nitrile rubber Neoprene Natural rubber	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection	Long sleeved clothing
Respiratory Protection	No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Maintain adequate ventilation Small scale/Laboratory use

SAFETY DATA SHEET Page 4/8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State Solid Gel

Odor Odorless

Odor Threshold

pH

No information available

No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure 23 hPa @ 20 °C

Vapor Density Not applicable Solid

Specific Gravity / Density

Bulk Density

Water Solubility

Soluble in water

No data available
Soluble in water

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow 1,3-Propanediol, -3.6

2-amino-2-(hydroxymethyl)-,

hydrochloride

Sodium lauryl sulfate 1.6

Autoignition Temperature

No data available

No data available

Viscosity Not applicable Solid

Explosive PropertiesOxidizing Properties
No information available
No information available

SECTION 10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Hazardous ReactionsHazardous Polymerization
None under normal processing.
No information available.

Conditions to Avoid None known.

Materials to avoid Oxidizing agent.

 $\textbf{Hazardous Decomposition Products} \ Carbon \ monoxide \ (CO). \ Carbon \ dioxide \ (CO_2). \ Nitrogen \ oxides \ (NOx). \ Sulfur \ oxides.$

Hydrogen chloride. Sodium oxides.

SECTION 11. TOXICOLOGICAL INFORMATION

Page 5 / 8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

Product Information

(a) acute toxicity;

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	-	-	-		
1,3-Propanediol,	OECD 425 (Rat)	OECD 402 (Rat)			
2-amino-2-(hydroxymethyl)-, hydrochloride	LD50 > 5000 mg/kg bw	LD50 > 5000 mg/kg bw			
Sodium lauryl sulfate	LD50 = 1288 mg/kg (Rat)	LD50 = 200 mg/kg (Rabbit)	LC50 > 3900 mg/m ³ (Rat) 1 h		

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

RespiratorySkin
No data available
No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 406	guinea pig	non-sensitising
2-amino-2-(hydroxymethyl)-, hydrochloride			_
1185-53-1 (2.5)			

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
1,3-Propanediol,	OECD Test Guideline 471	Mammalian	negative
2-amino-2-(hydroxymethyl)-, hydrochlorid	Bacterial Reverse Mutation Test	in vitro	_
1185-53-1 (2.5)			

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
1,3-Propanediol,		Daphnia Magna		OECD 209

Page 6 / 8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

2-amino-2-(hydroxymethyl)-, hydrochloride		EC50 >100 mg/L (48h)		EC50 > 1000 mg/L (3h)
Sodium lauryl sulfate	1.31 mg/L LC50 96 h 9.9-20.1 mg/L LC50 96 h 4.5 mg/L LC50 96 h 4.62 mg/L LC50 96 h 7.97 mg/L LC50 96 h 10.2-22.5 mg/L LC50 96 h 10.8-16.6 mg/L LC50 96 h 13.5-18.3 mg/L LC50 96 h 15-18.9 mg/L LC50 96 h 22.1-22.8 mg/L LC50 96 h 4.06-5.75 mg/L LC50 96 h 4.2-4.8 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 5.8-7.5 mg/L LC50 96 h 6.2-9.6 mg/L LC50 96 h 8-12.5 mg/L LC50 96 h 4.2 mg/L LC50 96 h	EC50: = 1.8 mg/L, 48h (Daphnia magna)	EC50: 3.59 - 15.6 mg/L, 96h static (Pseudokirchneriella subcapitata) EC50: = 117 mg/L, 96h (Pseudokirchneriella subcapitata) EC50: 30 - 100 mg/L, 96h (Desmodesmus subspicatus) EC50: = 53 mg/L, 72h (Desmodesmus subspicatus)	• ,

Persistence and Degradability

Persistence

Soluble in water, Persistence is unlikely, based on information available.

Bioaccumulative Potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1,3-Propanediol,	-3.6	No data available
2-amino-2-(hydroxymethyl)-, hydrochloride		
Sodium lauryl sulfate	1.6	No data available

Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Contaminated Packaging

Products

Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport Not Regulated

IMDG/IMO Not regulated

Page 7 / 8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

IATA Not regulated

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)	List of dangerous goods GB 12268 - 2012	TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Water	-	-	Х	Х	231-791-2	Х	Х	Х	Х		Х	KE-35400
2-Propenamide, N,N'-methylenebis-, polymer with 2-propenamide	-	-	Х	Х	-	Х	Х	-	Х	Х	-	2010-3-4842
1,3-Propanediol, 2-amino-2-(hydroxyme thyl)-, hydrochloride	-	-	Х	Х	214-684-5	Х	Х	Х	Х		Х	KE-34819
Sodium lauryl sulfate	-	-	Х	Х	205-788-1	Х	Х	Х	Х	Х	Х	KE-21884

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Revision Date 09-May-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)
Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances **NZIOC** - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level

PNEC - Predicted No Effect Concentration

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%EC50 - Effective Concentration 50%NOEC - No Observed Effect ConcentrationPOW - Partition coefficient Octanol:WaterPBT - Persistent, Bioaccumulative, ToxicvPvB - very Persistent, very Bioaccumulative

Page 8 / 8 Revision Date 09-May-2024

Tris-glycine large precast gel, 12%

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet