

according to Regulation (EC) No. 1907/2006

Creation Date 11-Nov-2011 Revision Date 16-Jul-2025 Revision Number 4

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description:

Cat No.:

Synonyms

Lead metal

Index No

082-014-00-7

CAS No

7439-92-1

EC No

Molecular Formula

REACH registration number

Lead wire

44016

082-014-00-7

231-100-4

Pb

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Lead wire Revision Date 16-Jul-2025

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Reproductive Toxicity
Effects on or via lactation
Specific target organ toxicity - (repeated exposure)

Category 1A (H360FD) / Effects on or via lactation (H362) Category 1 (H372)

Environmental hazards

Chronic aquatic toxicity Category 1 (H410)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

H360FD - May damage fertility. May damage the unborn child

H362 - May cause harm to breast-fed children

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Additional EU labelling

Restricted to professional users

2.3. Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

Section 3: Composition/information on ingredients

3.1. Substances

Lead wire Revision Date 16-Jul-2025

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Lead	7439-92-1	EEC No. 231-100-4	<=100	Repr. 1A (H360FD) STOT RE 1 (H372) Lact. (H362)
				Aquatic Chronic 1 (H410)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Lead	-	M = 10'	-

REACH registration number	-

Full text of Hazard Statements: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Lead wire Revision Date 16-Jul-2025

Non-combustible. Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products

Lead, lead oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 6.1D

Switzerland - Storage of hazardous substances

Storage class - SC 6.1

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

7.3. Specific end use(s)

Lead wire Revision Date 16-Jul-2025

Use in laboratories

Section 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council

Component	European Union	The United Kingdom	France	Belgium	Spain
Lead	TWA: 0.15 mg/m ³ (8h)	STEL: 0.45 mg/m ³ 15	TWA / VME: 0.1 mg/m ³	•	TWA / VLA-ED: 0.15
		min	(8 heures). restrictive		mg/m3 (8 horas)
		TWA: 0.15 mg/m ³ 8 hr	limit		
		_			
Component	Italy	Germany	Portugal	The Netherlands	Finland
Lead	TWA: 0.15 mg/m ³ 8 ore.	TWA: 0.004 mg/m³ (8	TWA: 0.05 mg/m ³ 8	TWA: 0.15 mg/m ³ 8	TWA: 0.1 mg/m ³ 8
	Time Weighted Average	Stunden). MAK	horas	uren	tunteina
		Höhepunkt: 0.032			
		mg/m³			
Component	Austria	Denmark	Switzerland	Poland	Norway
Lead	MAK-KZGW: 0.4 mg/m ³	TWA: 0.05 mg/m ³ 8	STEL: 0.8 mg/m ³ 15	TWA: 0.05 mg/m ³ 8	TWA: 0.05 mg/m ³ 8
	15 Minuten	timer	Minuten	godzinach	timer
	MAK-TMW: 0.1 mg/m ³ 8	STEL: 0.1 mg/m ³ 15	TWA: 0.1 mg/m ³ 8	9	STEL: 0.15 mg/m ³ 15
	Stunden	minutter	Stunden		minutter, value
					calculated dust and
					fume
					•
Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Lead	TWA: 0.05 mg/m ³	TWA-GVI: 0.15 mg/m ³ 8	TWA: 0.15 mg/m ³ 8 hr.	TWA: 0.15 mg/m ³	TWA: 0.05 mg/m ³ 8
		satima.	STEL: 0.45 mg/m ³ 15		hodinách.
			min		Ceiling: 0.2 mg/m ³
					biological test, toxic fo
					reproduction
	 				
Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Lead	TWA: 0.1 mg/m ³ 8 tundides. total dust	TWA: 0.15 mg/m ³ 8 hr	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ 8	TWA: 0.05 mg/m ³ 8 klukkustundum. dust
	TWA: 0.05 mg/m ³ 8			órában. AK TWA: 0.05 mg/m³ 8	
				órában. AK	fume, and powder Ceiling: 0.1 mg/m ³
	tundides. respirable dust			Olabali. AN	dust, fume, and powde
	uusi				Tuusi, iuille, aliu powue
Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Lead	STEL: 0.1 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.15 mg/m ³ 8		TWA: 0.15 mg/m ³ 8 or
	TWA: 0.05 mg/m ³	inhalable fraction IPRD	Stunden		
	Ĭ	TWA: 0.07 mg/m ³			
		respirable fraction IPRD			
Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Lead	TWA: 0.05 mg/m ³ 1826	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ 8 urah	TLV: 0.1 mg/m ³ 8	TWA: 0.15 mg/m ³ 8 sa
		inhalable fraction TWA: 0.5 mg/m ³	inhalable fraction STEL: 0.4 mg/m³ 15	timmar. NGV TLV: 0.05 mg/m ³ 8	

Biological limit values

List source(s):

ALFAA44016

respirable fraction

minutah inhalable

fraction

timmar. NGV

Lead wire

Revision Date 16-Jul-2025

Component	European Union	United Kingdom	France	Spain	Germany
Lead			Lead: 400 µg/L blood	Lead: 70 µg/dL blood	Lead: 150 µg/L whole
			Lead: 180 µg/L blood	not critical	blood (no restriction)
			indifferent sampling time		
			Lead: 300 µg/L blood		
			Lead: 200 µg/L blood		
			Lead: 100 µg/L blood		

Component	Italy	Finland	Denmark	Bulgaria	Romania
Lead	60 Pb µg/100 mL blood	Lead: 1.4 µmol/L blood	Lead: 20 μg/100 mL	Lead: 300 µg/L blood	Lead: 150 µg/L urine
	end of workweek	time of day does not	blood	not fixed for women	end of shift
		matter.		under 45 years old	Lead: 70 µg/100 mL
		Lead: 50 µg/dL blood . if		Lead: 400 µg/L blood	blood end of shift
		the medical examination		not fixed	Lead: 3 mg/cm hair end
		shows that the Lead			of shift
		concentration in the			.deltaAminolevulinic
		employee's blood is			acid: 10 mg/L urine end
		higher than 50 µg/dL, he			of shift
		must not be used for			Coproporphyrin: 300
		work that involves			μg/L urine end of shift
		exposure to Lead			free Erythrocytes
		Lead: 40 µg/dL blood . if			protoporphyrin: 100
		the blood's Lead			μg/100 mL Erythrocyte
		concentration of even			blood end of shift
		one employee in the			
		workplace is 40 µg/dL or			
		more, the employer			
		must especially monitor			
		the Lead concentration			
		in the air of the			
		workplace, the Lead			
		concentration in the			
		employees' blood and			
		the possible health			
		hazards caused by Lead			

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS6/3 Lead and inorganic compounds of lead in air Laboratory method using flame or electrothermal atomic absorption spectrometry

Lead wire Revision Date 16-Jul-2025

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Lead	$PNEC = 2.4 \mu g/L$	PNEC = 186mg/kg		PNEC = 100µg/L	PNEC = 212mg/kg
7439-92-1 (<=100)		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Lead	PNEC = $3.3\mu g/L$	PNEC = 168mg/kg		PNEC = 10.9mg/kg	
7439-92-1 (<=100)		sediment dw		food	

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

Lead wire Revision Date 16-Jul-2025

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance Grey Odor Odorless

Odor Threshold No data available **Melting Point/Range** 327.4 °C / 621.3 °F **Softening Point** No data available **Boiling Point/Range** 1740 °C / 3164 °F

@ 760 mmHg Solid

Flammability (liquid) Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Method - No information available **Flash Point** No information available

Autoignition Temperature No data available No data available **Decomposition Temperature**

No information available рΗ Not applicable

Viscosity Insoluble **Water Solubility**

No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

Vapor Pressure 1.77 mmHg @ 1000 °C

Density / Specific Gravity

Bulk Density No data available

Vapor Density Not applicable Solid

Particle characteristics No data available

9.2. Other information

Molecular Formula Pb 207.19 **Molecular Weight**

Not applicable - Solid **Evaporation Rate**

Section 10: Stability and reactivity

10.1. Reactivity None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Exposure to air. Incompatible products.

10.5. Incompatible materials

Strong acids. Ammonium nitrate: fertilizers capable of self-sustaining decomposition.

Peroxides.

Lead wire Revision Date 16-Jul-2025

10.6. Hazardous decomposition products

Lead. lead oxides.

Section 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

RespiratorySkin
No data available
No data available

No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Lead				Group 2A

(g) reproductive toxicity; Category 1A

Reproductive Effects May cause harm to the unborn child. Possible risk of impaired fertility.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

Target Organs Kidney, Central nervous system (CNS), Blood.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

Lead wire Revision Date 16-Jul-2025

Section 12: Ecological information

12.1. Toxicity **Ecotoxicity effects**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Lead	LC50: = 1.32 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 1.17 mg/L, 96h flow-through (Oncorhynchus mykiss) LC50: = 0.44 mg/L, 96h	EC50: = 600 μg/L, 48h (water flea)	•
	semi-static (Cyprinus carpio)		

Component	Microtox	M-Factor
Lead		M = 10'

12.2. Persistence and degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

Persistence Degradability Insoluble in water, May persist.

Not relevant for inorganic substances.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

12.3. Bioaccumulative potential

May have some potential to bioaccumulate; Product has a high potential to bioconcentrate

12.4. Mobility in soil

Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility.

12.5. Results of PBT and vPvB

assessment

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not

require assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste from Residues/Unused **Products**

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Lead wire Revision Date 16-Jul-2025

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

Section 14: Transport information

IMDG/IMO

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Shipping Name Lead

14.3. Transport hazard class(es)

14.4. Packing group

ADR

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Shipping Name

14.3. Transport hazard class(es)

14.4. Packing group

Lea

9

III

<u>IATA</u>

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Shipping Name

14.3. Transport hazard class(es)

14.4. Packing group

Use 14.3. Transport hazard class(es)

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

	Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL	l
--	-----------	--------	--------	--------	-----	-------	------	------	------	------	---

Lead wire Revision Date 16-Jul-2025

Lead	7439-92-1	231-100-4	-	-	Χ	Χ	KE-21887	Χ	-
Component	CAS No	TSCA	TSCA In notifica Active-I	ation -	DSL	NDSL	AICS	NZIoC	PICCS
Lead	7439-92-1	Х	ACT	IVE	Х	-	X	X	Х

Legend: X - Listed '-' - Not listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High
				Concern (SVHC)
Lead	7439-92-1	-	Use restricted. See entry 72. (see link for restriction details) Use restricted. See entry 30. (see link for restriction details) Use restricted. See entry 63. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	SVHC Candidate list - 231-100-4 - Toxic for reproduction (Article 57c)

REACH links

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Seveso III Directive (2012/	
-		Qualifying Quantities for Major Accident	Qualifying Quantities for Safety Report
		Notification	Requirements
Lead	7439-92-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Component	ANNEX I - PART 1 List of chemicals subject to export notification procedure (referred to in Article 8)	ANNEX I - PART 2 List of chemicals qualifying for PIC notification (referred to in Article 11)	ANNEX I - PART 3 List of chemicals subject to the PIC procedure (referred to in Articles 13 and 14)
Lead 7439-92-1 (<=100)	sr — severe restriction	-	-
	i(2) — industrial chemical for public		

https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX%3A32012R0649&qid=1604065742303.

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Revision Date 16-Jul-2025 Lead wire

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Lead	nwg	Class II: 0.5 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)
Lead	Tableaux des maladies professionnelles (TMP) - RG 1

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Lead	Prohibited and Restricted		
7439-92-1 (<=100)	Substances		

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H360Df - May damage the unborn child. Suspected of damaging fertility

H362 - May cause harm to breast-fed children

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H360FD - May damage fertility. May damage the unborn child

H360Fd - May damage fertility. Suspected of damaging the unborn child

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances Substances List

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

Lead wire Revision Date 16-Jul-2025

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate **VOC** - (volatile organic compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 11-Nov-2011 **Revision Date** 16-Jul-2025

Revision Summary SDS sections updated.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet