

Creation Date 04-Jul-2011 Revision Date 10-Dec-2021 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Salmonella typhi Vi Stained Suspension

Cat No.: R30953901

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Oxoid Ltd

Wade Road

Basingstoke, Hants, UK

RG24 8PW

Tel: +44 (0) 1256 841144

EU entity/business name Oxoid Deutschland GmbH

Postfach 10 07 53

D-46483 Wesel GERMANY

Tel: + 49 (0) 281 1520 Fax: 49 (0) 281 1521

E-mail address mbd-sds@thermofisher.com

1.4. Emergency telephone number

Chemtrec EU: 001-703-527-3887 Chemtrec US: (800) 424-9300

For customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Salmonella typhi Vi Stained Suspension

Revision Date 10-Dec-2021

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Formaldehyde	50-00-0	200-001-8	<0.1	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 1B (H350) Muta. 2 (H341) STOT SE 3 (H335)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Formaldehyde	Skin Corr. 1B :: C>=25% Eye Irrit. 2 :: 5%<=C<25% Skin Irrit. 2 :: 5%<=C<25% Skin Sens. 1 :: C>=0.2% STOT SE 3 :: C>=5%	-	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

Salmonella typhi Vi Stained Suspension

Skin Contact Wash off immediately with soap and plenty of water. Get medical attention if symptoms

occur

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

None.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NOx).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Revision Date 10-Dec-2021

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep at temperatures between 2° and 8 °C.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am arbeitplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund). **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

L	Component	European Union	The United Kingdom	France	Belgium	Spain
Г	Formaldehyde	TWA: 0.37 mg/m ³ (8h)	STEL: 2 ppm 15 min	TWA / VME: 0.5 ppm (8		STEL / VLA-EC: 0.6
		TWA: 0.3 ppm (8h)	STEL: 2.5 mg/m ³ 15 min	heures).		ppm (15 minutos).
		Skin	TWA: 2 ppm 8 hr	STEL / VLCT: 1 ppm.		STEL / VLA-EC: 0.74
		STEL: 0.74 mg/m ³ (8h)	TWA: 2.5 mg/m ³ 8 hr			mg/m³ (15 minutos).
		STEL: 0.6 ppm (8h)	Carc.			TWA / VLA-ED: 0.3 ppm
						(8 horas)
1						TWA / VLA-ED: 0.37
L						mg/m³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Formaldehyde	TWA: 0.37 mg/m ³ 8 ore.	TWA: 0.3 ppm (8	STEL: 0.6 ppm 15	STEL: 0.5 mg/m ³ 15	TWA: 0.3 ppm 8
	Media Ponderata nel	Stunden). AGW -	minutos	minuten	tunteina
	Tempo	exposure factor 2	STEL: 0.74 mg/m ³ 15	TWA: 0.15 mg/m ³ 8	TWA: 0.37 mg/m ³ 8
	TWA: 0.3 ppm 8 ore.	TWA: 0.37 mg/m ³ (8	minutos	uren	tunteina
	Media Ponderata nel	Stunden). AGW -	Ceiling: 0.3 ppm		STEL: 0.6 ppm 15
	Tempo	exposure factor 2	TWA: 0.3 ppm 8 horas		minuutteina
	TWA: 0.62 mg/m ³ 8 ore.	TWA: 0.3 ppm (8	TWA: 0.37 mg/m ³ 8		STEL: 0.74 mg/m ³ 15
	Media Ponderata nel	Stunden). MAK no	horas		minuutteina
	Tempo for the health	irritation should occur	TWA: 0.62 mg/m ³ 8		
	care, funeral and	during mixed exposure	horas		
	embalming sectors until	TWA: 0.37 mg/m ³ (8	TWA: 0.5 ppm 8 horas		
	July 11, 2024	Stunden). MAK no			
	TWA: 0.5 ppm 8 ore.	irritation should occur			
	Media Ponderata nel	during mixed exposure			
	Tempo for the health	Höhepunkt: 0.6 ppm			
	care, funeral and	Höhepunkt: 0.74 mg/m ³			
	embalming sectors until				

Salmonella typhi Vi Stained Suspension

July 11, 2024		
STEL: 0.74 mg/m ³ 15		
minuti. Breve termine		
STEL: 0.6 mg/m ³ 15		
minuti. Breve termine		
Pelle		

Component	Austria	Denmark	Switzerland	Poland	Norway
Formaldehyde	MAK-KZGW: 0.6 ppm	Ceiling: 0.3 ppm	STEL: 0.6 ppm 15	STEL: 0.74 mg/m ³ 15	TWA: 0.5 ppm 8 timer
	15 Minuten	Ceiling: 0.4 mg/m ³	Minuten	minutach	TWA: 0.6 mg/m ³ 8 timer
	MAK-KZGW: 0.74	_	STEL: 0.74 mg/m ³ 15	TWA: 0.37 mg/m ³ 8	Ceiling: 1 ppm
	mg/m ³ 15 Minuten		Minuten	godzinach	Ceiling: 1.2 mg/m ³
	MAK-TMW: 0.3 ppm 8		TWA: 0.3 ppm 8	_	
	Stunden		Stunden		
	MAK-TMW: 0.37 mg/m ³		TWA: 0.37 mg/m ³ 8		
	8 Stunden		Stunden		

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Formaldehyde	TWA: 1.0 mg/m ³	TWA-GVI: 0.3 ppm 8	TWA: 0.3 ppm 8 hr.		TWA: 0.5 mg/m ³ 8
	STEL: 2.0 mg/m ³	satima.	TWA: 0.5 ppm 8 hr. for		hodinách.
		TWA-GVI: 0.37 mg/m ³ 8	the healthcare, funeral		Potential for cutaneous
		satima.	and embalming sectors		absorption
		TWA-GVI: 0.5 ppm 8	until July 11, 2024		Ceiling: 1 mg/m ³
		satima. for health,	TWA: 0.37 mg/m ³ 8 hr.		
		funeral and embalming	TWA: 0.62 mg/m ³ 8 hr.		
		sector applies until July	for the healthcare,		
		11, 2024	funeral and embalming		
		TWA-GVI: 0.62 mg/m ³ 8	sectors until July 11,		
		satima. for health,	2024		
		funeral and embalming	STEL: 0.6 ppm 15 min		
		sector applies until July	STEL: 0.738 mg/m ³ 15		
		11, 2024	min		
		STEL-KGVI: 0.6 ppm 15	STEL: 0.62 mg/m ³ 15		
		minutama.	min		
		STEL-KGVI: 0.74 mg/m ³			
		15 minutama.			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Formaldehyde	TWA: 0.5 ppm 8 tundides. TWA: 0.6 mg/m³ 8 tundides. STEL: 1 ppm 15 minutites. STEL: 1.2 mg/m³ 15 minutites.		STEL: 0.6 ppm STEL: 0.74 mg/m³ TWA: 0.3 ppm TWA: 0.37 mg/m³	STEL: 0.6 mg/m³ 15 percekben. CK TWA: 0.6 mg/m³ 8 órában. AK lehetséges borön keresztüli felszívódás	STEL: 0.6 ppm STEL: 0.74 mg/m³ TWA: 0.3 ppm 8 klukkustundum. TWA: 0.37 mg/m³ 8 klukkustundum. Skin notation

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Formaldehyde	TWA: 0.5 mg/m ³	TWA: 0.3 ppm IPRD			TWA: 1 ppm 8 ore
	_	TWA: 0.37 mg/m ³ IPRD			TWA: 1.2 mg/m ³ 8 ore
		TWA: 0.62 mg/m ³ IPRD			STEL: 2 ppm 15 minute
		for healthcare, funeral,			STEL: 3 mg/m ³ 15
		and embalming			minute
		industries			
		TWA: 0.5 ppm IPRD for			
		healthcare, funeral, and			
		embalming industries			
		STEL: 0.74 mg/m ³			
		STEL: 0.6 ppm			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Formaldehyde	Skin notation	Ceiling: 0.74 mg/m ³	TWA: 0.62 mg/m ³ 8	Binding STEL: 0.6 ppm	
	MAC: 0.5 mg/m ³	TWA: 0.3 ppm	urah applies for health	15 minuter	
		TWA: 0.37 mg/m ³	care, funeral and	Binding STEL: 0.74	
			embalming activities	mg/m ³ 15 minuter	
			until July 11, 2024	TLV: 0.3 ppm 8 timmar.	
			TWA: 0.5 ppm 8 urah	NGV	
			applies for health care,	TLV: 0.37 mg/m ³ 8	

OXDR30953901

Salmonella typhi Vi Stained Suspension

funeral and embalming activities until July 11, 2024	timmar. NGV Hud	
TWA: 0.37 mg/m³ 8 urah TWA: 0.3 ppm 8 urah Koža		
STEL: 0.6 ppm 15 minutah STEL: 0.74 mg/m³ 15 minutah		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Formaldehyde 50-00-0 (<0.1)			DNEL = 37µg/cm2	DNEL = 240mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Formaldehyde 50-00-0 (<0.1)	$DNEL = 0.75 mg/m^3$		DNEL = 0.375mg/m ³	DNEL = 9mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

ſ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
ſ	Formaldehyde	PNEC = 0.44mg/L	PNEC = 2.3mg/kg	PNEC = 4.44mg/L	PNEC = 0.19mg/L	PNEC = 0.2mg/kg
	50-00-0 (<0.1)		sediment dw			soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Formaldehyde	PNEC = 0.44mg/L	PNEC = 2.3mg/kg			
50-00-0 (<0.1)		sediment dw			

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Salmonella typhi Vi Stained Suspension

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness EU standard Glove comments Disposable gloves See manufacturers EN 374 (minimum requirement) recommendations

Skin and body protection Long sleeved clothing.

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 10-Dec-2021

and maintained properly

In case of insufficient ventilation, wear suitable respiratory equipment Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure Small scale/Laboratory use

limits are exceeded or if irritation or other symptoms are experienced.

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Liquid **Physical State**

Appearance Blue

Odor No information available **Odor Threshold** No data available Melting Point/Range Not applicable **Softening Point** No data available **Boiling Point/Range** Not applicable Flammability (liquid) No data available Flammability (solid,gas) No information available **Explosion Limits** No data available

Flash Point Not applicable Method - No information available

Autoignition Temperature Not applicable **Decomposition Temperature** No data available

7.3 - 7.5Hq

No data available **Viscosity**

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Formaldehyde -0.35

Vapor Pressure No data available **Density / Specific Gravity** No data available **Bulk Density** No data available No data available **Vapor Density**

Not applicable (liquid)

Particle characteristics

OXDR30953901

(Air = 1.0)

Revision Date 10-Dec-2021

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

10.4. Conditions to avoid

Exposure to moisture.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information Product does not present an acute toxicity hazard based on known or supplied information

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Formaldehyde	Skin sensitization	Man	Sensitizer
50-00-0 (< 0.1)	Test method Patch Test	guinea pig	Sensitization
	Respiratory sensitization in vitro		

Salmonella typhi Vi Stained Suspension

As a precaution the product should be treated as a sensitizer

(e) germ cell mutagenicity; No data available

None known

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Revision Date 10-Dec-2021

Component	EU	UK	Germany	IARC
Formaldehyde	Carc Cat. 1B	Cat 3		Group 1

(g) reproductive toxicity; No data available Reproductive Effects None known.

Developmental Effects None known.

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Formaldehyde	Leuciscus idus: LC50 = 15 mg/L	EC50 = 20 mg/L 96h	
·	96h	EC50 = 2 mg/L 48h	

12.2. Persistence and degradability No information available

12.3. Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Formaldehyde	-0.35	No data available

12.4. Mobility in soil No information available .

Salmonella typhi Vi Stained Suspension

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

Revision Date 10-Dec-2021

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Dispose of in accordance with local regulations.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazardsNo hazards identified

Salmonella typhi Vi Stained Suspension

14.6. Special precautions for user

No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

EINECS ELINCS

Formaldehyde	50-00-0	200-001-8	-	-	Х	Х	KE-17074	X	X
Component	CAS No	TSCA	notific	ventory ation - Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Formaldehyde	50-00-0	X	ACT	IVE	Х	-	X	X	X

Legend: X - Listed '-' - Not Listed

Component

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

NLP

IECSC

TCSI

Authorisation/Restrictions according to EU REACH

CAS No

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Formaldehyde	•	Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	<u>-</u> '

https://echa.europa.eu/substances-restricted-under-reach

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety
			Accident Notification	Report Requirements
[Formaldehyde	50-00-0	5 tonne	50 tonne

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification Water endangering class = 1 (self classification)

Revision Date 10-Dec-2021

ENCS

ISHL

Salmonella typhi Vi Stained Suspension

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Formaldehyde	WGK 3	Class I: 20 mg/m³ (Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)	
Formaldehyde	Tableaux des maladies professionnelles (TMP) - RG 43	

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Formaldehyde 50-00-0 (<0.1)		Group I	

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TSCA - United States Toxic Substances Control Act Section 8(b)

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

OXDR30953901

Salmonella typhi Vi Stained Suspension

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Creation Date04-Jul-2011Revision Date10-Dec-2021Revision SummaryNot applicable.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

OXDR30953901