

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Casein blocking buffer, 3% in PBS, with 0.02% sodium azide
Cat No. : J63453

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH
Erlenbachweg 2, 76870 Kandel, Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG
Neuhofstrasse 11, CH 4153 Reinach
Tel: +41 (0) 56 618 41 11
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:
Tox Info Suisse Emergency Number: **145 (24hr)**
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)
Chemtrec (24h) Toll-Free: 0800 564 402
Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

EUH210 - Safety data sheet available on request

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	96.05	-
Casein	9000-71-9	EEC No. 232-555-1	3	-
Sodium chloride	7647-14-5	231-598-3	0.7758	-
Phosphoric acid, disodium salt	7558-79-4	231-448-7	0.1106	-
Phosphoric acid, potassium salt (1:1)	7778-77-0	231-913-4	0.0242	-
Sodium azide	26628-22-8	247-852-1	0.02	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)
Potassium chloride	7447-40-7	231-211-8	0.0194	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium azide	-	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

immediately if symptoms occur.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.

Inhalation

Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider

No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Hydrogen chloride, Oxides of phosphorus, Calcium oxides, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510
Storage Class (LGK) (Germany)

Storage Class/LGK 12

Switzerland - Storage of hazardous substances

Storage class - SC 10/12
<https://www.kvu.ch/de/themen/stoffe-und-produkte>
<https://www.kvu.ch/fr/themes/substances-et-produits>
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Sodium azide	Skin TWA 0.1 mg/m ³ STEL 0.3 mg/m ³	Skin TWA 0.1 mg/m ³ STEL 0.3 mg/m ³	TWA / VME: 0.1 mg/m ³ (8 heures). restrictive limit STEL / VLCT: 0.3 mg/m ³ . restrictive limit Peau	Skin TWA 0.1 mg/m ³ STEL 0.3 mg/m ³	STEL / VLA-EC: 0.3 mg/m ³ (15 minutos). TWA / VLA-ED: 0.1 mg/m ³ (8 horas) Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sodium azide	TWA: 0.1 mg/m ³ 8 ore. Time Weighted Average STEL: 0.3 mg/m ³ 15 minuti. Short-term Pelle	MAK 0.2 mg/m ³ (inhalable)	STEL: 0.3 mg/m ³ 15 minutos Ceiling: 0.29 mg/m ³ Ceiling: 0.11 ppm TWA: 0.1 mg/m ³ 8 horas Pele	huid STEL: 0.3 mg/m ³ 15 minuten TWA: 0.1 mg/m ³ 8 uren	TWA: 0.1 mg/m ³ 8 tunteina STEL: 0.3 mg/m ³ 15 minuutteina Iho

Component	Austria	Denmark	Switzerland	Poland	Norway
Sodium azide	Haut MAK-KZGW: 0.3 mg/m ³ 15 Minuten MAK-TMW: 0.1 mg/m ³ 8 Stunden	TWA: 0.1 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter Hud	STEL: 0.4 mg/m ³ 15 Minuten TWA: 0.3 mg/m ³ 8 Stunden	STEL: 0.3 mg/m ³ 15 minutach TWA: 0.1 mg/m ³ 8 godzinach	TWA: 0.1 mg/m ³ 8 timer STEL: 0.3 mg/m ³ 15 minutter. value from the regulation

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sodium azide	TWA: 0.1 mg/m ³ STEL : 0.3 mg/m ³ Skin notation	kože TWA-GVI: 0.1 mg/m ³ 8 satima.	TWA: 0.1 mg/m ³ 8 hr. STEL: 0.3 mg/m ³ 15 min Skin	Skin-potential for cutaneous absorption STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³ 8 hodinách. Potential for cutaneous

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

		STEL-KGVI: 0.3 mg/m ³ 15 minutama.		TWA: 0.1 mg/m ³	absorption Ceiling: 0.3 mg/m ³
Potassium chloride	TWA: 5.0 mg/m ³				

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sodium azide	Nahk TWA: 0.1 mg/m ³ 8 tundides. STEL: 0.3 mg/m ³ 15 minutites.	Skin notation TWA: 0.1 mg/m ³ 8 hr STEL: 0.3 mg/m ³ 15 min	STEL: 0.1 ppm STEL: 0.3 mg/m ³ TWA: 0.1 ppm TWA: 0.3 mg/m ³	STEL: 0.3 mg/m ³ 15 percekben. CK TWA: 0.1 mg/m ³ 8 óraban. AK	STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³ 8 klukkustundum. Skin notation

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			
Sodium azide	skin - potential for cutaneous exposure STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ IPRD Oda STEL: 0.3 mg/m ³	Possibility of significant uptake through the skin TWA: 0.1 mg/m ³ 8 Stunden STEL: 0.3 mg/m ³ 15 Minuten	possibility of significant uptake through the skin TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ 15 minuti	Skin notation TWA: 0.1 mg/m ³ 8 ore STEL: 0.3 mg/m ³ 15 minute
Potassium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m ³ IPRD			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Sodium chloride	MAC: 5 mg/m ³				
Phosphoric acid, disodium salt	MAC: 10 mg/m ³				
Phosphoric acid, potassium salt (1:1)	MAC: 10 mg/m ³				
Sodium azide		Ceiling: 0.3 mg/m ³ Potential for cutaneous absorption TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ 8 urah Koža STEL: 0.3 mg/m ³ 15 minutah	Binding STEL: 0.3 mg/m ³ 15 minuter TLV: 0.1 mg/m ³ 8 timmar. NGV	Deri TWA: 0.1 mg/m ³ 8 saat STEL: 0.3 mg/m ³ 15 dakika
Potassium chloride	MAC: 5 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium chloride 7647-14-5 (0.7758)		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day
Sodium azide 26628-22-8 (0.02)				DNEL = 46.7µg/kg bw/day
Potassium chloride 7447-40-7 (0.0194)		DNEL = 910mg/kg bw/day		DNEL = 303mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium chloride 7647-14-5 (0.7758)		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
Phosphoric acid, potassium salt (1:1) 7778-77-0 (0.0242)				DNEL = 14.82mg/m ³

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Sodium azide 26628-22-8 (0.02)				DNEL = 0.164mg/m ³
Potassium chloride 7447-40-7 (0.0194)		DNEL = 5320mg/m ³		DNEL = 1064mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Sodium chloride 7647-14-5 (0.7758)	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw
Phosphoric acid, disodium salt 7558-79-4 (0.1106)	PNEC = 0.05mg/L		PNEC = 0.5mg/L	PNEC = 50mg/L	
Sodium azide 26628-22-8 (0.02)	PNEC = 0.35µg/L	PNEC = 16.7µg/kg sediment dw	PNEC = 3.5µg/L	PNEC = 30µg/L	
Potassium chloride 7447-40-7 (0.0194)	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Phosphoric acid, disodium salt 7558-79-4 (0.1106)	PNEC = 0.005mg/L				
Sodium azide 26628-22-8 (0.02)	PNEC = 15ng/L	PNEC = 0.72µg/kg sediment dw	PNEC = 150ng/L		
Potassium chloride 7447-40-7 (0.0194)	PNEC = 0.1mg/L				

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)
Nitrile rubber				
Neoprene				
PVC				

Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use

Maintain adequate ventilation

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Liquid	
Appearance		
Odor	No information available	
Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Vapor Pressure	<=1100 hPa @ 50 °C	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity
None known, based on information available

10.2. Chemical stability
Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

10.4. Conditions to avoid
Incompatible products. Excess heat.

10.5. Incompatible materials
Water.

10.6. Hazardous decomposition products
Nitrogen oxides (NOx). Hydrogen chloride. Oxides of phosphorus. Calcium oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
Phosphoric acid, disodium salt	LD50 = 17 g/kg (Rat)	-	-
Phosphoric acid, potassium salt (1:1)	LD50 = 3200 mg/kg (Rat)	LD50 > 4640 mg/kg (Rabbit)	LC50 > 0.83 mg/L (Rat) 4 h
Sodium azide	LD50 = 27 mg/kg (Rat)	-	LC50 0.054 - 0.52 mg/L (Rat) 4 h
Potassium chloride	LD50 = 2600 mg/kg (Rat)	-	-

(b) skin corrosion/irritation;

No data available

(c) serious eye damage/irritation;

No data available

(d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

(e) germ cell mutagenicity;

No data available

(f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

No data available

(h) STOT-single exposure;

No data available

(i) STOT-repeated exposure;

No data available

Target Organs

No information available.

(j) aspiration hazard;

No data available

Symptoms / effects, both acute and delayed

No information available.

11.2. Information on other hazards

Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
Sodium azide	LC50: = 0.7 mg/L, 96h (Lepomis macrochirus) LC50: = 0.8 mg/L, 96h (Oncorhynchus mykiss) LC50: = 5.46 mg/L, 96h flow-through (Pimephales promelas)		
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h

Component	Microtox	M-Factor
Sodium azide		1

12.2. Persistence and degradability

Persistence

Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment

No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

European Waste Catalogue (EWC)	According to the European Waste Catalog, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.
Switzerland - Waste Ordinance	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

ADR Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

IATA Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Casein	9000-71-9	232-555-1	-	-	X	X	KE-04893	-	-
Sodium chloride	7647-14-5	231-598-3	-	-	X	X	KE-31387	X	X
Phosphoric acid, disodium salt	7558-79-4	231-448-7	-	-	X	X	KE-12344	X	X
Phosphoric acid, potassium salt (1:1)	7778-77-0	231-913-4	-	-	X	X	KE-28622	X	X
Sodium azide	26628-22-8	247-852-1	-	-	X	X	KE-31357	X	X
Potassium chloride	7447-40-7	231-211-8	-	-	X	X	KE-29086	X	X

Component	CAS No	TSCA	TSCA Inventory notification -	DSL	NDSL	AICS	NZIoC	PICCS
-----------	--------	------	-------------------------------	-----	------	------	-------	-------

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

			Active-Inactive					
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Casein	9000-71-9	X	ACTIVE	X	-	X	X	X
Sodium chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
Phosphoric acid, disodium salt	7558-79-4	X	ACTIVE	X	-	X	X	X
Phosphoric acid, potassium salt (1:1)	7778-77-0	X	ACTIVE	X	-	X	X	X
Sodium azide	26628-22-8	X	ACTIVE	X	-	X	X	X
Potassium chloride	7447-40-7	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

Authorisation/Restrictions according to EU REACH

Not applicable

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Casein	9000-71-9	-	-	-
Sodium chloride	7647-14-5	-	-	-
Phosphoric acid, disodium salt	7558-79-4	-	-	-
Phosphoric acid, potassium salt (1:1)	7778-77-0	-	-	-
Sodium azide	26628-22-8	-	-	-
Potassium chloride	7447-40-7	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Casein	9000-71-9	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
Phosphoric acid, disodium salt	7558-79-4	Not applicable	Not applicable
Phosphoric acid, potassium salt (1:1)	7778-77-0	Not applicable	Not applicable
Sodium azide	26628-22-8	Not applicable	Not applicable
Potassium chloride	7447-40-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sodium chloride	WGK1	

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Phosphoric acid, disodium salt	WGK1	
Phosphoric acid, potassium salt (1:1)	WGK1	
Sodium azide	WGK2	
Potassium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78
Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium chloride 7647-14-5 (0.7758)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH032 - Contact with acids liberates very toxic gas

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

SAFETY DATA SHEET

Casein blocking buffer, 3% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Physical hazards	On basis of test data
Health Hazards	Calculation method
Environmental hazards	Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By	Health, Safety and Environmental Department
Revision Date	17-Mar-2024
Revision Summary	New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and
Preparations).**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet