

Page 1/9 Creation Date 19-Apr-2012 Revision Date 21-Mar-2025 Version 4

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: N,N-DIMETILANILINA
Product Description: N,N-Dimethylaniline

Cat No. : 115920000; 115920010; 115920025; 115920050

Synonyms DMA
CAS No 121-69-7
Molecular Formula C8 H11 N

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 3 (H301)
Acute dermal toxicity	Category 3 (H311)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Carcinogenicity	Category 2 (H351)
Chronic aquatic toxicity	Category 2 (H411)

Label Elements



Signal Word Danger

ACR11592

Hazard Statements

H411 - Toxic to aquatic life with long lasting effects

H351 - Suspected of causing cancer

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P330 - Rinse mouth

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Combustible liquid

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %	
Dimethylaniline	121-69-7	>95	

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Ingestion Call a physician immediately. Clean mouth with water.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

ACR11592

N,N-Dimethylaniline Revision Date 21-Mar-2025

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Water mist may be used to cool closed containers. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Water may be ineffective.

Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂).

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not let this chemical enter the environment. Remove all sources of ignition.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

N,N-Dimethylaniline Revision Date 21-Mar-2025

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat, sparks and flame. Protect from direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Dimethylaniline		TWA: 5 ppm	(Vacated) TWA: 5 ppm
		STEL: 10 ppm	(Vacated) TWA: 25 mg/m ³
		Skin	(Vacated) TWA: 2 ppm
			(Vacated) TWA: 8 mg/m ³
			(Vacated) STEL: 10 ppm
			(Vacated) STEL: 50 mg/m ³
			Skin
			TWA: 5 ppm
			TWA: 25 mg/m ³

Component	European Union	The United Kingdom	Germany
Dimethylaniline		STEL: 10 ppm 15 min	TWA: 5 ppm (8 Stunden). AGW -
		STEL: 50 mg/m ³ 15 min	exposure factor 2
		TWA: 5 ppm 8 hr	TWA: 25 mg/m³ (8 Stunden). AGW -
		TWA: 25 mg/m ³ 8 hr	exposure factor 2
		Skin	TWA: 5 ppm (8 Stunden). MAK
			TWA: 25 mg/m³ (8 Stunden). MAK
			Höhepunkt: 10 ppm
			Höhepunkt: 50 mg/m ³
			Haut

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

Page 4/9

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter

Type K Green conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures**

Prevent product from entering drains Do not allow material to contaminate ground water **Environmental exposure controls**

system

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Yellow **Physical State** Liquid Odor Fishy

Odor Threshold No data available

pН 7.4 1 g/l water

Melting Point/Range 1.5 - 2.5 °C / 34.7 - 36.5 °F

Softening Point No data available

193 - 194 °C / 379.4 - 381.2 °F **Boiling Point/Range** @ 760 mmHg

63 °C / 145.4 °F **Flash Point** Method - No information available

No data available **Evaporation Rate** Flammability (solid,gas) Not applicable

Liquid

Explosion Limits Lower 1.2 Upper 7

Vapor Pressure 0.53 mbar @ 20 °C

Vapor Density No information available (Air = 1.0)

Specific Gravity / Density 0.950 Not applicable **Bulk Density**

Liquid 1 g/L (20°C) Water Solubility

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Dimethylaniline 2.278

370 °C / 698 °F **Autoignition Temperature** No data available **Decomposition Temperature**

Viscosity

Explosive Properties explosive air/vapour mixtures possible

No data available

Oxidizing Properties No information available

C8 H11 N Molecular Formula **Molecular Weight** 121.18

ACR11592

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

No information available.

Conditions to Avoid

Excess heat. Exposure to air. Exposure to light. Incompatible products. Keep away from

open flames, hot surfaces and sources of ignition.

Incompatible Materials

Acids. Strong oxidizing agents. Halogens. Acid anhydrides. Acid chlorides. Chloroformates.

Hazardous Decomposition Products

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralCategory 3DermalCategory 3InhalationCategory 3

Component	nponent LD50 Oral		LC50 Inhalation		
Dimethylaniline	LD50 = 951 mg/kg (Rat)	LD50 = 1770 mg/kg (Rabbit)	LC50 > 0.5 - 5.0 mg/L (Rat) 4 h		

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

RespiratoryBased on available data, the classification criteria are not met **Skin**Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Category 2

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Based on available data, the classification criteria are not met

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. delayed

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effectsThe product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Dimethylaniline	LC50: = 53.7 mg/L, 96h semi-static (Poecilia reticulata) LC50: = 51.1 mg/L, 96h semi-static (Brachydanio rerio) LC50: 0.183 - 0.186 mg/L, 96h (Brachydanio rerio) LC50: = 65.6 mg/L, 96h (Pimephales promelas) LC50: = 52.6 mg/L, 96h flow-through (Pimephales promelas)	(Daphnia magna)	EC50: = 340 mg/L, 96h (Desmodesmus subspicatus)	EC50 = 110 mg/L 24 h EC50 = 13.6 mg/L 5 min EC50 = 14.6 mg/L 30 min

Persistence and degradability

Persistence

Degradation in sewage treatment plant

Not readily biodegradable

Persistence is unlikely.

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Dimethylaniline	2.278	4.7 - 13.6 dimensionless

Mobility in soil The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Do not let this chemical

enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2253 Hazard Class 6.1 Packing Group II

Proper Shipping Name N,N-DIMETHYLANILINE

Road and Rail Transport

UN-No UN2253 Hazard Class 6.1 Packing Group II

Proper Shipping Name N,N-DIMETHYLANILINE

<u>IATA</u>

UN-No UN2253
Hazard Class 6.1
Packing Group II

Proper Shipping Name N,N-DIMETHYLANILINE

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Dimethylaniline	204-493-5	X	Х	Х	X	X	Χ	Χ	KE-05-0532

National Regulations

N,N-Dimethylaniline Revision Date 21-Mar-2025

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Substances List

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water

RPE - Respiratory Protective Equipment

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 21-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet