

# **SAFETY DATA SHEET**

Creation Date 15-February-2011 Revision Date 27-March-2024 Revision Number 4

## 1. Identification

Product Name Chloroacetic acid

Cat No. : L12661

CAS-No 79-11-8 Synonyms MCA

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

### Company

## Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Corrosive to metals
Category 1
Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Acute Inhalation Toxicity
Category 3
Skin Corrosion/Irritation
Category 1
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

#### Signal Word

Danger

#### **Hazard Statements**

May be corrosive to metals Toxic if swallowed, in contact with skin or if inhaled Causes severe skin burns and eye damage May cause respiratory irritation



## **Precautionary Statements**

#### Prevention

Keep only in original container

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Rinse mouth

Do NOT induce vomiting

Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Very toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Chloroacetic acid	79-11-8	<=100

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects Causes burns by all exposure routes. Product is a corrosive material. Use of gastric

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 126 °C / 258.8 °F

**Method** - No information available

Autoignition Temperature 470 °C / 878 °F

**Explosion Limits** 

**Upper** No data available

**Lower** 8.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

### **Hazardous Combustion Products**

**Environmental Precautions** 

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health	Flammability	Instability	Physical hazards
4	1	1	N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Ensure

adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

Do not flush into surface water or sanitary sewer system. Do not allow material to

contaminate ground water system. Prevent product from entering drains. Local authorities

should be advised if significant spillages cannot be contained.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

# 7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe (dust, vapor, mist, gas). Avoid dust

Revision Date 27-March-2024 Chloroacetic acid

formation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Store under an inert atmosphere. Protect from moisture. Incompatible Materials. Strong oxidizing agents. Strong bases. Strong reducing agents. Amines. Alcohols.

## 8. Exposure controls / personal protection

### **Exposure Guidelines**

ſ	Component	Alberta	British	Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
	-		Columbia					
Ī	Chloroacetic acid	TWA: 0.5 ppm TWA: 1.9 mg/m <sup>3</sup>		TWA: 0.5 ppm Skin		TWA: 0.5 ppm Skin		
		Skin						

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

**Eye Protection Hand Protection**  Goggles

Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Butyl rubber	recommendations		
Nitrile rubber			
Neoprene			
PVC			

Inspect gloves before use, observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

## **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 9. Physical and chemical properties

Physical State Solid
Appearance White
Odor pungent

Odor Threshold
pH

No information available
< 1 (800 g/l @ 20°C)

Melting Point/Range 61 - 63 °C / 141.8 - 145.4 °F

Boiling Point/Range 189 °C / 372.2 °F Flash Point 126 °C / 258.8 °F Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

**Upper** No data available

**Lower** 8.0%

Vapor Pressure0.75 mmHg (20°C)Vapor DensityNot applicable

Specific Gravity 1.580

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature470 °C / 878 °FDecomposition TemperatureNo information available

ViscosityNot applicableMolecular FormulaC2 H3 Cl O2

Molecular Weight 94.5

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Hygroscopic.

Conditions to Avoid Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong bases, Strong reducing agents, Amines, Alcohols

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

# Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Chloroacetic acid	LD50 = 55 mg/kg (Rat)	LD50 = 250 mg/kg (Rabbit)	$LC50 = 180 \text{ mg/m}^3 \text{ (Rat) 4 h}$

Toxicologically Synergistic No i

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes burns by all exposure routes

**Sensitization** No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Chloroacetic acid	79-11-8	Not listed				

**Mutagenic Effects** Not mutagenic in AMES Test

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

No information available. **Teratogenicity** 

STOT - single exposure Respiratory system STOT - repeated exposure None known

**Aspiration hazard** No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Chloroacetic acid	EC50: = 1.8 mg/L, 72h (Pseudokirchneriella subcapitata) EC50: = 0.025 mg/L, 72h (Desmodesmus subspicatus)	LC50: = 145 mg/L, 96h semi-static (Pimephales promelas)	Not listed	EC50: 71 - 85 mg/L, 48h Static (Daphnia magna) EC50: = 77 mg/L, 48h (Daphnia magna)

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Chloroacetic acid	0.49

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

**UN-No** UN1751

**Proper Shipping Name** CHLOROACETIC ACID, SOLID

**Hazard Class** 6.1 **Subsidiary Hazard Class** 8 **Packing Group** Ш

TDG

UN1751 **UN-No** 

Proper Shipping Name CHLOROACETIC ACID, SOLID

Hazard Class 6.1
Subsidiary Hazard Class 8
Packing Group ||

<u>IATA</u>

**UN-No** UN1751

Proper Shipping Name CHLOROACETIC ACID, SOLID

Hazard Class 6.1
Subsidiary Hazard Class 8
Packing Group II

IMDG/IMO

UN-No UN1751

Proper Shipping Name CHLOROACETIC ACID, SOLID 6.1

Subsidiary Hazard Class 8
Packing Group ||

# 15. Regulatory information

## All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Chloroacetic acid	79-11-8	X	-	Х	ACTIVE	201-178-4	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Chloroacetic acid	79-11-8	Х	KE-05492	Χ	X	X	X	X	X

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Chloroacetic acid	Part 1, Group A Substance Part 4 Substance		

**Legend** NPRI - National Pollutant Release Inventory

## Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV -	REACH (1907/2006) - Annex XVII -	REACH Regulation (EC
-	Substances Subject to	Restrictions on Certain Dangerous	1907/2006) article 59 - Candidate
	Authorization	Substances	List of Substances of Very High
			Concern (SVHC)

Chloroacetic acid	-	Use restricted. See item 75.	-
		(see link for restriction details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Chloroacetic acid	79-11-8	Listed	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

- 1	Component	CAS-No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
	-		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
			Qualifying Quantities Qualifying Quantities		, ,	, ,
			for Major Accident	for Safety Report		
			Notification	Requirements		
	Chloroacetic acid	79-11-8	Not applicable	Not applicable	Not applicable	Not applicable

## 16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Creation Date15-February-2011Revision Date27-March-2024Print Date27-March-2024

**Revision Summary** New emergency telephone response service provider.

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**