

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product Description: **NP-40 permeating solution in TBS (10X)**  
Cat No. : **J62410**

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
Uses advised against No Information available

**1.3. Details of the supplier of the safety data sheet**

Company Avocado Research Chemicals Ltd.  
(Part of Thermo Fisher Scientific)  
Shore Road, Heysham  
Lancashire, LA3 2XY,  
United Kingdom  
Office Tel: +44 (0) 1524 850506  
Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

**1.4. Emergency telephone number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**SECTION 2: HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture****CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567****Physical hazards**

Based on available data, the classification criteria are not met

**Health hazards**

Based on available data, the classification criteria are not met

**Environmental hazards**

Based on available data, the classification criteria are not met

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

Full text of Hazard Statements: see section 16

## 2.2. Label elements

None required

EUH210 - Safety data sheet available on request

## 2.3. Other hazards

Contains a known or suspected endocrine disruptor

Included in the list established in accordance with Article 59(1) for having endocrine disrupting properties

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Water	7732-18-5	231-791-2	86.922	-
Sodium chloride	7647-14-5	231-598-3	7.92	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	EEC No. 214-684-5	3.96	-
Polyethylene glycol octylphenyl ether	9036-19-5		1	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)
Potassium chloride	7447-40-7	231-211-8	0.198	-

Full text of Hazard Statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Remove to fresh air. Get medical attention immediately if symptoms occur.
<b>Self-Protection of the First Aider</b>	No special precautions required.

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

## 4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

## 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Not combustible.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Nitrogen oxides (NO<sub>x</sub>), Hydrogen chloride, Potassium oxides, Sodium oxides.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

### 6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

#### **Hygiene Measures**

ALFAAJ62410

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510  
Storage Class (LGK) (Germany)

Class 12

## 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s):

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Sodium chloride 7647-14-5 ( 7.92 )		DNEL = 295.52mg/kg bw/day		DNEL = 295.52mg/kg bw/day
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.96 )				DNEL = 216.6mg/kg bw/day
Potassium chloride 7447-40-7 ( 0.198 )		DNEL = 910mg/kg bw/day		DNEL = 303mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Sodium chloride 7647-14-5 ( 7.92 )		DNEL = 2068.62mg/m <sup>3</sup>		DNEL = 2068.62mg/m <sup>3</sup>
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.96 )				DNEL = 152.8mg/m <sup>3</sup>
Potassium chloride 7447-40-7 ( 0.198 )		DNEL = 5320mg/m <sup>3</sup>		DNEL = 1064mg/m <sup>3</sup>

#### Predicted No Effect Concentration (PNEC)

See values below.

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Sodium chloride 7647-14-5 ( 7.92 )	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg soil dw
Potassium chloride 7447-40-7 ( 0.198 )	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Potassium chloride 7447-40-7 ( 0.198 )	PNEC = 0.1mg/L				

## 8.2. Exposure controls

### Engineering Measures

None under normal use conditions.

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

#### Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber	See manufacturers	-	EN 374	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

No protective equipment is needed under normal use conditions.

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Particle filter

#### Small scale/Laboratory use

Maintain adequate ventilation

#### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Liquid

#### Appearance

#### Odor

No information available

ALFAAJ62410

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

Odor Threshold	No data available	
Melting Point/Range	No data available	
Softening Point	No data available	
Boiling Point/Range	No information available	
Flammability (liquid)	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Miscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/water)		
Component	log Pow	
1,3-Propanediol,	-3.6	
2-amino-2-(hydroxymethyl)-, hydrochloride		
Vapor Pressure	23 hPa @ 20 °C	
Density / Specific Gravity	No data available	
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

## 9.2. Other information

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

#### Hazardous Polymerization

No information available.

#### Hazardous Reactions

None under normal processing.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

Water.

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Hydrogen chloride. Potassium oxides. Sodium oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

ALFAAJ62410

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

**(a) acute toxicity;**

**Oral**

Based on available data, the classification criteria are not met

**Dermal**

Based on available data, the classification criteria are not met

**Inhalation**

Based on available data, the classification criteria are not met

**Toxicology data for the components**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Sodium chloride	LD50 = 3 g/kg ( Rat )	LD50 > 10000 mg/kg ( Rabbit )	LC50 > 42 mg/L ( Rat ) 1 h
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 425 (Rat) LD50 > 5000 mg/kg bw	OECD 402 (Rat) LD50 > 5000 mg/kg bw	-
Polyethylene glycol octylphenyl ether	LD50 = 1700 mg/kg ( Rat )	-	-
Potassium chloride	LD50 = 2600 mg/kg ( Rat )	-	-

**(b) skin corrosion/irritation;**

No data available

**(c) serious eye damage/irritation;**

No data available

**(d) respiratory or skin sensitization;**

**Respiratory**

No data available

**Skin**

No data available

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.96 )	OECD Test Guideline 406	guinea pig	non-sensitising

**(e) germ cell mutagenicity;**

No data available

Component	Test method	Test species	Study result
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride 1185-53-1 ( 3.96 )	OECD Test Guideline 471 Bacterial Reverse Mutation Test	Mammalian in vitro	negative

**(f) carcinogenicity;**

No data available

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

No data available

**(h) STOT-single exposure;**

No data available

**(i) STOT-repeated exposure;**

No data available

**Target Organs**

No information available.

**(j) aspiration hazard;**

No data available

**Symptoms / effects, both acute and delayed** No information available.

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride		Daphnia Magna EC50 >100 mg/L (48h)	
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h

Component	Microtox	M-Factor
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	OECD 209 EC50 > 1000 mg/L (3h)	

### 12.2. Persistence and degradability

#### Persistence

Miscible with water, Persistence is unlikely, based on information available.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	-3.6	No data available

### 12.4. Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

### 12.5. Results of PBT and vPvB assessment

No data available for assessment.

### 12.6. Endocrine disrupting properties

#### Endocrine Disruptor Information

#### Assess endocrine disrupting properties for the environment

Substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Component	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances
Polyethylene glycol octylphenyl ether	Group III Chemical	

Component	EU National Authorities Endocrine Disruptor Lists - Environment	Japan - Endocrine Disruptor Information
Polyethylene glycol octylphenyl ether 9036-19-5 ( 1 )	List I	

### 12.7. Other adverse effects

ALFAAJ62410



# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

**Persistent Organic Pollutant**  
**Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products**

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

**Contaminated Packaging**

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

**European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information**

Waste codes should be assigned by the user based on the application for which the product was used.

## SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No hazards identified

14.6. Special precautions for user

No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

## International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Sodium chloride	7647-14-5	231-598-3	-	-	X	X	KE-31387	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	214-684-5	-	-	X	X	KE-34819	X	-
Polyethylene glycol octylphenyl ether	9036-19-5	-	-	-	X	X	KE-33567	X	X
Potassium chloride	7447-40-7	231-211-8	-	-	X	X	KE-29086	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Water	7732-18-5	X	ACTIVE	X	-	X	X	X
Sodium chloride	7647-14-5	X	ACTIVE	X	-	X	X	X
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	X	ACTIVE	X	-	X	X	X
Polyethylene glycol octylphenyl ether	9036-19-5	X	ACTIVE	X	-	X	X	X
Potassium chloride	7447-40-7	X	ACTIVE	X	-	X	X	X

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Sodium chloride	7647-14-5	-	-	-
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	-	-	-
Polyethylene glycol octylphenyl ether	9036-19-5	-	-	SVHC Candidate list - Endocrine disrupting properties, Article 57f - environment
Potassium chloride	7447-40-7	-	-	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

## REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/candidate-list-table>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	1185-53-1	Not applicable	Not applicable
Polyethylene glycol	9036-19-5	Not applicable	Not applicable

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

octylphenyl ether			
Potassium chloride	7447-40-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

## National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

Water endangering class = 1 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sodium chloride	WGK1	
1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, hydrochloride	WGK1	
Polyethylene glycol octylphenyl ether	WGK2	
Potassium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78
Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium chloride 7647-14-5 ( 7.92 )	Prohibited and Restricted Substances		
Polyethylene glycol octylphenyl ether 9036-19-5 ( 1 )			Annex I - pesticide

## 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

## SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H412 - Harmful to aquatic life with long lasting effects

### Legend

# SAFETY DATA SHEET

NP-40 permeating solution in TBS (10X)

Revision Date 19-Mar-2024

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

**Physical hazards** On basis of test data

**Health Hazards** Calculation method

**Environmental hazards** Calculation method

## Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Prepared By** Health, Safety and Environmental Department

**Revision Date** 19-Mar-2024

**Revision Summary** New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**