

# SAFETY DATA SHEET

Creation Date 21-February-2012

Revision Date 25-December-2021

**Revision Number** 5

1. Identification

**Product Name** Petroleum ether, boiling range ca. 180-280°C

AC387490000; AC387490010; AC387490025; AC387490050; Cat No.:

AC387490250

CAS-No 8008-20-6 **Synonyms** Kerosene

**Recommended Use** Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Category 3 Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS).

Aspiration Toxicity Category 1

Label Elements

Signal Word Danger

**Hazard Statements** 

Combustible liquid May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause drowsiness and dizziness



## **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Call a POISON CENTER/ doctor if you feel unwell

Do NOT induce vomiting Take off contaminated clothing

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

| Component           | CAS-No    | Weight % |
|---------------------|-----------|----------|
| Kerosine, petroleum | 8008-20-6 | >95      |

## 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

**Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur. Risk of serious damage to the lungs (by aspiration).

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately. If vomiting occurs naturally, have victim

lean forward.

Most important symptoms/effects

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

**Unsuitable Extinguishing Media** No information available

82 °C / 179.6 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

**Notes to Physician** 

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 3      | 2            | 0           | N/A              |

## Accidental release measures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all **Personal Precautions** 

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Up

Remove all sources of ignition.

# 7. Handling and storage Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open

flames, hot surfaces and sources of ignition.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage.

from heat, sparks and flame. Incompatible Materials. Strong oxidizing agents. Strong

acids. Strong bases. Amines.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

| Component           | Alberta                   | British<br>Columbia       | Ontario TWAEV             | Quebec | ACGIH TLV                 | OSHA PEL | NIOSH IDLH        |
|---------------------|---------------------------|---------------------------|---------------------------|--------|---------------------------|----------|-------------------|
| Kerosine, petroleum | TWA: 200<br>mg/m³<br>Skin | TWA: 200<br>mg/m³<br>Skin | TWA: 200<br>mg/m³<br>Skin |        | TWA: 200<br>mg/m³<br>Skin |          | TWA: 100<br>mg/m³ |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | Glove comments         |
|----------------|-------------------|-----------------|------------------------|
| Viton (R)      | See manufacturers | -               | Splash protection only |
|                | recommendations   |                 | ·                      |

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceColorlessOdorStrong

Odor Threshold
PH
No information available
No information available

Melting Point/Range No data available

 Boiling Point/Range
 200 - 250 °C / 392 - 482 °F @ 760 mmHg

 Flash Point
 82 °C / 179.6 °F

Evaporation Rate
No information available
Flammability (solid,gas)
Not applicable

Flammability (solid,gas)
Not a
Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available **Vapor Density** No information available

**Specific Gravity** 0.790 Solubility insoluble

Partition coefficient; n-octanol/water No data available No information available **Autoignition Temperature Decomposition Temperature** No information available No information available **Viscosity** 

# 10. Stability and reactivity

**Reactive Hazard** None known, based on information available

Stability Stable under normal conditions.

**Conditions to Avoid** Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

**Incompatible Materials** Strong oxidizing agents, Strong acids, Strong bases, Amines

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

## **Acute Toxicity**

#### **Product Information Component Information**

Component LD50 Oral LD50 Dermal LC50 Inhalation LD50 > 5000 mg/kg (Rat) LD50 > 2000 mg/kg (Rabbit) LC50 > 5.28 mg/L (Rat) 4 h Kerosine, petroleum

**Toxicologically Synergistic** No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component           | CAS-No    | IARC       | NTP        | ACGIH | OSHA       | Mexico |
|---------------------|-----------|------------|------------|-------|------------|--------|
| Kerosine, petroleum | 8008-20-6 | Not listed | Not listed | A3    | Not listed | A3     |

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** No information available

**Reproductive Effects** No information available. No information available. **Developmental Effects** 

**Teratogenicity** No information available.

Central nervous system (CNS) STOT - single exposure

STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Persistence and Degradability** Insoluble in water May persist based on information available.

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3082

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.

Technical Name KEROSENE

Hazard Class 9
Packing Group III

TDG

UN-No UN3082

**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

**IATA** 

UN-No UN3082

Proper Shipping Name Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

IMDG/IMO

UN-No UN3082

**Proper Shipping Name** Environmentally hazardous substances, liquid, n.o.s.

Hazard Class 9
Packing Group III

# 15. Regulatory information

## **International Inventories**

| Component           | CAS-No    | DSL   | NDSL | TSCA | TSCA In<br>notific<br>Active- | •    | EINECS    | ELINCS | NLP   |
|---------------------|-----------|-------|------|------|-------------------------------|------|-----------|--------|-------|
| Kerosine, petroleum | 8008-20-6 | Х     | -    | Х    | ACT                           | IVE  | 232-366-4 | -      | -     |
|                     |           |       |      |      |                               |      |           |        |       |
| Component           | CAS-No    | IECSC | KECL | ENCS | ISHL                          | TCSI | AICS      | NZIoC  | PICCS |

-----

| Kerosine, petroleum | 8008-20-6 | X | KE-21778 | - | - | X | X | X | Х |
|---------------------|-----------|---|----------|---|---|---|---|---|---|

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### **Other International Regulations**

Kerosine, petroleum

## Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component           | CAS-No    | OECD HPV  | Persistent Organic<br>Pollutant  | Ozone Depletion<br>Potential  | Restriction of<br>Hazardous<br>Substances (RoHS) |
|---------------------|-----------|---|--|-------------------------------|--|
| Kerosine, petroleum | 8008-20-6 | Listed  | Not applicable   | Not applicable                | Not applicable                                   |
| _                   | T         |   |  |                               | T  |
| Component           | CAS-No    | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Major Accident | Seveso III Directive<br>(2012/18/EC) -<br>Qualifying Quantities<br>for Safety Report | Rotterdam<br>Convention (PIC) | Basel Convention<br>(Hazardous Waste)            |

| 16 Other information |
|----------------------|

8008-20-6

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Notification

2500 tonne

Creation Date21-February-2012Revision Date25-December-2021Print Date25-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Requirements

25000 tonne

Not applicable

Not applicable

Chemicals.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**