

## **SAFETY DATA SHEET**

Revision Date 01-Apr-2024 Revision Number 3

### 1. Identification

Product Name Potassium, Oil based standard solution, Specpure®, K 1000µg/g

Cat No.: 14216

Synonyms No information available

**Recommended Use** Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label Elements

None required

### Hazards not otherwise classified (HNOC)

None identified

### 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	99.9
Potassium	7440-09-7	0.1

### 4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

None reasonably foreseeable.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point > 232 °C / > 449.6 °F

Method - No information available

Autoignition Temperature 338 °C / 640.4 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

None known.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health Flammability Instability Physical hazards
0 0 0 -

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal.

Up

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

contact with skin, eyes or clothing. Avoid ingestion and inhalation.

**Storage.** Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

**Engineering Measures** None under normal use conditions.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Recommended Filter type:** Particle filter.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid Appearance Dark

Odor Petroleum distillates
No information available

Odor ThresholdNo information availablepHNo information availableMelting Point/RangeNo data available

Boiling Point/Range > 315 °C / 599 °F
Flash Point > 232 °C / > 449.6 °F
Evaporation Rate No information available

Flammability (solid,gas)
Not applicable
Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.75 g/cm3

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature338 °C / 640.4 °FDecomposition TemperatureNo information available

Viscosity No information available

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

# Potassium, Oil based standard solution, Specpure®, K $1000\mu g/g$

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

### 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Distillates (petroleum),	LD50 > 15000 mg/kg (Rat)	LD50 > 5000 mg/kg (Rabbit)	LC50 > 2400 mg/m <sup>3</sup> (Rat) 4 h
solvent-dewaxed heavy paraffinic			

**Toxicologically Synergistic** 

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Not listed	Known	A2	Not listed	Not listed
Potassium	7440-09-7	Not listed				

Mutagenic Effects No information available

**Reproductive Effects**No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

### 12. Ecological information

**Ecotoxicity** 

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Distillates (petroleum),	Not listed	LC50: > 5000 mg/L, 96h	Not listed	EC50: > 1000 mg/L, 48h
solvent-dewaxed heavy		(Oncorhynchus mykiss)		(Daphnia magna)
paraffinic				
Persistence and Degrada	<b>bility</b> May persist			

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT Not regulated Not regulated TDG Not regulated IATA Not regulated IMDG/IMO

### 15. Regulatory information

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
			Active-Inactive	Flags
Distillates (petroleum),	64742-65-0	Χ	ACTIVE	-
solvent-dewaxed heavy paraffinic				
Potassium	7440-09-7	Χ	ACTIVE	-

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Distillates (petroleum),	64742-65-0	Х	-	265-169-7	Χ	-		Х	Χ	KE-12602
solvent-dewaxed heavy paraffinic										
Potassium	7440-09-7	Х	-	231-119-8	Χ	Χ		Х	Χ	KE-29068

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Distillates (petroleum), solvent-dewaxed heavy paraffinic	-	-	-	X	-
Potassium	X	X	X	-	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75.	-

			(see link for restriction details)	
Potassium	7440-09-7	-	Use restricted. See item	-
			75.	
			(see link for restriction	
			details)	

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Listed	Not applicable	Not applicable	Not applicable
Potassium	7440-09-7	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

### **Other International Regulations**

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Not applicable	Not applicable	Not applicable	Not applicable
Potassium	7440-09-7	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 01-Apr-2024

 Print Date
 01-Apr-2024

**Revision Summary** New emergency telephone response service provider.

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**