

Page 1/8
Revision Date 01-May-2024
Version 3

ALFAA39350

## Lithium arsenate

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 砷酸锂

Product Description: Lithium arsenate

 Cat No.:
 39350

 CAS No
 13478-14-3

 Molecular Formula
 Li3 AsO4

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No. **US:**001-800-424-9300 / **Europe:**001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

## **SECTION 2. HAZARD IDENTIFICATION**

Physical State Appearance Odor

Solid No information available No information available

**Emergency Overview** 

Toxic if swallowed. Toxic if inhaled. May cause cancer. Very toxic to aquatic life with long lasting effects.

#### Classification of the substance or mixture

| Acute Oral Toxicity                         | Category 3  |
|---|-------------|
| Acute Inhalation Toxicity - Dusts and Mists | Category 3  |
| Carcinogenicity                             | Category 1A |
| Acute aquatic toxicity                      | Category 1  |
| Chronic aquatic toxicity                    | Category 1  |

## **Label Elements**



Signal Word Danger

Page 2/8 Revision Date 01-May-2024

#### Lithium arsenate

\_\_\_\_\_

#### **Hazard Statements**

H350 - May cause cancer

H410 - Very toxic to aquatic life with long lasting effects

H301 + H331 - Toxic if swallowed or if inhaled

### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P330 - Rinse mouth

## Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

None identified.

#### **Health Hazards**

Toxic if swallowed. Toxic if inhaled. May cause cancer.

### **Environmental hazards**

Very toxic to aquatic life with long lasting effects. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

This product does not contain any known or suspected endocrine disruptors.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Component                              | CAS No     | Weight % |  |  |
|--|------------|----------|--|--|
| Arsenic acid (H3AsO4), trilithium salt | 13478-14-3 | <=100    |  |  |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

## **SECTION 4. FIRST AID MEASURES**

### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

### Eye Contact

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

## **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

Page 3/8 Revision Date 01-May-2024

#### Lithium arsenate

medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

#### Most important symptoms and effects

None reasonably foreseeable.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Notes to Physician

Treat symptomatically.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

## **Specific Hazards Arising from the Chemical**

Do not allow run-off from fire-fighting to enter drains or water courses.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

## **Environmental Precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7. HANDLING AND STORAGE**

#### Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

#### Storage

Keep container tightly closed in a dry and well-ventilated place.

#### Specific Use(s)

Use in laboratories

Page 4 / 8 Revision Date 01-May-2024

Lithium arsenate

## \_\_\_\_\_

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

| Component              | China | Taiwan                      | Thailand                    | Hong Kong |  |  |
|------------------------|-------|-----------------------------|-----------------------------|-----------|--|--|
| Arsenic acid (H3AsO4), | -     | TWA: 0.01 mg/m <sup>3</sup> | TWA: 0.01 mg/m <sup>3</sup> | -         |  |  |
| trilithium salt        |       | _                           | -                           |           |  |  |

| Component              | ACGIH TLV                   | OSHA PEL | NIOSH                            | The United Kingdom              | European Union |
|------------------------|-----------------------------|----------|----------------------------------|---------------------------------|----------------|
| Arsenic acid (H3AsO4), | TWA: 0.01 mg/m <sup>3</sup> |          | IDLH: 5 mg/m <sup>3</sup>        | STEL: 0.3 mg/m <sup>3</sup> 15  |                |
| trilithium salt        | _                           |          | Ceiling: 0.002 mg/m <sup>3</sup> | min                             |                |
|                        |                             |          |                                  | TWA: 0.1 mg/m <sup>3</sup> 8 hr |                |
|                        |                             |          |                                  | Carc. except Arsine             |                |

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists NIOSH: NIOSH - National Institute for Occupational Safety and Health

## **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

## **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

## Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

| Glove material<br>Natural rubber<br>Nitrile rubber<br>Neoprene | Breakthrough time<br>See manufacturers<br>recommendations | Glove thickness | <b>EU standard</b><br>EN 374 | Glove comments<br>(minimum requirement) |
|--|---|-----------------|------------------------------|---|
| PVC  |   |                 |                              |   |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Skin and body protection   | Long sleeved clothing   |
|----------------------------|---|
| Respiratory Protection     | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
| Large scale/emergency use  | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced <b>Recommended Filter type:</b> Particulates filter conforming to EN 143          |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.   |

Page 5/8 Revision Date 01-May-2024

Lithium arsenate

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls** 

system. Local authorities should be advised if significant spillages cannot be contained.

Solid

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** 

**Physical State** Solid

Odor No information available **Odor Threshold** No data available pН No information available No data available **Melting Point/Range** 

**Softening Point** No data available **Boiling Point/Range** No information available **Flash Point** No information available

Method - No information available Solid

**Evaporation Rate** Not applicable

Flammability (solid,gas) No information available

No data available **Explosion Limits** 

**Vapor Pressure** No data available

**Vapor Density** Not applicable Solid Specific Gravity / Density 3.07 g/cm3 @ 20 °C

**Bulk Density** No data available Water Solubility Insoluble in water No information available Solubility in other solvents

Partition Coefficient (n-octanol/water)

No data available **Autoignition Temperature** No data available **Decomposition Temperature** Not applicable **Viscosity** 

**Explosive Properties** No information available No information available **Oxidizing Properties** 

Molecular Formula Li3 AsO4 **Molecular Weight** 159.74

## **SECTION 10. STABILITY AND REACTIVITY**

Stability Stable under normal conditions.

**Hazardous Reactions** None under normal processing. **Hazardous Polymerization** No information available.

**Conditions to Avoid** None known.

Materials to avoid No information available.

Hazardous Decomposition Products None under normal use conditions.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

**Product Information** 

Page 6/8 Revision Date 01-May-2024

#### Lithium arsenate

(a) acute toxicity;

(b) skin corrosion/irritation; No data available

No data available (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

(e) germ cell mutagenicity; No data available

Category 1A (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

## **SECTION 12. ECOLOGICAL INFORMATION**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic **Ecotoxicity effects** 

environment. The product contains following substances which are hazardous for the

environment.

Persistence and Degradability

**Persistence** Insoluble in water.

Not relevant for inorganic substances. Degradability

Degradation in sewage

Contains substances known to be hazardous to the environment or not degradable in waste treatment plant water treatment plants.

**Bioaccumulative Potential** May have some potential to bioaccumulate

Mobility in soil Spillage unlikely to penetrate soil Is not likely mobile in the environment due its low water

solubility

**Endocrine Disruptor Information** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Page 7 / 8 Revision Date 01-May-2024

Lithium arsenate

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

## **SECTION 14. TRANSPORT INFORMATION**

**Road and Rail Transport** 

UN-No UN1557

Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.

Technical Shipping Name (Lithium arsenate)

Hazard Class 6.1 Packing Group II

IMDG/IMO

UN-No UN1557

Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.

Technical Shipping Name (Lithium arsenate)

Hazard Class 6.1 Packing Group II

IATA

UN-No UN1557

Proper Shipping Name ARSENIC COMPOUND, SOLID, N.O.S.

Technical Shipping Name (Lithium arsenate)

Hazard Class 6.1
Packing Group

Special Precautions for User No special precautions required

## **SECTION 15. REGULATORY INFORMATION**

#### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component                                    | The<br>Inventory of<br>Hazardous<br>Chemicals<br>(2015<br>Edition) | goods GB | TCSI | IECSC | EINECS    | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL     |
|--|--|----------|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Arsenic acid<br>(H3AsO4), trilithium<br>salt | -  | -        |      | -     | 236-773-8 | Х    | -   | -     | -    |      | -    | KE-34332 |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

#### Lithium arsenate

### **National Regulations**

## **SECTION 16. OTHER INFORMATION**

Prepared By Health, Safety and Environmental Department

**Revision Date** 01-May-2024

**Revision Summary** New emergency telephone response service provider.

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

IARC - International Agency for Research on Cancer

WEL - Workplace Exposure Limit **ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

PNEC - Predicted No Effect Concentration

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

## Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**