

Page 1/10 Creation Date 24-Nov-2010 Revision Date 25-Mar-2025

Version 4

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: Sodium dodecylsulfate, Ultrapure, Thermo Scientific **Product Description:** Sodium dodecylsulfate, Ultrapure, Thermo Scientific

J75819 Cat No.:

Synonyms Sodium lauryl sulfate; SDS; Dodecyl Sodium Sulfate

CAS No 151-21-3

Molecular Formula C12 H25 Na O4 S

Relevant identified uses of the substance or mixture and uses advised against

Laboratory chemicals. **Recommended Use** No Information available Uses advised against

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

> Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 4 (H302)
Skin Corrosion/Irritation	Category 2 (H315)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Chronic aquatic toxicity	Category 3 (H412)

Label Elements



Signal Word Danger

Revision Date 25-Mar-2025

Hazard Statements

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

Toxicity to Soil Dwelling Organisms

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Sodium lauryl sulfate	151-21-3	>95

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get **Eye Contact**

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Clean mouth with water and drink afterwards plenty of water. Get medical attention if Ingestion

symptoms occur.

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if Inhalation

symptoms occur.

Self-Protection of the First Aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Revision Date 25-Mar-2025

Causes severe eye damage.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Dust can form an explosive mixture with air. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Sodium oxides.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Avoid dust formation.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Exposure Controls

Engineering Measures

Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

system

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Off-white
Physical State Solid
Odor Odorless

Odor Threshold No data available

pH 8.5-10 1% aq.sol

Melting Point/Range No data available 206 °C / 402.8 °F

Softening Point No data available

Solid

Solid

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Revision Date 25-Mar-2025

Boiling Point/Range No information available

Flash Point > 150 °C / > 302 °F Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

Explosion Limits

No information available

No data available

Vapor Pressure No information available

Vapor Density Not applicable

Specific Gravity / Density No data available

Bulk Density >400 g/l **Water Solubility** Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowSodium lauryl sulfate1.6

Autoignition Temperature 250 °C / 482 °F

Decomposition Temperature

Viscosity

No data available
Not applicable

Explosive Properties No information available No information available

Molecular Formula C12 H25 Na O4 S

Molecular Weight 288.38

SECTION 10: STABILITY AND REACTIVITY

Reactivity

No.

Chemical Stability

Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization
Hazardous Reactions
Hazardous polymerization does not occur.
None under normal processing.

nazardous Reactions None under normal processing

Conditions to Avoid

 ${\bf Excess\ heat.\ Incompatible\ products.\ Avoid\ dust\ formation.\ Exposure\ to\ moist\ air\ or\ water.}$

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Revision Date 25-Mar-2025

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides. Sodium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Category 4

DermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral					Oral LD50 Dermal LC50 Inhalation			
Sodium lauryl sulfate	1288 mg/kg (Rat)	>2000 mg/kg (Rabbit)	LC50 > 3900 mg/m ³ (Rat) 1 h						

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratorySkin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

	Component	Test method	Test species	Study result
ſ	Sodium lauryl sulfate	OECD Test Guideline 406	guinea pig	2/20 - non-sensitising
1	151-21-3 (>95)	Guinea Pig Maximisation Test		_
		(GPMT)		

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result	
Sodium lauryl sulfate	OECD Test Guideline 471	Bacteria in vivo	negative	
151-21-3 (>95)	OECD Test Guideline 476			
	Test method OECD 478	Mammalian in vitro	negative	
		mouse in vivo	negative	

(f) carcinogenicity; Based on available data, the classification criteria are not met

Component	Test method	Test method Test species / Duration	
Sodium lauryl sulfate	OECD Test Guideline 453	Oral / Rat	NOEL > 1125 mg/kg bw/day
151-21-3 (>95)		2 years	

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(9) 10 11 11 11 11 11 11 11								
Component	Test method	Test species / Duration	Study result					
Sodium lauryl sulfate	OECD Test Guideline 416	rabbit	NOAEL = 300					
151-21-3 (>95)		2 Generation	mg/kg bw/day					

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Revision Date 25-Mar-2025

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available.

delayed

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects The product contains following substances which are hazardous for the environment.

Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sodium lauryl sulfate	LC50: 10.2 - 22.5 mg/L,		EC50: 3.59 - 15.6 mg/L,	
	96h semi-static	(Daphnia magna)	96h static	
	(Pimephales promelas)		(Pseudokirchneriella	
	LC50: 5.8 - 7.5 mg/L,		subcapitata)	
	96h static (Pimephales		EC50: = 117 mg/L, 96h	
	promelas)		(Pseudokirchneriella	
	LC50: = 4.5 mg/L, 96h		subcapitata)	
	(Lepomis macrochirus)		EC50: 30 - 100 mg/L,	
	LC50: 4.2 - 4.8 mg/L,		96h (Desmodesmus	
	96h flow-through		subspicatus)	
	(Lepomis macrochirus)		EC50: = 53 mg/L, 72h	
	LC50: 4.06 - 5.75 mg/L,		(Desmodesmus	
	96h static (Lepomis		subspicatus)	
	macrochirus)			
	LC50: 9.9 - 20.1 mg/L,			
	96h semi-static			
	(Brachydanio rerio)			
	LC50: = 7.97 mg/L, 96h			
	flow-through			
	(Brachydanio rerio)			
	LC50: = 4.2 mg/L, 96h			
	(Oncorhynchus mykiss)			
	LC50: = 4.62 mg/L, 96h			
	flow-through			
	(Oncorhynchus mykiss)			
	LC50: 4.3 - 8.5 mg/L,			
	96h static			
	(Oncorhynchus mykiss)			
	LC50: 22.1 - 22.8 mg/L,			
	96h static (Pimephales			
	promelas)			
	LC50: 8 - 12.5 mg/L,			
	96h static (Pimephales			
	promelas)			
	LC50: 15 - 18.9 mg/L,			
	96h static (Pimephales			
	promelas)			
	LC50: = 1.31 mg/L, 96h			
	semi-static (Cyprinus			
	carpio)			
	LC50: 10.8 - 16.6 mg/L,			

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Revision Date 25-Mar-2025

|--|

Persistence and degradability

Expected to be biodegradable

Persistence

Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Sodium lauryl sulfate	1.6	No data available

The product is water soluble, and may spread in water systems. . Will likely be mobile in Mobility in soil

the environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Dispose of this container to hazardous or special waste collection point. Empty containers **Contaminated Packaging**

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Do not let this chemical

enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Road and Rail Transport Not regulated

Not regulated IATA

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Sodium lauryl sulfate	205-788-1	Х	X	X	X	X	Χ	Χ	KE-21884

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 25-Mar-2025

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer LD50 - Lethal Dose 50%

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate

Transport Association

Ships

BCF - Bioconcentration factor

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

25-Mar-2025 **Revision Date Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

Sodium dodecylsulfate, Ultrapure, Thermo Scientific

Revision Date 25-Mar-2025

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet