

Page 1/9 Revision Date 28-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk:

Product Description:

Cat No.:

Barium selenite
Barium selenite
A17451

CAS No 13718-59-7 Molecular Formula BaO3 Se

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

| Acute oral toxicity | Category 2 (H300) |
|--|-------------------|
| Acute dermal toxicity | Category 1 (H310) |
| Acute Inhalation Toxicity - Dusts and Mists | Category 1 (H330) |
| Specific target organ toxicity - (repeated exposure) | Category 2 (H373) |

Label Elements



Signal Word Danger

Barium selenite Revision Date 28-Mar-2025

Hazard Statements

H373 - May cause damage to organs through prolonged or repeated exposure H300 + H310 + H330 - Fatal if swallowed, in contact with skin or if inhaled

Precautionary Statements

Prevention

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

Response

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % | |
|-----------------------------------|------------|----------|--|
| Selenious acid, barium salt (1:1) | 13718-59-7 | <=100 | |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Barium selenite Revision Date 28-Mar-2025

Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

None under normal use conditions.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

Conditions for Safe Storage, Including any Incompatibilities

Barium selenite Revision Date 28-Mar-2025

Keep container tightly closed in a dry and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Component | Component Malaysia | | OSHA PEL | | |
|-----------------------------------|--------------------|---|--------------------------------------|--|--|
| Selenious acid, barium salt (1:1) | | TWA: 0.5 mg/m ³ TWA: 0.2 mg/m ³ | (Vacated) TWA: 0.5 mg/m ³ | | |
| | | | (Vacated) TWA: 0.2 mg/m ³ | | |

| Component | European Union | The United Kingdom | Germany |
|-----------------------------------|----------------------------------|------------------------------------|----------------------------------|
| Selenious acid, barium salt (1:1) | TWA: 0.5 mg/m ³ (8hr) | STEL: 1.5 mg/m³ 15 min | TWA: 0.5 mg/m³ (8 Stunden). AGW |
| | | TWA: 0.5 mg/m ³ 8 hr | - exposure factor 1 TWA: 0.05 |
| | | STEL: 0.3 mg/m ³ 15 min | mg/m³ (8 Stunden). AGW - |
| | | TWA: 0.1 mg/m ³ 8 hr | exposure factor 1 |
| | | _ | TWA: 0.5 mg/m³ (8 Stunden). MAK |
| | | | TWA: 0.02 mg/m³ (8 Stunden). MAK |
| | | | Höhepunkt: 4 mg/m³ Höhepunkt: |
| | | | 0.16 mg/m ³ |
| | | | Haut |

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls No information available

Barium selenite Revision Date 28-Mar-2025

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Solid

Solid

Solid

Information on basic physical and chemical properties

Appearance Cream Physical State Solid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information available

Flash Point No information available Method - No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNot applicable

Specific Gravity / DensityNo data availableBulk DensityNo data availableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature No data available Decomposition Temperature No data available

Viscosity No data available

No data available

Explosive Properties No information available Oxidizing Properties No information available

Molecular FormulaBaO3 SeMolecular Weight264.29

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

Barium selenite Revision Date 28-Mar-2025

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

None under normal use conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralCategory 2DermalCategory 1InhalationCategory 1

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 2

Target Organs Liver.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available.

Barium selenite Revision Date 28-Mar-2025

delayed

Assess endocrine disrupting properties for human health. This product does not contain any **Endocrine Disrupting Properties**

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Persistence and degradability No information available

Degradability Not relevant for inorganic substances.

No information available **Bioaccumulative potential**

No information available. Mobility in soil

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging**

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not empty into drains

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2630 **Hazard Class** 6.1 **Packing Group**

Proper Shipping Name SELENATES (Barium selenite)

Road and Rail Transport

UN2630 **UN-No Hazard Class** 6.1 **Packing Group**

Proper Shipping Name SELENATES (Barium selenite)

IATA

UN-No UN2630 **Hazard Class** 6.1

Barium selenite Revision Date 28-Mar-2025

Packing Group

Proper Shipping Name SELENATES (Barium selenite)

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

| Component | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | IECSC | AICS | KECL |
|-----------------------------------|-----------|------|-----|-------|------|------|-------|------|----------|
| Selenious acid, barium salt (1:1) | 237-280-0 | Х | - | Х | X | Х | - | Х | KE-02088 |

Note

Note 1: The concentration stated or, in the absence of such concentrations, the generic concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated with reference to the total weight of the mixture

| | Component | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|---|-----------------------------------|--|---|----------------------------|---------------------------------------|
| ı | Selenious acid, barium salt (1:1) | | | | Annex I - Y25 |

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer LD50 - Lethal Dose 50%

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of

ICAO/IATA - International Civil Aviation Organization/International Air

Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime

Transport Association MARPOL - International Convention for the Prevention of Pollution from

Page 8/9

Dangerous Goods Code

Ships

OECD - Organisation for Economic Co-operation and Development

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

BCF - Bioconcentration factor

Barium selenite Revision Date 28-Mar-2025

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 28-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet